Free Crochet Pattern
Lion Brand® Beautiful You
Windowpane Pullover
Pattern Number: L80415
Designed by Teresa Chorzepa

SKILL LEVEL – Easy+

SIZES
S (M/L, 1X/2X)
Finished Bust About 45 (49, 58) in. (114.5 (124.5, 147.5) cm)
Finished Length About 25 in. (63.5 cm)
Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS
- Lion Brand® Beautiful You (Art. #165)
  - 189 Zinfandel 5 (6, 7) balls
- Lion Brand® crochet hook size F-5 (3.75 mm)
- Lion Brand® stitch markers
- Lion Brand® large-eyed blunt needle

GAUGE
20 sts + 5 1/2 rows = about 4 in. (10 cm) in Plaid Mesh pattern with 2 strands of yarn held tog.
2 Plaid Squares = about 4 1/2 in. (11.5 cm).
Note: One Plaid Square consists of (ch 4, dtr, ch 4, 2 dtr) or (ch 4, sc, ch 4, 2 sc). BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS
dtr (double treble/triple crochet) (Yarn over) 3 times, insert hook in indicated st and draw up a loop, (yarn over and draw through 2 loops on hook) 4 times.
ttr (triple treble/triple crochet) (Yarn over) 4 times, insert hook in indicated st and draw up a loop, (yarn over and draw through 2 loops on hook) 5 times.

PATTERN STITCH
Plaid Mesh Pattern (beg over a multiple of 11 ch + 3 additional ch)
Row 1 (RS): Sc in 2nd ch from hook and in next ch, *ch 4, sk next 4 ch, sc in next ch, ch 4, sk next 4 ch, sc in next 2 ch (1 Plaid Square made); rep from * to end of ch.
Row 2: Ch 4 (counts as dtr), turn, sk first st, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts (1 Plaid Square made); rep from * to end of row.
Row 3: Ch 4 (counts as dtr), turn, sk first st, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * across working last dtr in top of beg ch-4.
Row 4: Ch 1, turn, sc in first 2 sts, *ch 4, sk next ch-4 sp, sc in next st, ch 4, sk next ch-4 sp, sc in next 2 sts; rep from * across working last sc in top of beg ch-4.
Rep Rows 2-4 for Plaid Mesh pattern.

NOTES
1. Pullover is made in 4 pieces: Back, Front, and 2 Sleeves.
2. Each piece is worked with 2 strands of yarn held together. If needed, wind one of the balls into two separate balls.
3. The Back and Front are worked identically, back and forth in rows of Plaid Mesh pattern.
4. Shoulders are seamed then sts are picked up along the armhole edges to begin the Sleeves. Sleeves are worked in rows of Plaid Mesh pattern from shoulders downwards.
5. For those who find a visual helpful, we've included a stitch diagram.
6. When you see 'work even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.

BACK
With 2 strands of yarn held tog, ch 113 (124, 146).
Work in Plaid Mesh pattern for 31 rows – you will have 2 sts at beg and 10 (11, 13) Plaid Squares across each row.

Shape Neck and First Shoulder
Row 1 (WS): Ch 4 (counts as dtr), turn, sk first st, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * 2 (2, 3) more times; leave rem sts unworked for neck and second shoulder – 2 dtr at beg and 3 (3, 4) Plaid Squares across row.
Row 2: Ch 4 (counts as dtr), turn, sk first st, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * across working last dtr in top of beg ch-4.
Fasten off.

Shape Neck and Second Shoulder
From WS, sk next 8 (10, 10) unworked ch-4 sps following end of Row 1 of first shoulder, join yarn with sl st in next dtr.
Row 1 (WS): Ch 4 (counts as dtr), dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * across working last dtr in top of beg ch-4 – 2 dtr at beg and 3 (3, 4) Plaid Squares across row.
Row 2: Ch 4 (counts as dtr), turn, sk first st, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * across working last dtr in top of beg ch-4.
Fasten off.

FRONT
Make same as Back.

Seam Shoulders
Hold Front and Back with RS facing each other and sts of last rows of shoulders matching. From WS with 2 strands of yarn held tog and working through both

thicknesses, join yarn with a sl st in first st of one shoulder, sl st in next st, *ch 4, sk next ch-4 sp, sl st in next st, ch 4, sk next ch-4 sp, sl st in next 2 sts; rep from * across.
Fasten off.
Rep to seam rem shoulder.

SLEEVES

Place markers on both side edges of Back and Front in end of 4th (4th, 5th) sc row from shoulder seams.
From RS, with 2 strands of yarn held tog, join yarn with a sl st in edge at first marker, so that you are ready to work along side edge towards 2nd marker.
Row 1 (RS): Ch 4 (count as dtr), dtr in end of same row as joining, (ch 4, dtr between ends of next 2 dtr rows, ch 4, 2 dtr in end of next sc row) 3 (3, 4) times, ch 4, dtr between ends of next 2 dtr rows, ch 4, 2 dtr in end of shoulder seam, (ch 4, dtr between ends of next 2 dtr rows, ch 4, 2 dtr in end of next sc row) 4 (4, 5) times to 2nd marker – 2 dtr at beg and 8 (8, 10) Plaid Squares across row (for a total of 9 (9, 11) 2-dtr groups, 8 (8, 10) 1-dtr groups, and 16 (16, 20) ch-4 sps).
Rows 2 and 3: Work Rows 3 and 4 of Plaid Mesh pattern.
Row 4 (Decrease Row): Ch 5 (counts as ttr), turn, sk first ch-4 sp, dtr in next st, *ch 4, sk next ch-4 sp, dtr in next 2 sts, ch 4, sk next ch-4 sp, dtr in next st; rep from * to last ch-4 sp, sk last ch-4 sp, ttr in last st – 7 (7, 9) 2-dtr groups, 8 (8, 10) 1-dtr groups, 14 (14, 18) ch-4 sps, and 1 ttr at beg and end of row.
Row 5: Ch 8 (counts as dtr, ch 4), turn, sk first ch-4 sp, dtr in next 2 sts, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * to last ch-4 sp, ch 4, sk last ch-4 sp, dtr in top of beg ch-5 – 7 (7, 9) 2-dtr groups, 8 (8, 10) 1-dtr groups, and 14 (14, 18) ch-4 sps.
Row 6: Ch 1, turn, sc in first st, ch 4, sk next ch-4 sp, sc in next 2 sts, *ch 4, sk next ch-4 sp, sc in next st, ch 4, sk next ch-4 sp, sc in next 2 sts; rep from * to beg ch-sp, ch 4, sc in 4th ch of beg ch-8 – 7 (7, 9) 2-sc groups, 8 (8, 10) 1-sc groups, and 14 (14, 18) ch-4 sps.
Row 7: Ch 8 (counts as dtr, ch 4), turn, sk first ch-4 sp, dtr in next 2 sts, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * to last ch-4 sp, ch 4, sk last ch-4 sp, dtr in last st – 7 (7, 9) 2-dtr groups, 8 (8, 10) 1-dtr groups, and 14 (14, 18) ch-4 sps.
Row 8 (Decrease Row): Ch 5 (counts as ttr), turn, sk first ch-4 sp, dtr in next 2 sts, *ch 4, sk next ch-4 sp, dtr in next st, ch 4, sk next ch-4 sp, dtr in next 2 sts; rep from * to beg ch-sp, ttr in 4th ch of beg ch-8 – 7 (7, 9) 2-dtr groups, 6 (6, 8) 1-dtr groups, 12 (12, 16) ch-4 sps, and 1 ttr at beg and end of row.
Row 9: Ch 1, turn, sk first st, sc in next 2 sts, *ch 4, sk next ch-4 sp, sc in next st, ch 4, sk next ch-4 sp, sc in next 2 sts; rep from * to beg ch-5; leave beg ch-5 unworked – 7 (7, 9) 2-sc groups, 6 (6, 8) 1-sc groups, and 12 (12, 16) ch-4 sps.
Rows 10-12: Work Rows 2-4 of Plaid Mesh pattern.
Rows 13-21: Rep Rows 4-12 – 5 (5, 7) 2-sc groups, 4 (4, 6) 1-sc groups, and 8 (8, 12) ch-4 sps in Row 21.
Rows 22-24: Work Rows 2-4 of Plaid Mesh pattern.

Rows 25-27: Ch 1, turn, sc in first 2 sts, *ch 4, sk next ch-4 sp, sc in next st, ch 4, sk next ch-4 sp, sc in next 2 sts; rep from * to end of row.
Fasten off.
Rep along other side edge of Back/Front for 2nd Sleeve.

FINISHING
Neckband
From RS with 2 strands of yarn held tog, join yarn with a sl st in shoulder seam so that you are ready to work down front neck edge.
Rnd 1 (RS): Ch 1, sc in same place as join, ch 4, sc between ends of next 2 dtr rows, ch 4, sc in corner of front neck, *ch 4, sk next ch-4 sp, sc in next st (or between next 2 sts); rep from * along front neck edge to last ch-4 sp, ch 4, sk last ch-4 sp, sc in corner of front neck, ch 4, sc between ends of next 2 dtr rows, ch 4, sc in shoulder seam; ch 4, sc between ends of next 2 dtr rows, ch 4, sc in corner of back neck, **ch 4, sk next ch-4 sp, sc in next st (or between next 2 sts); rep from ** along back neck edge to last ch-4 sp, ch 4, sk last ch-4 sp, sc in corner of back neck, ch 4, sc between ends of next 2 dtr rows, ch 4; join with sl st in first sc.
Rnd 2: Ch 1, sc in same st as joining, *ch 4, sk next ch-4 sp, sc in next st; rep from * to last ch-4 sp, ch 4, sk last ch-4 sp; join with sl st in first sc.
Fasten off.

Sew side and Sleeve seams.

Weave in all ends.

ABBREVIATIONS
beg = begin(ning)(s)
ch = chain
ch-sp(s) = chain space(s) previously made
rem = remain(ing)(s)
rep = repeat
rnd = round
RS = right side
sc = single crochet
sk = skip
sl st = slip stitch
st(s) = stitch(es)
tog = together
WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.

Plaid Mesh Pattern

11-st rep
(1 Plaid Square)

3-row
rep

KEY

$\bigcirc$ = chain (ch)

$\times$ = single crochet (sc)

= double treble crochet (dtr)

7 (7, 9¼) in.
[18 (18, 23.5) cm]

8½ (10½, 10½) in.
[21.5 (26.5, 26.5) cm]

2 in.
[5 cm]

BACK
and
FRONT

25 in.
[63.5 cm]

23 in.
[58.5 cm]

22½ (24½, 29) in.
[57 (62, 73.5) cm]

9 (9, 13½) in.
[23 (23, 34.5) cm]

SLEEVE

19 in.
[48.5 cm]

work directly onto
side edge of Front/Back

18 (18, 22½) in.
[45.5 (45.5, 57) cm]