



***Free Knitting Pattern***  
**Lion Brand® Basic Stitch Anti-Pilling™**  
**Cloud Pillow**  
Pattern Number: L90139  
*Designed By Kristi Simpson*



## SKILL LEVEL – Easy

### SIZES

About 12 in. (30.5 cm) tall

### MATERIALS

- Lion Brand® Basic Stitch Anti-Pilling™ (Art. #202)
  - #100 White 2 balls (A)
  - #101 Baby Pink 1 ball (B)
  - #106 Baby Blue 1 ball (C)
- Lion Brand® crochet hook size G-6 (4 mm)
- Lion Brand® large-eyed blunt needle



### ADDITIONAL MATERIALS

- Small amount of black scrap yarn for mouth
- 2 safety eyes, 12mm diameter
- Fiberfill stuffing

### GAUGE

14 sc + 16 rows = about 4 in. (10 cm)

EXACT GAUGE IS NOT ESSENTIAL FOR THIS PROJECT.

### STITCH EXPLANATIONS

**sc2tog (sc 2 sts together)** (Insert hook in next st and draw up a loop) twice, yarn over and draw through all 3 loops on hook – 1 st decreased.

**sc3tog (sc 3 sts together)** (Insert hook in next st and draw up a loop) 3 times, yarn over and draw through all 4 loops on hook – 2 sts decreased.

### SURFACE SLIP STITCH

1. Make a slip knot, but do not place it on hook.
2. Insert hook from RS to WS through crochet fabric.
3. Place the slip knot on hook and draw loop to RS (keep beg tail and working yarn on WS).
4. \*Insert hook from RS to WS through fabric a short distance from last insertion location, yarn over, draw loop through fabric and through loop on hook (surface sl st made); rep from \* inserting hook, as desired, to create surface pattern.
5. Fasten off.

**Note:** To end a section of surface sl sts. Remove hook from loop and take hook to WS. Insert hook from WS to RS, place loop on hook, draw loop through to WS. Cut yarn. Draw tail through final loop and pull tight.

### NOTES

1. Five separate pieces are made: 2 Panels, 2 Cheeks, and a bow.
2. Pieces are stuffed and then sewn together to make the Pillow.

For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)  
To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!  
Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

3. Gauge is meant to be a bit tight – this helps keep the stuffing from poking through.

### FIRST PANEL

With A, ch 57.

**Row 1 (RS):** Work 2 sc in 2nd ch from hook and each ch to last ch, 2 sc in last ch – you will have 58 sc in this row.

**Row 2:** Ch 1, turn, 2 sc in first st, sc in next 56 sts, 2 sc in last st – 60 sc.

**Row 3:** Ch 1, turn, 2 sc in first st, sc in next 58 sts, 2 sc in last st – 62 sc.

**Row 4:** Ch 1, turn, 2 sc in first st, sc in next 60 sts, 2 sc in last st – 64 sc.

**Rows 5-10:** Ch 1, turn, sc in each st across.

**Row 11:** Turn, sc2tog, sc in next 60 sts, sc2tog – 62 sc.

**Row 12:** Turn, sc2tog, sc in next 58 sts, sc2tog – 60 sc.

**Row 13:** Turn, sc2tog, sc in next 56 sts, sc2tog – 58 sc.

**Row 14:** Turn, (sc2tog) twice, sc in next 50 sts, (sc2tog) twice – 54 sc.

**Row 15:** Turn, sc2tog, sc in next 50 sts, sc2tog – 52 sc.

**Row 16:** Turn, (sc2tog) twice, sc in next 44 sts, (sc2tog) twice – 48 sc.

**Row 17:** Turn, sc2tog, sc in next 44 sts, sc2tog – 46 sc.

**Row 18:** Turn, sc3tog, sc in next 40 sts, sc3tog – 42 sc.

**Row 19:** Turn, sc2tog, sc in next 38 sts, sc2tog – 40 sc.

**Row 20:** Ch 1, turn, 2 sc in first st, sc in next 38 sts, 2 sc in next st – 42 sc.

**Row 21:** Ch 1, turn, 2 sc in first st, sc in next 40 sts, 2 sc in next st – 44 sc.

**Row 22:** Ch 1, turn, 2 sc in first st, sc in next 42 sts, 2 sc in next st – 46 sc.

**Rows 23-33:** Ch 1, turn, sc in each st across.

### LEFT FLUFFY SIDE

**Row 34 (WS):** Turn, sc2tog, sc in next 25 sts, sc2tog, leave remaining sts unworked – 27 sc.

**Row 35:** Ch 1, turn, sc in each st across.

**Row 36:** Turn, sc2tog, sc in next 23 sts, sc2tog – 25 sc.

**Row 37:** Ch 1, turn, sc in each st across.

**Row 38:** Turn, sc2tog, sc in next 21 sts, sc2tog – 23 sc.

**Row 39:** Ch 1, turn, sc in each st across.

**Row 40:** Turn, sc2tog, sc in next 19 sts, sc2tog – 21 sc.

**Row 41:** Ch 1, turn, sc in each st across.

**Row 42:** Turn, sc2tog, sc in next 17 sts, sc2tog – 19 sc.

**Row 43:** Turn, sc2tog, sc in next 15 sts, sc2tog – 17 sc.

**Row 44:** Turn, sc2tog, sc in next 13 sts, sc2tog – 15 sc.

**Row 45:** Turn, sc2tog, sc in next 11 sts, sc2tog – 13 sc.

**Row 46:** Ch 1, turn, sc in each st across.

**Row 47:** Turn, sc2tog, sc in next 9 sts, sc2tog – 11 sc.

**Row 48:** Turn, sc2tog, sc in next 7 sts, sc2tog – 9 sc.

Fasten off.

## RIGHT FLUFFY SIDE

From RS, join A with sl st in first st of Row 33.

**Row 1 (RS):** Ch 1, skip same st as joining, sc in next 18 sts – 18 sc.

**Row 2:** Turn, sc2tog, sc in next 14 sts, sc2tog – 16 sc.

**Row 3:** Ch 1, turn, sc in each st across.

**Row 4:** Turn, sc2tog, sc in next 12 sts, sc2tog – 14 sc.

**Row 5:** Ch 1, turn, sc in each st across.

**Row 6:** Turn, sc2tog, sc in next 10 sts, sc2tog – 12 sc.

**Row 7:** Ch 1, turn, sc in each st across.

**Row 8:** Turn, sc2tog, sc in next 8 sts, sc2tog – 10 sc.

**Row 9:** Turn, sc2tog, sc in next 6 sts, sc2tog – 8 sc.

**Row 10:** Turn, sc2tog, sc in next 4 sts, sc2tog – 6 sc.

Do not fasten off.

## TRIM

Ch 1, turn, sc evenly spaced around outer edge of panel; join with sl st in first sc.  
Fasten off.

## SECOND PANEL

Make same as First Panel to Trim.

**Note:** The RS of the First Panel is the WS on the Second Panel.

## TRIM FOR SECOND PANEL

Ch 1, do NOT turn, sc evenly spaced around outer edge of panel; join with sl st to first sc.

Fasten off.

## CHEEKS (Make 2)

With B, ch 2.

**Rnd 1:** Work 6 sc in 2nd ch from hook; join with sl st in first sc.

**Rnd 2:** Ch 1, work 2 sc in each st around; join with sl st in first sc – 12 sc.

**Rnd 3:** Ch 1, \*sc in next st, 2 sc in next st; rep from \* around; join with sl st in first sc – 18 sc.

Fasten off, leaving a long yarn tail for sewing.

## BOW

With C, ch 32.

**Rnd 1:** Dc in 4th ch from hook (3 skipped ch count as dc) and in each ch across; join with sl st in top of beg ch-3 – 30 dc.

**Rnds 2-4:** Ch 3, dc in each st around; join with sl st in top of beg ch-3.

Fasten off, leaving a long yarn tail for sewing.

## FINISHING

Follow package directions to attach safety eyes to RS of First Panel.

Sew Cheeks to Pillow.

With black scrap yarn, use surface slip st to make the mouth.

With WS together, whip stitch the 2 Panels together, stuffing firmly before finishing sewing.

Fold Bow in half. Wrap a length of C around the center 10 times. Sew Bow to RS of Pillow.

Weave in ends.

### **ABBREVIATIONS**

beg = begin(ning)

ch = chain

dc = double crochet

rep = repeat

rnd(s) = round(s)

RS = right side

sc = single crochet

sl st = slip stitch

st(s) = stitch(es)

WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.