

Environmental Product Declaration



In accordance with ISO 14025 for:

OVO Table Collection

from

BENCHMARK

Programme:	The International EPD® System, www.environdec.com
Programme operator:	EPD International AB
EPD registration number:	S-P-01957
Publication date:	2020-06-09
Valid until:	2025-05-27



PROGRAMME INFORMATION

Programme:	<p>The International EPD® System</p> <p>EPD International AB Box 210 60 SE-100 31 Stockholm Sweden</p> <p>www.environdec.com info@environdec.com</p>
-------------------	---

<p>Product category rules (PCR): Furniture, except seats and mattresses, 2012:19, version 2.01 Valid until: 2023-06-17, UN CPC 3812/3813/3814</p>
<p>PCR review was conducted by: Leo Breedveld, 2B Srl, breedveld@to-be.it</p>
<p>Independent third-party verification of the declaration and data, according to ISO 14025:2006:</p> <p><input type="checkbox"/> EPD process certification <input checked="" type="checkbox"/> EPD verification</p>
<p>Third party verifier: Dr. Hudai Kara, Metsims Sustainability Consulting [www.metsims.com]</p>
<p>Approved by: The International EPD® System</p>
<p>Procedure for follow-up of data during EPD validity involves third party verifier:</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable.



COMPANY INFORMATION



Benchmark are a powerhouse of craft, making beautiful, sustainable and healthy furniture from natural materials for commercial and residential markets. At the heart of our workshops lies a dedicated team of skilled and passionate craftspeople. With a strong kinship as our base, we focus on craft, materials and quality to ensure that we offer an honest and conscious furniture solution which will stand the test of time.

For the last 35 years we have collaborated with a variety of partners to drive our mission of sustainability forward and we constantly challenge ourselves to ensure that we are working towards an increased knowledge and awareness of global impact. With a transparent approach, we aim to be open with our sustainable journey, encouraging this mindset amongst others. Through our continued efforts to be at the forefront of the industry, we are looking to set an example in creating a sustainable option for consumers without any compromise on design and quality. We believe that through collaboration and a sharing of knowledge we can participate in a positive future for the furniture industry.

Benchmark Woodworking Ltd, Bath Road, Kintbury, Berkshire RG17 9SA, UK
+44 1488 658184 info@benchmarkfurniture.com benchmarkfurniture.com

PRODUCT INFORMATION



The boldness and simplicity of the OVO Collection demands perfection of our craft. Designed by Foster + Partners, the collection includes tables, storage and seating and is a celebration of traditional craftsmanship. It is made in our workshops in Kintbury, Berkshire in the United Kingdom.

This EPD declares the environmental performance of the OVO Table Collection which consists of round and rectangular dining/meeting tables in two heights, a selection of side tables and coffee tables.



In this EPD, environmental performance is declared for the sizes/formats shown in bold below, made in oak. The environmental performance of other sizes and American Black Walnut can be provided on request.

OVO TABLE COLLECTION		
DINING /MEETING TABLES		SIDE TABLES & COFFEE TABLES
ROUND	RECTANGULAR	
dia1200 x 730mm	2500 x 950 x 730mm	dia 370 x 430mm
dia1500 x 730mm	2900 x 1100 x 730mm	dia 480 x 475mm
dia1200 x 1070mm	3200 x 860 x 1070mm	dia 590 x 520mm
dia1500 x 1070mm		1600 x 630 x 295mm



Materials

The OVO Table Collection is made from solid timber in either FSC/PEFC European oak or American Black Walnut.

The OVO collection has Declare Red List Free Labelling meaning that it is free from toxic chemicals and meets the air quality standards for WELL certified buildings.

Manufacturing

The OVO collection combines 5-axis CNC machining with the highest level of craftsmanship to deliver incredibly tactile pieces with pillowed surfaces and gently bevelled edges that are a pleasure to use.

Packaging

Benchmark furniture is blanket wrapped and unwrapped in situ with blankets taken away to be reused. For International Shipments our crates are made from FSC birch plywood and we ensure wherever possible that the crates are returned for re-use. We are working towards having all our packaging created from recycled materials and are using biodegradable corn starch alternatives in place of plastic foam.

Transportation

Benchmark furniture is delivered directly to our clients by road or by road and sea for international shipments.

Product Use and Maintenance

The OVO Collection carries a 5-year warranty and is made to last a lifetime. It is easy to look after and easily refurbished. Finished with a hard-wax oil which protects it from stains and spillages, it can be kept clean by simply wiping with a damp cloth. Deep scratches and marks can be removed with light sanding and re-oiling.

End of Life

Benchmark offer a 'Take Back Scheme' – all furniture can be returned when it is no longer needed. It will be refurbished, repurposed or donated to charitable enterprises.

Classification

The OVO Collection is classified CPC 38140 under the UN CPC Classification system v2.1

Further Product Information

Detailed product information and specifications can be found on our website benchmarkfurniture.com




LCA INFORMATION

Scope

This cradle-to-grave EPD is applicable globally. For the representation of results, and reflecting the different sources of data used, the life cycle of products is divided into three different stages:

- Upstream processes (from cradle-to-gate)
- Core processes (from gate-to gate)
- Downstream processes (from gate-to-grave)



FUNCTIONAL UNIT / DECLARED UNIT

The declared unit is the production of one table

REFERENCE SERVICE LIFE

The expected life of these tables is 100 years. A minimum 15 years lifetime has been assumed for these calculations

SCOPE

Global

SYSTEM BOUNDARIES

Cradle to gate with options

TIME REPRESENTATIVENESS

April 2018 – March 2019

EXCLUDED LIFECYCLE STAGES

None

LCA PRACTITIONER

Dr. Andrew Norton of Renuables Ltd
www.renuables.co.uk

Data Sources

This EPD is based upon an underlying LCA of the Benchmark manufacturing facility, with operational data obtained for the period April 2018 to March 2019.

Ecoinvent 3.4 (2019), with Simapro 9.0.0.30 (2019) was used for the background data. All relevant inputs and outputs have been considered in the LCA.

An electricity grid mix based upon the Good Energy fuel mix disclosure statement was used.

For characterization factors: CML baseline for the GWP, AP, EP, ADP-elements, ADP-fossil resources, ReCiPe for POCP, CED for Primary energy resources renewable/non-renewable used as energy carrier, AWARE for water scarcity potential, USEtox for human toxicity and ecotoxicity, ReCiPe for land use.

Lower heating value was used for energy content of wood. This data was obtained from the Phyllis 2 database.

Cut-off criteria were based upon input flows being less than 1% of the total individually, subject to the sum of all flows being less than 5% of the total, and subject to verification that the impacts associated with such flows were not of a magnitude to affect the reported data significantly (less than 5% in total).

Scenarios/Assumptions

End of Life: The default production lifetime of 15 years as specified in the PCR is applied. However, as our products are made to last 100 years and we offer a take back scheme, it is very likely that the products will be reused or recycled. Therefore, our End of Life assumption, as a worst-case scenario, is that 80% will be recycled/reused and 20% goes to landfill.

Waste Management: All timber offcuts are used to provide heat onsite. Although renewable energy certification can be provided, there has been no assumptions regarding the replacement of fossil fuel sources.

Transport: For this EPD, we have assumed that delivery is from our workshops to London with a distance of 104km. The impact of other delivery scenarios can be calculated on request.



CONTENT DECLARATION

The material composition of Benchmark's OVO Table collection covered by this EPD is shown below:

FUNCTIONAL UNIT	SIZE (mm)	kg OF MATERIAL PER FUNCTIONAL UNIT			
		WOOD	METAL	Oil	Glue
Dining/Meeting Table - Round	dia 1200	39.48	1.27	0.39	0.16
	dia 1500	58.94	1.27	0.59	0.24
Dining/Meeting Table - Rectangular	2500 x 950	84.18	1.27	0.84	0.34
	2900 x 1100	101.38	1.27	1.01	0.41
Coffee Table	1600 x 630	29.54	0.00	0.30	0.12
Side Table	dia 480	4.58	0.00	0.05	0.02

We have no consumer packaging for deliveries within the UK. Our furniture is blanket wrapped and unwrapped in situ with blankets taken away to be reused.

No substance included in the Candidate List of Substances of Very High Concern for authorisation under the REACH Regulations is present in the furniture

ENVIRONMENTAL INDICATORS AND INTERPRETATION

This EPD contains environmental information about the specified products, in the form of quantitative indicator values for a number of parameters, which encompass calculated environmental impact potentials, resource and energy use, and waste generation.

The following abbreviations have been used in the tables of indicator values that follow:

ENVIRONMENTAL IMPACTS	ABBREVIATION	UNITS
Global warming potential (fossil, biogenic, land use and transformation)	GWP	kg CO ₂ eq
Acidification potential	AP	kg SO ₂ eq.
Eutrophication potential	EP	kg PO ₄ ³⁻ eq.
Formation potential of tropospheric ozone	POCP	kg NMVOC eq.
Abiotic depletion potential – Elements	ADPE	kg Sb eq.
Abiotic depletion potential – Fossil resources	ADPFF	MJ, net calorific value
Water scarcity potential	WSP	m ³ eq.

USE OF RESOURCES	ABBREVIATION	UNITS
Primary Renewable Energy Resources	PER	MJ, net calorific value
Primary Non-Renewable Energy Resources	PENR	MJ, net calorific value
Secondary Material	SM	kg
Renewable Secondary Fuels	RSF	MJ, net calorific value
Non-renewable Secondary Fuels	NRSF	MJ, net calorific value
Net use of Fresh Water	FW	m ³



ENVIRONMENTAL PERFORMANCE

ENVIRONMENTAL IMPACT – ROUND TABLES										
PARAMETER		UNIT	ROUND – 1200mm DIAMETER				ROUND – 1500mm DIAMETER			
			Up Stream	Core	Down Stream	TOTAL	Up Stream	Core	Down Stream	TOTAL
GWP	Fossil	kg CO ₂ eq.	2.47E+01	8.83E+00	4.43E-01	3.39E+01	3.19E+01	1.21E+01	6.56E-01	4.47E+01
	Biogenic		- 1.45E+02	6.88E+01	5.90E-01	-7.51E+01	-2.16E+02	1.03E+02	8.80E-01	-1.12E+02
	Land		9.60E-01	1.74E-01	1.24E-04	1.13E+00	1.43E+00	2.28E-01	1.84E-04	1.66E+00
	TOTAL		- 1.19E+02	7.78E+01	1.03E+00	-4.01E+01	-1.83E+02	1.15E+02	1.54E+00	-6.60E+01
AP		kg SO ₂ eq.	1.41E-01	6.52E-02	1.41E-03	2.07E-01	1.83E-01	8.74E-02	2.08E-03	2.73E-01
EP		kg PO ₄ ³⁻ eq.	5.36E-02	2.17E-02	1.98E-02	9.50E-02	6.97E-02	2.88E-02	2.95E-02	1.28E-01
POCP		kg NMVOC eq.	1.78E-01	6.83E-02	2.32E-03	2.49E-01	2.48E-01	9.15E-02	3.45E-03	3.43E-01
ADPE		kg Sb eq.	3.24E-04	5.88E-05	7.96E-07	3.84E-04	3.41E-04	7.82E-05	1.18E-06	4.21E-04
ADPFF		MJ, net calorific value	2.98E+02	1.16E+02	7.84E+00	4.22E+02	3.98E+02	1.61E+02	1.16E+01	5.70E+02
WSP		m ³ eq.	4.67E+00	2.14E+00	4.88E-02	6.87E+00	6.17E+00	2.87E+00	7.13E-02	9.11E+00



USE OF RESOURCES – ROUND TABLES										
PARAMETER		UNIT	ROUND – 1200mm DIAMETER				ROUND – 1500mm DIAMETER			
			Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
PER	Use as energy carrier	MJ, net calorific value	2.21E+03	1.34E+03	1.25E-01	3.55E+03	3.28E+03	1.88E+03	1.85E-01	5.16E+03
	Used as raw materials		1.42E+03	-6.75E+02	0.00E+00	7.46E+02	2.12E+03	-1.01E+03	0.00E+00	1.11E+03
	TOTAL		3.63E+03	6.66E+02	1.25E-01	4.29E+03	5.40E+03	8.75E+02	1.85E-01	6.28E+03
PENR	Use as energy carrier	MJ, net calorific value	3.47E+02	1.47E+02	8.56E+00	5.03E+02	4.63E+02	2.03E+02	1.27E+01	6.78E+02
	Used as raw materials		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	TOTAL		3.47E+02	1.47E+02	8.56E+00	5.03E+02	4.63E+02	2.03E+02	1.27E+01	6.78E+02
SM		kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW		m ³	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

WASTE PRODUCTION – ROUND TABLES										
PARAMETER		UNIT	ROUND – 1200mm DIAMETER				ROUND – 1500mm DIAMETER			
			Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Hazardous waste disposed		kg	6.54E-04	1.56E-03	4.22E-06	2.22E-03	8.57E-04	2.05E-03	6.24E-06	2.92E-03
Non-hazardous waste disposed		kg	1.62E+01	5.48E+00	8.30E+00	3.00E+01	1.87E+01	7.93E+00	1.23E+01	3.89E+01
Radioactive waste disposed		kg	9.61E-01	1.75E-01	1.79E-04	1.14E+00	1.43E+00	2.30E-01	2.64E-04	1.66E+00



OUTPUT FLOWS – ROUND TABLES									
PARAMETER	UNIT	ROUND – 1200mm DIAMETER				ROUND – 1500mm DIAMETER			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Material for recycling	kg	0.00E+00	0.00E+00	3.35E+01	3.35E+01	0.00E+00	0.00E+00	4.95E+01	4.95E+01
Materials for energy recovery	kg	0.00E+00	3.75E+01	0.00E+00	3.75E+01	0.00E+00	5.60E+01	0.00E+00	5.60E+01
Exported energy, electricity	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy, thermal	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

OTHER ENVIRONMENTAL INDICATORS – ROUND TABLES									
PARAMETER	UNIT	ROUND – 1200mm DIAMETER				ROUND – 1500mm DIAMETER			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Human toxicity (cancer)	CTUh	4.78E-06	7.90E-08	1.51E-08	4.87E-06	5.19E-06	1.18E-07	2.24E-08	5.33E-06
Human toxicity (non-cancer)	CTUh	1.14E-05	4.54E-07	2.36E-07	1.20E-05	1.37E-05	6.75E-07	3.51E-07	1.48E-05
Ecotoxicity	CTUe	2.12E+05	4.90E+03	1.27E+03	2.19E+05	2.52E+05	7.29E+03	1.89E+03	2.62E+05
Land use	Species.yr	8.63E-07	2.01E-09	4.54E-10	8.65E-07	1.29E-06	3.00E-09	6.73E-10	1.29E-06



ENVIRONMENTAL IMPACT – RECTANGULAR TABLES										
PARAMETER		UNIT	2500mm x 950mm				2900mm x 1100mm			
			Up Stream	Core	Down Stream	TOTAL	Up Stream	Core	Down Stream	TOTAL
GWP	Fossil	kg CO ₂ eq.	4.12E+01	1.51E+01	9.31E-01	5.73E+01	4.76E+01	1.81E+01	1.12E+00	6.69E+01
	Biogenic		- 3.08E+02	1.47E+02	1.26E+00	-1.60E+02	-3.72E+02	1.77E+02	1.51E+00	-1.93E+02
	Land		2.04E+00	2.60E-01	2.61E-04	2.30E+00	2.45E+00	3.12E-01	3.13E-04	2.77E+00
	TOTAL		- 2.65E+02	1.62E+02	2.19E+00	-1.01E+02	-3.21E+02	1.95E+02	2.63E+00	-1.24E+02
AP		kg SO ₂ eq.	2.38E-01	1.04E-01	2.96E-03	3.45E-01	2.76E-01	1.24E-01	3.56E-03	4.04E-01
EP		kg PO ₄ ³⁻ eq.	9.07E-02	3.36E-02	4.21E-02	1.66E-01	1.05E-01	4.03E-02	5.08E-02	1.96E-01
POCP		kg NMVOC eq.	3.39E-01	1.08E-01	4.91E-03	4.52E-01	4.01E-01	1.30E-01	5.90E-03	5.37E-01
ADPE		kg Sb eq.	3.63E-04	9.11E-05	1.67E-06	4.56E-04	3.78E-04	1.09E-04	2.01E-06	4.90E-04
ADPFF		MJ, net calorific value	5.27E+02	2.04E+02	1.65E+01	7.47E+02	6.15E+02	2.45E+02	1.98E+01	8.80E+02
WSP		m ³ eq.	8.11E+00	3.38E+00	1.01E-01	1.16E+01	9.43E+00	4.06E+00	1.21E-01	1.36E+01



USE OF RESOURCES – RECTANGULAR TABLES										
PARAMETER		UNIT	2500mm x 950mm				2900mm x 1100mm			
			Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
PERE	Use as energy carrier	MJ, net calorific value	4.67E+03	2.43E+03	2.63E-01	7.11E+03	5.62E+03	2.93E+03	3.16E-01	8.55E+03
	Used as raw materials	MJ, net calorific value	3.03E+03	-1.44E+03	0.00E+00	1.59E+03	3.65E+03	-1.73E+03	0.00E+00	1.92E+03
	TOTAL	MJ, net calorific value	7.70E+03	9.93E+02	2.63E-01	8.70E+03	9.27E+03	1.19E+03	3.16E-01	1.05E+04
PENR	Use as energy carrier	MJ, net calorific value	6.14E+02	2.53E+02	1.80E+01	8.85E+02	7.17E+02	3.04E+02	2.16E+01	1.04E+03
	Used as raw materials	MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	TOTAL	MJ, net calorific value	6.14E+02	2.53E+02	1.80E+01	8.85E+02	7.17E+02	3.04E+02	2.16E+01	1.04E+03
SM		kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW		m ³	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

WASTE PRODUCTION – RECTANGULAR TABLES										
PARAMETER		UNIT	2500mm x 950mm				2900mm x 1100mm			
			Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Hazardous waste disposed		kg	1.12E-03	2.34E-03	8.85E-06	3.47E-03	1.30E-03	2.81E-03	1.06E-05	4.13E-03
Non-hazardous waste disposed		kg	2.20E+01	1.08E+01	1.74E+01	5.01E+01	2.42E+01	1.30E+01	2.09E+01	5.81E+01
Radioactive waste disposed		kg	2.04E+00	2.61E-01	3.75E-04	2.30E+00	2.46E+00	3.14E-01	4.51E-04	2.77E+00



OUTPUT FLOWS – RECTANGULAR TABLES									
PARAMETER	UNIT	2500mm x 950mm				2900mm x 1100mm			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Material for recycling	kg	0.00E+00	0.00E+00	7.03E+01	7.03E+01	0.00E+00	0.00E+00	8.44E+01	8.44E+01
Materials for energy recovery	kg	0.00E+00	8.00E+01	0.00E+00	8.00E+01	0.00E+00	9.63E+01	0.00E+00	9.63E+01
Exported energy, electricity	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy, thermal	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

OTHER ENVIRONMENTAL INDICATORS – RECTANGULAR TABLES									
PARAMETER	UNIT	2500mm x 950mm				2900mm x 1100mm			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Human toxicity (cancer)	CTUh	5.73E-06	1.68E-07	3.18E-08	5.93E-06	6.10E-06	2.02E-07	3.82E-08	6.34E-06
Human toxicity (non-cancer)	CTUh	1.68E-05	9.63E-07	5.00E-07	1.83E-05	1.89E-05	1.16E-06	6.02E-07	2.06E-05
Ecotoxicity	CTUe	3.04E+05	1.04E+04	2.69E+03	3.17E+05	3.39E+05	1.25E+04	3.23E+03	3.55E+05
Land use	Species.yr	1.84E-06	4.28E-09	9.56E-10	1.84E-06	2.21E-06	5.15E-09	1.15E-09	2.22E-06



ENVIRONMENTAL IMPACT- SIDE AND COFFEE TABLES										
PARAMETER		UNIT	SIDE TABLE – dia 480mm				COFFEE TABLE – 1600mm x 630mm			
			Up Stream	Core	Down Stream	TOTAL	Up Stream	Core	Down Stream	TOTAL
GWP	Fossil	kg CO ₂ eq.	1.79E+00	1.55E+00	5.01E-02	3.39E+00	1.10E+01	5.71E+00	3.22E-01	1.71E+01
	Biogenic		-1.68E+01	7.99E+00	6.84E-02	-8.74E+00	-1.08E+02	5.15E+01	4.41E-01	-5.64E+01
	Land		1.11E-01	3.60E-02	1.40E-05	1.47E-01	7.13E-01	1.04E-01	9.02E-05	8.17E-01
	TOTAL		-1.49E+01	9.58E+00	1.19E-01	-5.21E+00	-9.65E+01	5.73E+01	7.63E-01	-3.85E+01
AP		kg SO ₂ eq.	1.32E-02	1.26E-02	1.59E-04	2.60E-02	6.78E-02	4.03E-02	1.02E-03	1.09E-01
EP		kg PO ₄ ³⁻ eq.	5.93E-03	4.32E-03	2.29E-03	1.25E-02	2.66E-02	1.32E-02	1.48E-02	5.46E-02
POCP		kg NMVO C eq.	1.67E-02	1.32E-02	2.65E-04	3.02E-02	1.06E-01	4.22E-02	1.71E-03	1.50E-01
ADPE		kg Sb eq.	4.07E-05	1.17E-05	8.99E-08	5.25E-05	6.26E-05	3.58E-05	5.79E-07	9.90E-05
ADPFF		MJ, net calorific value	2.46E+01	1.96E+01	8.85E-01	4.50E+01	1.52E+02	7.63E+01	5.69E+00	2.34E+02
WSP		m ³ eq.	4.00E-01	4.17E-01	5.34E-03	8.23E-01	2.32E+00	1.32E+00	3.43E-02	3.67E+00



USE OF RESOURCES – SIDE AND COFFEE TABLES										
PARAMETER		UNIT	SIDE TABLE – dia 480mm				COFFEE TABLE – 1600mm x 630mm			
			Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
PERE	Use as energy carrier	MJ, net calorific value	2.53E+02	2.16E+02	1.42E-02	4.70E+02	1.63E+03	9.02E+02	9.15E-02	2.53E+03
	Used as raw materials	MJ, net calorific value	1.65E+02	-7.84E+01	0.00E+00	8.66E+01	1.06E+03	-5.05E+02	0.00E+00	5.58E+02
	TOTAL	MJ, net calorific value	4.18E+02	1.38E+02	1.42E-02	5.56E+02	2.69E+03	3.97E+02	9.15E-02	3.09E+03
PENR	Use as energy carrier	MJ, net calorific value	2.89E+01	2.57E+01	9.67E-01	5.55E+01	1.78E+02	9.55E+01	6.22E+00	2.80E+02
	Used as raw materials	MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
	TOTAL	MJ, net calorific value	2.89E+01	2.57E+01	9.67E-01	5.55E+01	1.78E+02	9.55E+01	6.22E+00	2.80E+02
SM		kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF		MJ, net calorific value	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW		m ³	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00



WASTE PRODUCTION – SIDE AND OCCASIONAL TABLES									
PARAMETER	UNIT	SIDE TABLE – dia 480mm				COFFEE TABLE – 1600mm x 630mm			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Hazardous waste disposed	kg	6.10E-05	3.21E-04	4.76E-07	3.82E-04	3.22E-04	9.32E-04	3.06E-06	1.26E-03
Non-hazardous waste disposed	kg	6.14E-01	7.65E-01	9.34E-01	2.31E+00	3.85E+00	3.88E+00	6.01E+00	1.37E+01
Radioactive waste disposed	kg	1.11E-01	3.61E-02	2.02E-05	1.47E-01	7.14E-01	1.04E-01	1.30E-04	8.19E-01

OUTPUT FLOWS – SIDE AND COFFEE TABLES									
PARAMETER	UNIT	SIDE TABLE – dia 480mm				COFFEE TABLE – 1600mm x 630mm			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Material for recycling	kg	0.00E+00	0.00E+00	3.78E+00	3.78E+00	0.00E+00	0.00E+00	2.43E+01	2.43E+01
Materials for energy recovery	kg	0.00E+00	4.35E+00	0.00E+00	4.35E+00	0.00E+00	2.81E+01	0.00E+00	2.81E+01
Exported energy, electricity	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy, thermal	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

OTHER ENVIRONMENTAL INDICATORS – SIDE AND COFFEE TABLES									
PARAMETER	UNIT	SIDE TABLE – dia 480mm				COFFEE TABLE – 1600mm x 630mm			
		Upstream	Core	Down Stream	TOTAL	Upstream	Core	Down Stream	TOTAL
Human toxicity (cancer)	CTUh	1.41E-07	9.09E-09	1.71E-09	1.52E-07	6.73E-07	5.85E-08	1.10E-08	7.42E-07
Human toxicity (non-cancer)	CTUh	1.44E-06	5.23E-08	2.71E-08	1.52E-06	4.47E-06	3.37E-07	1.75E-07	4.98E-06
Ecotoxicity	CTUe	2.05E+04	5.64E+02	1.45E+02	2.12E+04	7.17E+04	3.63E+03	9.36E+02	7.62E+04
Land use	Species.yr	9.99E-08	2.33E-10	5.16E-11	1.00E-07	6.43E-07	1.50E-09	3.32E-10	6.45E-07



ADDITIONAL ENVIRONMENTAL INFORMATION

Accreditations

Being one of the first UK furniture makers to receive both FSC and PEFC accreditation, we are continuously working to adhere to expectations and to always try to be accountable for our actions.



Alongside our ISO 14001 certification, we have Red List Free Declare Labelling which enables us to be providers to WELL certified projects. The WELL Building Standard was launched in 2014 and focuses on the health and wellness of people within interior environments. Factors such as air quality, light sources, materials and thermal comfort are taken into account to make way for calmer spaces and positive impacts on the mental and physical health of inhabitants.

We are proud to have been twice winners of the Queen's Award for Enterprise in Sustainable Development.

Transparency

Throughout everything we do, we offer 100% transparency. Our DECLARE label, which is an international specification, provides consumers with honest details of the materials we use including the level of VOC's. We have achieved the Red List Free Label which shows that our furniture does not include any toxic chemicals or emit harmful VOC's. We request the same level of transparency from our suppliers. Our Environmental Product Declarations will provide complete transparency on the impact of our production and distribution on the planet.

Materials

In developing new collections, we use natural materials over synthetic alternatives:

We have selected natural, non-toxic and biodegradable options for our upholstery including organic wool, coir, and natural latex. They are better for our health as well as the environment, meeting fire regulations without the need for toxic fire retardant chemicals.

The forests from which we source timber are all sustainably managed encouraging a positive impact on climate change with the re-planting of trees and maintenance of biodiversity.

The finishes we use are low VOC oils developed from natural materials, again contributing to our drive away from the use of toxic materials within the built environment.

We encourage the use of local suppliers of materials where possible to reduce the carbon footprint in a product and do not work with endangered species of timber.

Circular Mindset

Our goal is to become an innovative enterprise with a circular mindset in every aspect of the business. No waste from our production goes to landfill and any surplus timber is repurposed into smaller components and accessories, or as fuel for energy used within the premises. All kitchen waste is composted on-site, and we work with local waste specialists to recycle uncommon plastics and materials. Our packaging is created from recycled materials and we have substituted plastic foam with a biodegradable corn starch alternative. We operate a Take Back Scheme where furniture can be returned to us if no longer required. We then refurbish, repurpose or give to charitable enterprises.

Community

Supporting our internal and external communities are of paramount importance at Benchmark:

We are Winners of the Best Employer of the Year from the Learning and Skills Council and provide apprenticeship schemes every year. Working with approx. 70 apprentices to date, the majority become full-time employees with over half of our team working over 10yrs at the company.

We continually strive to build a strong social community in-house with daily shared lunches provided by our own cook and a schedule of social activities throughout the year.

With most of our workforce based within 15 miles of our workshop, we share transport to and from work and are replacing company vehicles to low-emission models.

We ensure our workshops have high levels of natural light, insulation and ventilation to provide better workplaces for our staff.

We seek to build strong relationships with our local community, investing into environmental improvements, supporting local initiatives and working with local schools and charities to strengthen the social benefits within our region.

Sharing our Knowledge

We believe through collaboration and a sharing of knowledge we can participate in a positive future for the furniture industry. We have a CPD programme which educates the design community about sustainability and wellness. We work with young designers and students and seek to continue the conversations with them around sustainability, encouraging a positive mindset to continue into the future.



REFERENCES

General Programme Instructions of the International EPD® System. Version 3.0.

PCR 2012:19, version 2.01. Furniture, except seats and mattresses. Valid until: 2023-06-17.

ISO 14040: 2006 Environmental management - Life cycle assessment – Principles and Framework

ISO 14044: 2006 Environmental management - Life cycle assessment - Requirements and guidelines

ISO 14025: 2005 Environmental labels and declarations - Type III environmental declarations - Principles and procedures

