



Bang & Olufsen Shop, Valencia (Spain) | Design: Alfredo Monzó | Photography: Héctor Rubio - Images Positive



		P	CCT	I	Flux	LOR
REC	A256-00- ① -0- WT NT	39,5W	2700K	400mA	5200Lm	85%
	A256-00- ① -1- WT NT	39,5W	3000K	400mA	5625Lm	85%
	A256-00- ① -2- WT NT	39,5W	4000K	400mA	5725Lm	85%

LED | 220/240 V~ | CE | IP20 | CRI>90 | L80B10 >60.000h





① *OPTIONS

1	No DIM
2	DIM DALI Push



		P	CCT	I	Flux	LOR
REC Mini	A308-00-10- WT NT	20W	2700K	700mA	2450Lm	75%
	A308-00-11- WT NT	20W	3000K	700mA	2650Lm	75%
	A308-00-12- WT NT	20W	4000K	700mA	2700Lm	75%

LED | 220/240 V~ | CE | IP20 | CRI>90 | L80B10 >60.000h



COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 | MATERIAL | AL | PMMA |

» 368

» PLEASE CONSULT



		P	CCT	I	Flux	LOR
REC DOUBLE	A309-00- ① -0- WT NT	29,5W	2700K	900mA	4150Lm	76%
	A309-00- ① -1- WT NT	29,5W	3000K	900mA	4500Lm	76%
	A309-00- ① -2- WT NT	29,5W	4000K	900mA	4560Lm	76%

LED | 220/240 V~ | CE | IP20 | CRI>90 | L80B10 >60.000h



① *OPTIONS

1	No DIM
2	DIM DALI Push



		P	CCT	I	Flux	LOR
REC DOUBLE Mini	A310-00- ① -0- WT NT	16,5W	2700K	500mA	2300Lm	72%
	A310-00- ① -1- WT NT	16,5W	3000K	500mA	2500Lm	72%
	A310-00- ① -2- WT NT	16,5W	4000K	500mA	2530Lm	72%


LED | 220/240 V~ | CE | IP20 | CRI>90 | L80B10 >60.000h




① *OPTIONS

1	No DIM
2	DIM DALI Push

REC DOUBLE



REC DOUBLE MINI



COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 | MATERIAL | AL | PMMA |

» 368

» PLEASE CONSULT