

## QUICK START GUIDE


### SPECIFICATIONS

<b>Weight Capacity</b>	176 oz / 11lb / 5000 g / 5000 mL
<b>Increments</b>	0.04 oz / 1 g / 1 mL
<b>Weight Units</b>	oz / lb'oz / fl'oz / g / mL
<b>Dimensions</b>	7.3 x 5.7 x 0.6 in / 186 x 145 x 15.5 mm
<b>Battery Type</b>	2 x 1.5V AAA batteries
<b>Auto-Off</b>	30 seconds
<b>Backlight Auto-Off</b>	120 seconds

### PACKAGE CONTENTS

- 1 x Digital Kitchen Scale
- 2 x 1.5V AAA Batteries (Pre-Installed)
- 1 x Quick Start Guide

## FUNCTION DIAGRAM



1. LCD Display
2. Power / Tare
3. Unit Selection
4. Battery Compartment
5. Anti-Skid Padding

## USING YOUR SCALE

**Note:** *Before first use, remove plastic strip from battery compartment.*

1. Press **ON/OFF** to turn on the scale. To turn it off, press and hold for 2 seconds.
2. Press **Z/T** to tare (or zero out) the weight of a container.
3. Press **UNIT** to choose ounces, pounds, fluid ounces (water or milk), grams, or milliliters (water or milk).

**Note:** *Keep the scale away from water, liquid, or damp areas. If liquid is spilled on the scale, immediately wipe dry with a soft cloth to avoid damage.*

## ONLINE MANUAL



Need more help? Scan here to view the manual for more information.

You can also type the following link in a web browser:

**[www.etekcity.com/support/manual/model/ek6015](http://www.etekcity.com/support/manual/model/ek6015)**

## WARRANTY



Etekcity Corporation warrants all products to be of the highest quality in material, craftsmanship, and service, effective from the date of purchase to the end of the warranty period. Warranty lengths may vary between product categories.

Scan the QR code to register your product and extend your 1-year warranty by an additional year.

---

## CUSTOMER SUPPORT

### **Etekcity Corporation**

1202 N. Miller St., Suite A  
Anaheim, CA 92806

### **Support Hours**

Monday-Friday  
9:00 am-5:00 pm PST/PDT

**Email:** [support@etekcity.com](mailto:support@etekcity.com)

**Toll-Free:** (855) 686-3835

\*Please have your invoice and order ID ready before contacting Customer Support.