



TOUCHWOOD VENEER PANELLING



TASMANIAN OAK ON NATURAL LINING

TOUCHWOOD VENEER PANELLING IS A SUSTAINABLE & VERSATILE
TONGUE AND GROOVE PANELLING PRODUCT

TOUCHWOOD VENEER PANNELLING IS PROUD TO FEATURE IN AL & IMO'S GOOD DAY HOUSE BUILD



AL AND IMO, ARE A HUSBAND AND WIFE DUO BUILDING THEIR DREAM LIFESTYLE, ONE PROJECT AT A TIME.

Al is a carpenter turned furniture maker and Imo, a designer, on a mission to help educate and inspire young Australian families to make more sustainable choices when it comes to building and renovating.

Early on in our build, they were introduced to Touchwood Veneer Panelling. The natural timber veneer, sustainability and ease-of-install ticked a number of boxes for their project.

Excited by the possibilities, Al & Imo have utilised Touchwood Veneer Panelling in a number of ways throughout their stunning house build including lining the ceiling in their main living, dining, and kitchen area, using it for walls, under an island bench, a bedhead, and also applied it to our bedroom joinery doors.

Having installed close to 400sqm of Touchwood Veneer Panelling, Al & Imo can speak first hand to the beauty and benefits of Touchwood Veneer Panelling.



FIND OUT MORE ABOUT AL & IMO'S BUILD ON THEIR WEBSITE AND SOCIALS!

@the_good_day_house
@al_and_imo
www.alandimo.com.au



AL & IMO RECOMMEND FIDDES HARD WAX OIL

Al & Imo have been using Fiddes Hard Wax Oil on their custom furniture builds for years. It is a product that they love and trust, and can happily recommend Fiddes Hardwax Oil in Satin was their finish of choice for Touchwood Veneer Panelling in their recent house build!

AL+
IMO

LOOKS GOOD FEELS GOOD DOES GOOD

Using natural materials in design and décor is proven to have a positive effect on wellbeing. Known as biophilic design, it reconnects people with nature, can help reduce stress and improve our emotional state.

Touchwood Veneer Panelling veneer panelling is a way to bring native wood within everyone's reach, in more ways than one.

SUSTAINABLE IS NOW AFFORDABLE

Touchwood Veneer Panelling has been created to make the warmth and beauty of natural timbers accessible to a wider range of interior designs and budgets.

The 9mm moisture resistant MDF board backing (in natural or black) with Blackwood or Tasmanian Oak veneer face gives the illusion of solid timber VJ panelling. And the good stuff doesn't end there. It is also a sustainable product that utilises native timber veneers from PEFC certified forests.

Saving money and time on both materials and installation, Touchwood Veneer Panelling can be used to transform an existing space by fixing it directly onto plasterboard or specified in new projects at scale.

PERFECT FOR OFF-THE-WALL DESIGN

Designers don't limit their imagination to only using Touchwood Veneer Panelling as a wall panelling. By combining their creativity and Touchwood Veneer Panelling's easy installation and effortlessly versatile ergonomics, they use it to clad ceilings, bedheads, cupboards and counterfronts.

It is equally at home fixed vertically or horizontally; in modern interiors or more traditional settings and can be left uncoated or finished with wax, oil or polyurethane in matt, gloss or satin finish.

TASMANIAN TIMBER

Touchwood Veneer Panelling is made from PEFC certified Tasmanian Timber veneer pressed on moisture resistant MDF board with a vertical groove to give the appearance of solid VJ panelling. It is quick and easy to install, more cost effective than solid timber and just as beautiful. Available in Tasmanian Oak and Blackwood, it can be left natural or finished with a stain, wax or varnish.







Tasmanian Timber is sustainably grown, harvested and processed to meet the highest standards in quality and environmental practice.

TECHNICAL SPECIFICATIONS


Sheet Size	<p>Natural: 2420mm x 1212mm Also available in 2720mm, 3020mm, 3620mm sheet lengths</p> <p>Black: 2440mm x 1212mm Also available in 3040mm sheet length</p>
Substrate	9mm moisture resistant MDF board
Veneer Options	<p>Natural: Tasmanian Oak or Blackwood veneer pressed on natural MDF</p> <p>Black: Tasmanian Oak or Blackwood veneer pressed on black MDF</p>
Sheet Weight	8.3kg/m ²
VJ Width	(distance between grooves) is 100mm
Panel Jointing	Panels are joined with a tongue and groove system. Tongues available in Natural and Black

BOARD BACKING OPTIONS



SOLID TIMBER MOULDINGS

To further complete your stylish and uniform wall-to-wall, wall-to-ceiling or wall-to-floor transitions, Touchwood Products also offer a range of 20mm x 10mm x 3600mm profiles in Tasmanian Oak and Blackwood to compliment the Touchwood Veneer Panelling range.



Profile available in 20mm x 10mm x 3600mm lengths



INSTALLATION INFORMATION

To access more information and installation guides and instructions, please visit our website:

touchwoodproducts.com.au/panelling



The colours shown on this are indicative only and may vary due to printing inconsistencies. When selecting colours, consumers should also consider that as timber is a natural material, minor variation of colour tone may be evident throughout the panelling product.