

Create The Best Water You Can

## INSTALLATION INSTRUCTION AND PRODUCT CARE



Please ensure the plumber reads this installation instruction before installation.

## **GRANDER® WHOLE HOUSE UNIT**

Thank You for trusting us with your Water Filtration needs. Please read and follow the steps below on setting up your Product.

If you need any help, please call us at **1800-769-300** or contact us through our website at <u>www.mywaterfilter.com.au/contacts/</u> or email us at customerservice@mywaterfilter.com.au

# **Parts Provided**


#### Grander Information Water -(inside here)



## **Before you start**

## Things you will need:

- Printed Installation diagrams supplied in the product box
- ✓ Plumber ✓ Thread Tape ✓ Copper Compression Fittings
- ✓ Protective Box (Highly recommended) ✓ Petroleum Jelly






Unpack and check that you have received your product in good condition. If it has been damaged in transit, please do not attempt to install or assemble the unit. Alert us immediately or as soon as possible, so we can provide the necessary assistance.

## **Protection for the Unit**

# How to Ensure your GRANDER<sup>®</sup> Unit lasts & performs as long as possible

**NOTE:** It is ideal to have a protective PVC protective box to serve as protection for the GRANDER<sup>®</sup> unit so it lasts as long as possible.





**1.** To install your Grander unit in the PVC protective cover, simply apply thread tape to the appropriate joiner required for the task which will connect onto copper or poly pipes. The pipes can be connected onto the GRANDER<sup>®</sup> unit in either direction as the water can flow from any side. However, it is ideal to have the label facing out so the unit can be identified and the label can be read easily if required.

2. After complete installation, do not open the valve on the mains yet, fully open an outside tap nearest to the GRANDER<sup>®</sup> unit, once you have a tap open turn on the mains water supply slowly and flush for 1-2 minutes from the open tap. This will allow any air to bleed out of the pipeline.

**3.** Check the plumbing for leaks and repair as necessary.

**4.** Once the installation is complete, apply a thin coating of petroleum jelly all over the outer surface of the GRANDER<sup>®</sup> unit. This will serve as a protection to keep air and moisture off of the housing. (Repeat annually)

## **Easy Installation Guide**



#### CLICK HERE TO WATCH THE VIDEO


HOW TO BEST INSTALL YOUR WHOLE HOUSE GRANDER UNIT

CLICK HERE TO WATCH THE VIDEO

# Installation


Assess the location where the unit will be installed. Look for a desirable position where the device can be fixed securely for maximum security & protection from the weather.


It is preferred that the GRANDER<sup>®</sup> unit is installed securely. Please see **Sample Installation Diagrams** below for different types of installation setups.




## Sample Installation Diagram


#### **FRONT VIEW**










#### **FRONT VIEW**














#### **TOP VIEW**











## How to Maintain your GRANDER® Unit



#### CLICK HERE TO WATCH THE VIDEO

**1.** If your device has a protective box, remove the cover. Get a clean rag and wipe any dirt or dust particles off the GRANDER<sup>®</sup> unit.



2. Get a good quality petroleum jelly and wipe a thin coating over the entire surface of the GRANDER<sup>®</sup> unit. This will protect the device from air & moisture and will make it last for as long as possible. Close the lid once done. Repeat the petroleum jelly process annually.



**NOTE:** It is ideal to have a protective box to serve as an extra protection for the GRANDER<sup>®</sup> unit.



For Customer Service

Call us at 1800-769-300

**My Water Filter Pty Ltd**