



SEWING ROOM WALL HANGING

SAMPLE PROJECT: Kona Cotton Solids - Aruba & Black by Robert Kaufman Fabrics

PROJECT SIZE
25½" x 15½"

PROJECT TOP

½ yard background fabric

BINDING

¼ yard

BACKING

¾ yard


OTHER

1 Missouri Star Sewing Room Precut Fused Applique Pack*

**1 package of Missouri Star Sew Light Fusible Adhesive - 17" x 2 yards and ½ yard of black fabric can be substituted for the package of precut prefused appliqué shapes.*

1 cut

- From the background fabric, cut (1) 16" strip across the width of the fabric.
- Subcut (1) 16" x 26" rectangle from the strip. **1A**




2 optional letters

If you are using the precut prefused appliqué letters you can skip ahead to the next section. To create your own appliqué pieces, use the templates found at the end of this document. Align and tape the pieces together where needed.


From the fusible web:

- Cut (1) 24" strip across the width of the product.
 - Subcut (1) 6½" strip along the length. Trace the SEWING letters onto the paper side of the strip. **2A**
 - Subcut (1) 2¾" strip along the length. Trace the ROOM letters and the 2 horizontal lines onto the paper side of the strip. **2A**
 - Subcut (1) 2½" strip along the length. Trace the banner outline and CUT. STITCH. PRESS. REPEAT. letters onto the paper side of the strip. **2A**




From the black fabric:

- Cut (1) 6½" strip across the width of the fabric. **2B**
- Cut (1) 2¾" strip across the width of the fabric. **2B**
- Cut (1) 2½" strip across the width of the fabric. **2B**




Follow the manufacturer's instructions to adhere the fusible to the reverse side of the black fabric. **2C**

Roughly cut the shapes apart, then neatly cut on each traced line.



3 make the wall hanging


Tip: You can fold the 16" x 26" background rectangle in half in both directions to give yourself a guideline for where the centerlines of the project are. **3A**



Remove the paper backing on the appliqué pieces and place them on the background rectangle. When you are happy with the placement, follow the manufacturer's instructions to fuse them into place. **Note:** If you are using the precut prefused shapes, you can lightly press the shapes in place with the tip of your iron and carefully remove the extra bits of fabric left to space out the center of the Ps, Rs, and A. **3B**








Appliqué around the perimeter of each of the appliqué shapes using a blanket or a small zigzag stitch. **3C**



4 quilt & bind

Layer the project with batting and backing, then quilt as desired. Add binding to finish your project.





100R1
M0

A

1122 .TUC

B

A

TCH. PRES

C

B

REPERI . SS

C

