How to make Polymer Clay Beads





WHAT YOU NEED:

YOU CAN GET ALL OF THESE MATERIALS AT A GOLD OR ABOVE ART CENTRE GO TO WWW.MONTMARTE.NET/STOCKIST

MMSP6009 MONT MARTE MAKE N BAKE POLYMER CLAY BLACK
MMSP6001 MONT MARTE MAKE N BAKE POLYMER CLAY WHITE
MMSP6047 MONT MARTE MAKE N BAKE POLYMER CLAY CRIMSON
MMSP6025 MONT MARTE MAKE N BAKE POLYMER CLAY TEAL

YOU WILL ALSO NEED:

ROLLING PIN OR ATROSOL CAN STUTE RULTER
OLD CREDIT CARD
20 SHUTTS OF COPY PAPER
MUTAL LID (35 MM)
ALFOIL
TOOTH PICKS


















The lace bead

Step 1

Creating the base beads. This step is required to be done for each of the beads. Roll out some Black clay using an aerosol can between 2 piles of copy paper, 10 sheets in each pile. Once the clay is the same height as the pile, take a lid and press it into the sheet to create 4 circles. Roll each of these circles into a ball in the palm of your hand and put them aside.



Step 2

Creating the cane. Roll out more Black clay between the piles of paper again. With a credit card cut out a rectangle that measures 100×80 mm. Next, take some Teal clay and fashion a tube 100 mm long by about 15 mm thick. Place this Teal roll onto the Black clay sheet and roll the sheet around it. Cut off the excess where the Black clay meets. Roll the tube so that it is smooth and cut it in half, and halve it again. You should have 4 tubes. Next cut the roll into segments with the card about 5 mm thick.



Step 3

Applying the clay onto the base bead. Take the segments and press them onto the base bead until the bead is covered. Finally roll the bead, between your hands until the surface is smooth.



The Jelly roll bead

Step 1

First create more base beads. Next roll out a sheet of Crimson clay and then a sheet of Black clay. Do this between the 2 piles of copy paper. Cut a rectangle shape out of each sheet and lay the Crimson sheet onto the black sheet and roll the 2 sheets into a tube. Continue rolling out the tube until its about 1 cm in diameter. Cut the roll into segments about 5mm thick.





Step 2

Applying the clay onto the base bead. Apply the segments onto the base bead as on the previous bead but ensure they are fitted as closely as they can. Roll the bead to make it smooth but roll very gently so the shapes don't distort too much.



The Zebra bead

Step 1

First create more base beads. Roll out a sheet of Black clay with an aerosol can and a sheet of White clay the same way, between the 2 piles of copy paper. Lay the white sheet on top of the Black sheet and roll out any air bubbles. Cut a rectangle about 150 x 50 mm. Cut this into 3 equal proportions and lay them one on top of another. Give the sheets a roll. Place the block of clay on it's side and cut sections about 5 mm thick.


The most popular tool
to cut clay is a Poly Blade.
These cut clay beautifully, but
are extremely sharp and are
not recommended for children.
For this reason I suggest an old
credit card be used. To make it
a little sharper sand the
edges. If you are an adult by all
means use a poly blade for cutting.





Step 2

Applying the clay onto the base bead. Cut the clay segments to a length a little longer than the diameter of the base bead and wrap it around 1 half of the bead. Now do the same on the second half. Ensure the White stripe corresponds with the Black stripe on the other segment. Once the bead is covered with clay, roll it into a smooth ball.



ADULT SUPERVISION REQUIRED

Baking

With alfoil, create 4 tight balls about 10 cm in diameter. Next take a toothpick and make a hole through each bead and stick it into the ball of foil. Each ball will hold 4 beads. Do this for all of the beads. Follow the instructions on the packaging for baking the beads.

When you bake your your beads, don't use the fan forced function on your oven. This can cause the clay to dry out a little quickly, resulting in excessive expansion and or contraction. Cracks can form due to this.











Lace Cane



Jelly roll Cane



ROLL UP 2 SHEETS



ROLL OUT TO THIN























(UT INTO 5 MM SEGMENTS


Zebra Stack




CUT IN THE MIDDLE



STACK THEN MAKE ANOTHER CUT



ROLL TO ENSURE OF NO AIR BUBBLES BETWEEN CLAY



CUT INTO 5 MM SEGMENTS