

Certificate ID: **86392**

 Received: **9/3/20**

 Scan QR Code
 for authenticity

Aroma Floria
171 East 2nd Street
Huntington, NY 11746
Attn: Sharon Christie

 Client Sample ID: **Cannafiora Joint relief roll on 52554 600 mg**

 Lot Number: **H2028**

 Matrix: **Topicals - ROLL ON LOTION TERPEN**

Authorization:

Chris Hudalla, Chief Science Officer

Signature:



Date:

9/17/2020



The data contained within this report was collected in accordance with the requirements of ISO/IEC17025:2017. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01]

 Analyst: **JFD**

 Test Date: **9/11/2020**

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

86392-CN

ID	Weight %	Concentration (mg/g)		
D9-THC	ND	ND		
THCV	ND	ND		
CBD	0.703	7.03		
CBDV	ND	ND		
CBG	ND	ND		
CBC	<LOQ	<LOQ		
CBN	<LOQ	<LOQ		
THCA	ND	ND		
CBDA	ND	ND		
CBGA	ND	ND		
D8-THC	ND	ND		
exo-THC	ND	ND		
Total	0.714	7.13	0%	Cannabinoids (wt%) 0.7%
Max THC	ND	ND		
Max CBD	0.703	7.03		

Limit of Quantitation (LOQ) = 0.0094 wt%

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = (0.877 x THCA) + THC. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is one third of LOQ.

TP: Terpenes Profile [WI-10-27]

Analyst: CA

Test Date: 9/10/2020

Client sample analysis was performed using full evaporative technique (FET) headspace sample delivery and gas chromatographic (GC) compound separation. A combination of flame ionization detection (FID) and/or mass spectrometric (MS) detection with mass spectral confirmation against the National Institute of Standards and Technology (NIST) Mass Spectral Database, Revision 2017 were used. Chromatographic and/or mass spectral data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

86392-TP

Compound	CAS	Conc. (wt%)	Conc. (ppm)	Qualitative Profile
alpha-pinene	80-56-8	0.0219	219	
camphene	79-92-5	<RL	<RL	
sabinene*	3387-41-5	0.0020	20.3	
beta-myrcene	123-35-3	0.0023	23.4	
beta-pinene	127-91-3	0.0016	16.4	
alpha-phellandrene	99-83-2	0.0006	5.73	
delta-3-carene	13466-78-9	ND	ND	
alpha-terpinene	99-86-5	<RL	<RL	
alpha-ocimene	502-99-8	<RL	<RL	
D-limonene	138-86-3	0.0035	34.9	
p-cymene	99-87-6	0.0013	12.8	
cis-beta-ocimene	3338-55-4	<RL	<RL	
eucalyptol	470-82-6	<RL	<RL	
gamma-terpinene	99-85-4	<RL	<RL	
terpinolene	586-62-9	ND	ND	
linalool	78-70-6	<RL	<RL	
L-fenchone*	7787-20-4	ND	ND	
isopulegol	89-79-2	0.0084	83.7	
menthol*	89-78-1	1.94	19,400	
geraniol	106-24-1	ND	ND	
beta-caryophyllene	87-44-5	2.89	28,900	
alpha-humulene	6753-98-6	0.283	2,830	
cis-nerolidol	3790-78-1	ND	ND	
trans-nerolidol	40716-66-3	ND	ND	
guaiol	489-86-1	ND	ND	
caryophyllene oxide	1139-30-6	0.0768	768	
alpha-bisabolol	23089-26-1	0.0007	7.01	

Total Terpene: 5.2 wt%

* Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.

END OF REPORT