Lobby Broom, 260 mm, Soft/hard, Blue





Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.

Technical Data

Raterial Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials	Item Number	31043
Polyester Stainless Steel (AISI 304) Compiles with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Ianufacturing Practice DA compliant raw material (CFR 21) Yes Compiles with UK 2019 No. 704 on food contact materials Yes of phthalates and bisphenol A No. 8 Halal and Kosher compliant Sox Quantity 10 Pcs Quantity 10 Pcs Quantity Per Layer (Pallet) 80 Pcs Quantity 10 Pcs Quantity Per Layer (Pallet) 80 Pcs Quantity 10 Pcs Quantity Pcs Quantity 10 Pcs Quantity 10 Pcs Quantity Pcs Quantity 10 Pcs Quantity Pc	Visible bristle length	75 mm
roduced according to EU Regulation 2023/2006/EC of Good flanufacturing Practice DA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes been of phthalates and bisphenol A	Material	Polyester Stainless Steel (AISI
Manufacturing Practice DA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Manufacturity 10 Pcs Auantity 10 Pcs Auantity per Pallet (80 x 120 x 200 cm) Auantity Per Layer (Pallet) Auxor Length Auxor Width Auxor Widt	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Mealal and Kosher compliant Yes Academy State (Sox Quantity) Yes Quantity Yes Quantity Per Pallet (80 x 120 x 200 cm) Yes Quantity Per Layer (Pallet) Yes Quantity Ye	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Verifies of phthalates and bisphenol A Selal and Kosher compliant Sex Quantity And Antity per Pallet (80 x 120 x 200 cm) And Antity Per Layer (Pallet) Sex Length Sex Length Sex Width Sex Width Sex Height Antity Per Layer (Pallet) Sex Height Sex He	FDA compliant raw material (CFR 21)	Yes
Ise of phthalates and bisphenol A Se Halal and Kosher compliant Yes Sox Quantity Per Pallet (80 x 120 x 200 cm) Sox Length Sox Length Sox Width Sox Width Sox Height Sox Heig	Complies with UK 2019 No. 704 on food contact materials	Yes
Shalal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Reput Pallet (80 x 120 x 200 cm) Reput Pallet (80 x 120 x 200 cm) Reput Per Layer (Pallet) Reput Per Layer (Palle	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Record (1) 800 Pcs Record (1) 800 Pc	Use of phthalates and bisphenol A	No
Auantity per Pallet (80 x 120 x 200 cm) Auantity Per Layer (Pallet) Auantity Per Layer (Pallet (Pallet) Auantity Per Layer (Pallet) Auantity Pe	Is Halal and Kosher compliant	Yes
Abuantity Per Layer (Pallet) Box Length Box Width Cox Height Box Height B	Box Quantity	10 Pcs.
Sox Length Sox Width Sox Width Sox Height Sox Hold Height Sox Heig	Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs.
Sox Width 290 mm Sox Height 180 mm Length/Depth 260 mm Vidth 35 mm Leight 175 mm Leight 0,34 kg Veight bag 0,0078 kg Veight cardboard 0,022 kg Fare total 0,0298 kg Foross Weight 0,37 kg Cubik metre 0,001592 Mm Lecommended sterilisation temperature (Autoclave) 121 cg Max. cleaning temperature (Dishwasher) 93 cg Max. usage temperature (for food contact) 80 cg Max. usage temperature (non food contact) 100 cg Max. usage temperature (non food contact) 100 cg Max. drying temperature 100 cg	Quantity Per Layer (Pallet)	80 Pcs.
Rox Height 180 mm Length/Depth 260 mm Width 35 mm Leight 175 mm Leight 0,34 kg Weight bag 0,0078 kg Weight cardboard 0,022 kg Fare total 0,0298 kg Foross Weight 0,37 kg Letommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (for food contact) 80 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Max.	Box Length	380 mm
Length/Depth 260 mm Width 35 mm Leight 175 mm Let Weight 0,34 kg Weight bag 0,0078 kg Weight cardboard 0,022 kg Foress Weight 0,37 kg Lethic metre 0,001592 Mg Lethic metre	Box Width	290 mm
Vidth 35 mm leight 175 mm let Weight 0,34 kg Veight bag 0,0078 kg Veight cardboard 0,022 kg Fires Weight 0,0078 kg Fires Weight 0,0298 kg Fires Weight 0,001592 kg Fires We	Box Height	180 mm
leight 175 mm let Weight 0,34 kg Veight bag 0,0078 kg Veight cardboard 0,022 kg Fare total 0,0298 kg Foross Weight 0,37 kg Cubik metre 0,001592 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Length/Depth	260 mm
Veight bag 0,0078 kg Veight cardboard 0,022 kg Fare total 0,0298 kg Faress Weight 0,001592 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Width	35 mm
Veight bag0,0078 kgVeight cardboard0,022 kgFare total0,0298 kgGross Weight0,37 kgCubik metre0,001592 MgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	175 mm
Veight cardboard0,022 kgFare total0,0298 kgGross Weight0,37 kgCubik metre0,001592 MgRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0,34 kg
Forces Weight 0,0298 kg Cubik metre 0,001592 Ms Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Max. drying temperature (100 °C Min. pH-value in usage concentration 2 pH	Weight bag	0,0078 kg
Cubik metre 0,001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard	0,022 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 0,001592 Min. 90 121 °C 120 °C 121 °C 121 °C 121 °C 122 °C 123 °C 124 °C 125 °C 126 °C 127 °C 128 °C 129 °C 129 °C 120 °C 121 °C 121 °C 122 °C 123 °C 124 °C 125 °C 126 °C 127 °C 128 °C 129 °C 129 °C 120 °C 120 °C 121 °C 121 °C 122 °C 123 °C 124 °C 125 °C 126 °C 127 °C 127 °C 128 °C 129 °C 129 °C 120 °	Tare total	0,0298 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 121 °C 180 °C	Gross Weight	0,37 kg
Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration	Cubik metre	0,001592 M3
Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 80 °C 100	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature 100 °C 100	Max. cleaning temperature (Dishwasher)	93 °C
flin. usage temperature3-20 °Cflax. drying temperature100 °Cflin. pH-value in usage concentration2 ph	Max. usage temperature (for food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 ph	Max usage temperature (non food contact)	100 °C
fin. pH-value in usage concentration 2 ph	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
1	Min. pH-value in usage concentration	2 pH
lax. pH-value in Usage Concentration 10,5 ph	Max. pH-value in Usage Concentration	10,5 pH
TIN-13 Number 5705020310430	GTIN-13 Number	5705020310430

19/08/2021 2/3

GTIN-14 Number (Box quantity)	15705020310437
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

19/08/2021 3/3