Brush with heat resistant filaments, 290 mm, Hard, White





Designed for removing debris from heat sealers and other packing equipment, this Brush is ideal for cleaning hot grills and frying pans.

Technical Data

Alaterial Polypropylene Polyester Stainless Steel (304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Alanufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Aleets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity 10 Quantity per Pallet (80 x 120 x 200 cm) 2520 Quantity Per Layer (Pallet) 300 300 300 300 300 300 300 300 300 3	2885
Polyester Stainless Steel (304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity 10 Quantity per Pallet (80 x 120 x 200 cm) 2520 Quantity Per Layer (Pallet) 300 300 300 300 300 300 300 300 300 3	2 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Height Sox He	AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Sox	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Sox H	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A s Halal and Kosher compliant Sox Quantity 10 Quantity per Pallet (80 x 120 x 200 cm) 2520 Quantity Per Layer (Pallet) 160 Sox Length 330 Sox Width 180 Sox Height 85 Length/Depth 290 Vidth 30 Height 65 Net Weight 90 Veight bag 0,003 Veight cardboard 0,019 Fare total 0,0023 Gross Weight 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher)	Yes
Jse of phthalates and bisphenol A s Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height	Yes
S Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height S	Yes
Box Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Boy H	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Length/Depth Pelight Sox Height Sox Height	Yes
Quantity Per Layer (Pallet) Sox Length Sox Width Sox Height Length/Depth Length/Depth Length Sox Height Length Sox Heigh	Pcs.
Box Length 330 Box Width 180 Box Height 85 Length/Depth 290 Vidth 30 Height 65 Net Weight 0,0 Veight bag 0,003 Veight cardboard 0,019 Fare total 0,023 Bross Weight 0,0 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	Pcs.
Box Width 180 Box Height 85 Length/Depth 290 Vidth 30 Height 65 Net Weight 0,00 Veight bag 0,003 Veight cardboard 0,019 Fare total 0,023 Gross Weight 0,00 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	Pcs.
Box Height 85 Length/Depth 290 Vidth 30 Height 65 Net Weight 0,00 Veight bag 0,003 Veight cardboard 0,019 Fare total 0,023 Gross Weight 0,00 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	mm
Length/Depth 290 Width 300 Height 650 Weight bag 0,003 Weight cardboard 0,019 Fare total 0,023 Gross Weight 0,00 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	mm
Vidth30Height65Net Weight0,0Veight bag0,003Veight cardboard0,019Fare total0,023Bross Weight0,0Cubik metre0,000566Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9	mm
Height 65 Net Weight 0,00 Veight bag 0,003 Veight cardboard 0,019 Fare total 0,023 Gross Weight 0,00 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	mm
Net Weight bag 0,003 Veight cardboard 0,019 Tare total 0,023 Bross Weight 0,00 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	mm
Veight bag0,003Veight cardboard0,019Fare total0,023Bross Weight0,0Cubik metre0,000566Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9	mm
Veight cardboard0,019Fare total0,023Bross Weight0,0Cubik metre0,000566Recommended sterilisation temperature (Autoclave)12Max. cleaning temperature (Dishwasher)9)5 kg
Tare total 0,023 Bross Weight 0,0 Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	7 kg
Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	4 kg
Cubik metre 0,000566 Recommended sterilisation temperature (Autoclave) 12 Max. cleaning temperature (Dishwasher) 9	1 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 9)7 kg
Max. cleaning temperature (Dishwasher)	6 M3
,	21 °C
Max. usage temperature (for food contact)	93 °C
	00 °C
Max usage temperature (non food contact) 17	′5 °C
Min. usage temperature ³ -2	20 °C
Max. drying temperature 10	00 °C
/lin. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10,4	5 pH
GTIN-13 Number 5705020428	3852

30/10/2021 2/3

GTIN-14 Number (Box quantity)	15705020428859
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

30/10/2021 3/3