53763

Tube Brush, Ø20 mm, 500 mm, Medium, Blue





Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2 Box Quantity 15 Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. 200 cm) Box Length 150 Box Length 150 Box Width 160 Box Width 105 Box Width 20 mm Length/Depth 500 mm Width 25 mm Not Weight 0,028 kg Weight cardboard 0,029 kg Gross Weight 0,11 kg Cubik metre 0,00313 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (for food contact)	Item Number	53763
Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials1 Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Weets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length/Depth 500 mm Width 25 mm Net Weight 0,029 kg Gross Weight 0,11 kg Cubik metre 0,00313 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. usage temperature (for food contact) 80 °C	Visible bristle length	9 mm
304)Complies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesFDA complies with UK 2019 No. 704 on food contact materialsYesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 002175075-1-2Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmNet Weight0,08 kgWeight cardboard0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (for food contact)80 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. mage concentration2 pH	Material	Polyester
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 002175075-1-2Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmNet Weight0,08 kgWeight cardboard0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (for food contact)80 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2 Box Quantity 15 Quantity per Pallet (80 x 120 x 200 cm) 2700 Quantity Per Layer (Pallet) 150 Box Length 525 Box Vidth 150 Box Height 105 Product Diameter 20 Quight cardboard 0,028 Weight 0,08 Weight 0,08 Weight cardboard 0,028 Gross Weight 0,11 Cubik metre 0,00313 Max. usage temperature (Dishwasher) 33 Co Cubix usage temperature (Ion food contact) 60 Max. usage temperature 000 C Max. usage temperature 000 C Max. usage temperature -20 C M	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 002175075-1-2Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width105 mmBox Width105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmReight0,02 kgGross Weight0,11 kgCubik metre0,00313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)33 °CMax. usage temperature (on food contact)80 °CMax. drying temperature000 °CMin. pH-value in usage concentration2 pH	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU 002175075-1-2Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Vidth150 mmBox Width105 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmNet Weight0,08 kgWeight cardboard0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length/Depth 500 mm Width 25 mm Height 25 mm Notith 25 mm Registr cardboard 0,029 kg Gross Weight 0,11 kg Cubik metre 0,000313 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. EU 002175075-1-2 Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length/Depth 500 mm Width 25 mm Net Weight 0,08 kg Weight cardboard 0,029 kg Gross Weight 0,11 kg Cubik metre 0,000313 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (for food contact) 80 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature -20 °C Max. drying temperature -20 °C Max. drying temperature -20 °C Max. drying temperature 20 °C	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.EU 002175075-1-2Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight500 mmWidth25 mmRecommended sterilisation temperature (Autoclave)0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (for food contact)80 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Use of phthalates and bisphenol A	No
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight0,08 kgWeight0,08 kgWeight0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight0,08 kgWeight0,08 kgWeight cardboard0,029 kgGross Weight0,11 kgCubik metre0,00313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (for food contact)80 °CMax. usage temperature (for food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Design Registration No.	EU 002175075-1-2
Quantity Per Layer (Pallet) 150 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length/Depth 500 mm Width 25 mm Height 25 mm Height 25 mm Net Weight 0,08 kg Weight cardboard 0,029 kg Gross Weight 0,11 kg Cubik metre 0,000313 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	15 Pcs.
Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight25 mmNet Weight0,08 kgWeight cardboard0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (for food contact)80 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Quantity per Pallet (80 x 120 x 200 cm)	2700 Pcs.
Box Width150 mmBox Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight0,08 kgWeight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	150 Pcs.
Box Height105 mmProduct Diameter20 mmLength/Depth500 mmWidth25 mmHeight25 mmNet Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. usage concentration2 pH	Box Length	525 mm
Product Diameter20 mmLength/Depth500 mmWidth25 mmHeight25 mmNet Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMin. usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	150 mm
Length/Depth500 mmWidth25 mmHeight25 mmNet Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)80 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	105 mm
Width25 mmHeight25 mmNet Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMin. usage temperature (non food contact)80 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Diameter	20 mm
Height25 mmNet Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMin. usage temperature (non food contact)80 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length/Depth	500 mm
Net Weight0,08 kgWeight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	25 mm
Weight cardboard0,029 kgTare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	25 mm
Tare total0,029 kgGross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature 3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0,08 kg
Gross Weight0,11 kgCubik metre0,000313 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature 3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight cardboard	0,029 kg
Cubik metre0,000313M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax. usage temperature (for food contact)80°CMax usage temperature (non food contact)80°CMin. usage temperature3-20°CMax. drying temperature100°CMin. pH-value in usage concentration2pH	Tare total	0,029 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0,11 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubik metre	0,000313 M3
Max. usage temperature (for food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. usage temperature (for food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	80 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10,5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH

GTIN-13 Number	5705020537639
GTIN-14 Number (Box quantity)	15705020537636
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact