## Tube Brush f/flexible handle, Ø90 mm, 200 mm, Medium, Blue





This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.

## **Technical Data**

Material Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA complient raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Jee of phthalates and bisphenol A  Shalal and Kosher compliant  No as Halal and Kosher compliant  Yes  Quantity 10 Pcs. Quantity Per Layer (Pallet)  Sox Quantity Per Layer (Pallet)  Sox Length  Sox Width  Sox Width  Sox Height  Product Diameter	Item Number	53913
Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Jee of phthalates and bisphenol A Sox Quantity 10 Pes. Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 80 x Length 80 x Width 80 x Height 80 x Width 80 x Height 80 x Heig	Visible bristle length	100 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes Jse of phthalates and bisphenol A  No s Halal and Kosher compliant  Yes Gox Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 200 cm)  480 Pcs. Quantity Per Layer (Pallet)  60 Pcs. Box Length  415 mm Box Width  295 mm Box Height  Product Diameter  ength/Depth  Notth  1eight  Net Weight  Net Weight  Cubik metre  0,001693 M3  Gross Weight  Cubik metre  0,001693 M3  Commended sterilisation temperature (Autoclave)  Max. cleaning temperature (Tor food contact)  Max usage temperature  100 °C  Max. drying temperature  100 °C  Max. drying temperature  100 °C  Max. pH-value in usage concentration  10,5 pH	Material	Polyester Stainless Steel (AISI
Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Jse of phthalates and bisphenol A  No s Halal and Kosher compliant  Sox Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 200 cm)  480 Pcs. Quantity Per Layer (Pallet)  Sox Length  415 mm  Sox Width  295 mm  Sox Width  295 mm  Not Height  Product Diameter  ength/Depth  Not Weight cardboard  Not Weight cardboard  On 187 kg  Gross Weight  Cubik metre  O,001693 M3  Recommended sterilisation temperature (Autoclave)  Max. usage temperature (Dishwasher)  Max. usage temperature  Max. drying temperature  Max. drying temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage Concentration  10,5 pH  Max. pH-value in Usage Concentration  10,5 pH  Max. pH-value in Usage Concentration  10,6 pH  Max. pH-value in Usage Concentration	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Meets the REACH Regulation (EC) No. 1907/2006  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes Jose of phthalates and bisphenol A No s Halal and Kosher compliant  Yes Box Quantity  Quantity  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Sox Length  At 5 mm Sox Width  Council Diameter  Length/Depth  Not Weight  Net Weight  Net Weight  Cubik metre  Quantity  Recommended sterilisation temperature (Autoclave)  Max. usage temperature (for food contact)  Min. usage temperature  Min. usage concentration  Max. pH-value in usage Concentration  Max. pH-value in usage Concentration  Max. pH-value in usage Concentration  No Person  No Person  No	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006  Jee of pithalates and bisphenol A  Shalal and Kosher compliant  Sea Quantity  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Sox Length  Sox Length  Sox Width  Sox Height  Product Diameter  Length/Depth  Not Weight  Net Weight  Net Weight  Cubik metre  Quantity  Recommended sterilisation temperature (Autoclave)  Max. usage temperature (for food contact)  Max. usage temperature  Max. drying temperature  Max. drying temperature  Min. usage concentration  Max. pH-value in usage Concentration  No augustity  10 Pcs. No. No. No. 1907/2006  10 Pcs. 11 Pcs. 11 Pcs. 12 Pcs. 13 Pcs. 14 Pcs. 14 Pcs. 15 Pcs. 16 Pcs. 17 Pcs. 18	FDA compliant raw material (CFR 21)	Yes
Jse of phthalates and bisphenol A s Halal and Kosher compliant Sox Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Quantity Per L	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant  Box Quantity  Cuantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Countity Per Layer (Pallet (Pallet)  Countity Per Layer (Pallet)  Countity Per Layer (Pallet (Pallet)  Countity Per Layer (Pallet)  Countity Per Layer (Pallet (Pallet)  Countity Per Layer (Pallet)	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity Per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Box Length  Box Width  Box Width  Box Height  Product Diameter  Length/Depth  Net Weight  Net Weight  Net Weight  Cubik metre  Quantity Per Layer (Pallet)  Max. usage temperature (Dishwasher)  Max. usage temperature (Inor food contact)  Min. usage temperature  Min. usage temperature  Min. usage temperature  Min. usage temperature  Min. usage concentration  Min. usage concentration  Min. usage concentration  Max. pH-value in usage concentration  10.5 pH  Max. pH-value in usage Concentration  10.5 pH  Max. pH-value in usage Concentration  2 pH  Max. pH-value in usage Concentration  10.5 pH  Min. usage temperature in usage Concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH  Min. pH-value in Usage Concentration  10.5 pH	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Go Pcs.  Box Length  Box Width  Conduct Diameter  Length/Depth  Product Diameter  Length/Depth  Net Weight  Net Weight  Coubik metre  Coubik m	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)  Box Length  Aut 5 mm  Box Width  Box Height  Product Diameter  Length/Depth  Length/Depth  Width  Height  Net Weight  Cubik metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Max. usage temperature  Min. pH-value in usage concentration  Max. pH-value in usage Concentration  Aut 295 mm  Aut 5 mm  Aut 6 mm  Aut 6 mm  Aut 6 mm  Aut 7 mm  Aut 8 mm  Aut 8 mm  Aut 9 mm  Aut 9 mm  Aut 8 mm  Aut 8 mm  Aut 9 mm  A	Box Quantity	10 Pcs.
Box Length 415 mm Box Width 295 mm Box Height 215 mm Product Diameter 90 mm Length/Depth 200 mm Width 92 mm Weight 92 mm Net Weight 0,07 kg Weight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,09 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (For food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (Min. pH-value in usage concentration 10,5 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs.
Sax Width   295 mm	Quantity Per Layer (Pallet)	60 Pcs.
Box Height         215 mm           Product Diameter         90 mm           Length/Depth         200 mm           Width         92 mm           Weight         92 mm           Net Weight         0,07 kg           Weight cardboard         0,0187 kg           Fare total         0,0187 kg           Gross Weight         0,09 kg           Cubik metre         0,001693 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. usage temperature (for food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Length	415 mm
Product Diameter 90 mm Length/Depth 200 mm Width 92 mm Height 92 mm Net Weight 0,07 kg Weight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,009 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Width	295 mm
Nidth 92 mm Net Weight 92 mm Net Weight 0,07 kg Neight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,00187 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Height	215 mm
Nidth 92 mm Net Weight 92 mm Net Weight 0,07 kg Neight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,09 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Product Diameter	90 mm
Net Weight 0,07 kg Weight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,001697 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature Min. pH-value in usage concentration 10,5 pH Max. pH-value in Usage Concentration 10,5 pH	Length/Depth	200 mm
Net Weight cardboard 0,0187 kg Fare total 0,0187 kg Gross Weight 0,09 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Width	92 mm
Weight cardboard0,0187 kgGross Weight0,0187 kgCubik metre0,001693 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Height	92 mm
Tare total 0,0187 kg Gross Weight 0,09 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Net Weight	0,07 kg
Gross Weight 0,09 kg Cubik metre 0,001693 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0187 kg
Cubik metre 0,001693 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max. usage temperature (for food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10,5 pH	Tare total	0,0187 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (for food contact)  Max usage temperature (non food contact)  Min. usage temperature <sup>3</sup> -20 °C  Max. drying temperature  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10,5 pH	Gross Weight	0,09 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (for food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,001693 M3
Max. usage temperature (for food contact)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10,5 pH	Max. usage temperature (for food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH
<b>3TIN-13 Number</b> 5705020535932	Max. pH-value in Usage Concentration	10,5 pH
	GTIN-13 Number	5705020535932

30/10/2021 2/3

GTIN-14 Number (Box quantity)	15705020535939
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

30/10/2021 3/3