Nylon Hand Scraper, 100 mm, Blue





Suitable for loosening stubborn dirt like pastry, chocolate, burnt on food, etc. on smooth surfaces. The nylon blade is a good alternative to a stainless steel blade and can be used on sensitive surfaces to avoid scratches on equipment and sensitive conveyor belts. The hard blade can withstand hot surfaces when used at intervals of max. 2 minutes at a time.

Technical Data

Blade Tnickness 2.7 mm Material Nylon Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Hall and Kosher compliant Yes Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 23 mm Width 100 mm Height 20 mm Weight bag 20 mm Weight cardboard 2,006 kg Gross Weight 2,007 kg Gross Weight 2,007 kg Max. cleaning temperature (Dishwasher) 30 °C Max. usage temperature (Food contact) 17 °	Item Number	40133
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Box Length 260 mm Box Width 230 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,0042 kg Weight cardboard 0,006 kg Gross Weight 0,000 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 175 °C Max usage temperature (non food contact) </th <th>Blade Thickness</th> <th>2,7 mm</th>	Blade Thickness	2,7 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,006 kg Gross Weight 0,00 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Max. drying temperature 20 °C	Material	•
Manufacturing Practice Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 260 mm Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Net Weight 0,076 kg Weight bag 0,0040 kg Weight cardboard 0,006 kg Tare total 0,0040 kg Gross Weight 0,004 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage t	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Width 100 mm Height 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,009 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. cleaning temperature (food contact) 175 °C Max. usage temperature (non food contact) 175 °C Min. usage temperature<		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 2 pt Max. drying temperature 2 pt Max. ph-value in usage concentration	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,0402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature³ 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature* 20 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight bag 0,00402 kg Weight cardboard 0,00402 kg Gross Weight 0,000 kg Cubik metre 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature* 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 3150 Pcs Quantity Per Layer (Pallet) 150 Pcs Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,004 Ma Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Min. ph-value in usage concentration 2 pH Max. ph-value in usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 150 Pcs. Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,0040 kg Weight cardboard 0,000 kg Tare total 0,01002 kg Gross Weight 0,00 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Box Quantity	10 Pcs.
Box Length 260 mm Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight bag 0,076 kg Weight cardboard 0,000 kg Tare total 0,01002 kg Gross Weight 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature* -20 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Quantity per Pallet (80 x 120 x 200 cm)	3150 Pcs
Box Width 230 mm Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,0047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Quantity Per Layer (Pallet)	150 Pcs.
Box Height 85 mm Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Box Length	260 mm
Length 235 mm Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,009 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Box Width	230 mm
Width 100 mm Height 20 mm Net Weight 0,076 kg Weight bag 0,00402 kg Weight cardboard 0,006 kg Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Box Height	85 mm
Height20 mmNet Weight0,076 kgWeight bag0,00402 kgWeight cardboard0,006 kgTare total0,01002 kgGross Weight0,09 kgCubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Length	235 mm
Net Weight bag0,076 kgWeight bag0,00402 kgWeight cardboard0,006 kgTare total0,01002 kgGross Weight0,09 kgCubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Width	100 mm
Weight bag0,00402 kgWeight cardboard0,006 kgTare total0,01002 kgGross Weight0,09 kgCubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Height	20 mm
Weight cardboard0,006 kgTare total0,01002 kgGross Weight0,09 kgCubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Net Weight	0,076 kg
Tare total 0,01002 kg Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics	Weight bag	0,00402 kg
Gross Weight 0,09 kg Cubik metre 0,00047 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes	Weight cardboard	0,006 kg
Cubik metre0,00047 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Tare total	0,01002 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Gross Weight	0,09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Cubik metre	0,00047 M3
Max usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)175 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max usage temperature (food contact)	175 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYes	Max. drying temperature	120 °C
Recycling Symbol "7", Miscellaneous Plastics Yes	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH
Gtin-13 Number 5705022004610	Recycling Symbol "7", Miscellaneous Plastics	Yes
	Gtin-13 Number	5705022004610

10/30/2021 2/3

GTIN-14 Number (Box quantity)	15705028004628
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

10/30/2021 3/3