Mini Handle, Ø30 mm, 160 mm, Blue





Ideal for use with any Vikan product requiring a small handle, including tube cleaners, squeegees and table or floor scrapers.

Technical Data

Material Polypropules Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 504 0 Pcs. Quantity Per Layer (Pallet) 304 0 Pcs. Box Length 225 mm Pcs. Box Width 105 mm Pcs. Box Height 125 mm Pcs. Box Height 30 mm Pcs. Height Popth 160 mm Pcs. Weight Cardboard 30 mm Pcs. Weight Cardboard 30 mm Pcs. Gross Weight 30 mm Pcs. Cubik metre 30 mm	Item Number	29343
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 504 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 504 Pcs. Quantity per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Length Weight 30 mm Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (non food contact) 0°C Max. drying temperature	Material	Polypropylene
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Wet Weight 0.07 kg Weight cardboard 0.01 kg Gross Weight 0.01 kg Cubik metre 0.00144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Weight cardboard 0.01 kg Gross Weight 0.01 kg Gross Weight 0.01 kg Cubik metre 0.000144 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. usage temperature 0.00 °C Min. usage temperature 0.0 °C Max. drying temperature 0.0 °C Min. pH-value in		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (non food contact) 80 °C Max. usage temperature 20 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage Concentration 10.5	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Weight cardboard 0.07 kg Weight cardboard 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH Recycling Symbol "5	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 5040 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. usage temperature (non food contact) 80 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 157050202934	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity)	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 5040 Pcs. Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight cardboard 0.07 kg Weight cardboard 0.01 kg Gross Weight 0.08 kg Cubik metre 0.00014 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293436	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 350 Pcs. Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Gross Weight 0.01 kg Gross Weight 0.001 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293436	Box Quantity	10 Pcs.
Box Length 225 mm Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293438	Quantity per Pallet (80 x 120 x 200 cm)	5040 Pcs.
Box Width 105 mm Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293438	Quantity Per Layer (Pallet)	350 Pcs.
Box Height 125 mm Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293436	Box Length	225 mm
Product Diameter 30 mm Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293436	Box Width	105 mm
Length/Depth 160 mm Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293436	Box Height	125 mm
Width 30 mm Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293438	Product Diameter	30 mm
Height 30 mm Net Weight 0.07 kg Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293438	Length/Depth	160 mm
Net Weight0.07 kgWeight cardboard0.01 kgTare total0.01 kgGross Weight0.08 kgCubik metre0.000144 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Width	30 mm
Weight cardboard 0.01 kg Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Height	30 mm
Tare total 0.01 kg Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Net Weight	0.07 kg
Gross Weight 0.08 kg Cubik metre 0.000144 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Weight cardboard	0.01 kg
Cubik metre0.000144 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Tare total	0.01 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Gross Weight	0.08 kg
Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Cubik metre	0.000144 M3
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity)	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature	Max. usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020293436GTIN-14 Number (Box quantity)15705020293433	Max. drying temperature	100 °C
Recycling Symbol "5", Polypropylene (PP) GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Min. pH-value in usage concentration	2 pH
GTIN-13 Number 5705020293436 GTIN-14 Number (Box quantity) 15705020293433	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020293433	Recycling Symbol "5", Polypropylene (PP)	Yes
	GTIN-13 Number	5705020293436
Customs Tariff No. 39241000	GTIN-14 Number (Box quantity)	15705020293433
	Customs Tariff No.	39241000

Country of origin DK

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below $0\ensuremath{^\circ}$ Celsius.