29832

Stainless Steel Handle, Ø31 mm, 1025 mm, Green





Suitable for cleaning areas where aggressive chemicals are used, this stainless steel handle can be used with any product in the Vikan range.

Technical Data

304) Polypropylene Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 75 Pcs. Quantity Per Layer (Pallet) 25 Pcs. Box Length 1110 mm Box Length 1110 mm Box Vidth 140 mm Box Vidth 100 fmm Box Width 100 fmm Weight 0.72 kg Weight 0.72 kg Weight cardboard 0.05 kg Grass Weight 0.77 kg Cubik metre 0.000985 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Ioshwasher) 93 °C Max. usage temperature (food contact) 100 °C Max. usage temperature? -20 °C <th>Item Number</th> <th>29832</th>	Item Number	29832
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesQuantity per Pallet (80 x 120 x 200 cm)775 Pcs.Quantity per Layer (Pallet)25 Pcs.Box Length1110 mmBox Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmLength/Cost0.05 kgGross Weight0.05 kgGross Weight0.05 kgCubik metre0.00985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (Iost contact)100 °CMax. usage temperature (Iost contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Material	304)
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 775 Pcs. Quantity Per Layer (Pallet) 25 Pcs. Box Length 1110 mm Box Width 1440 mm Box Height 85 mm Product Diameter 31 mm Length/Depth 1025 mm Width 31 mm Height 31 mm Length/Depth 0.05 kg Gross Weight cardboard 0.05 kg Gross Weight 0.77 kg Cubik metre 0.000985 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C Max usage temperature 100 °C Max. usage temperature* -20 °C Max. drying temper	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)775 Pcs.Quantity Per Layer (Pallet)25 Pcs.Box Length1110 mmBox Width140 mmBox Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. usage temperature (non food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)775 Pcs.Quantity Per Layer (Pallet)25 Pcs.Box Length1110 mmBox Width140 mmBox Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight31 mmRegight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)775 Pcs.Quantity Per Layer (Pallet)25 Pcs.Box Length1110 mmBox Width140 mmBox Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight31 mmRet Weight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Iosh contact)100 °CMax. usage temperature (food contact)100 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 775 Pcs. Quantity Per Layer (Pallet) 25 Pcs. Box Length 1110 mm Box Width 140 mm Box Height 85 mm Product Diameter 31 mm Length/Depth 1025 mm Width 31 mm Height 0.05 kg Gross Weight 0.77 kg Cubik metre 0.000985 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 20 °C Max. drying temperature 20 °C Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 775 Pcs. Quantity Per Layer (Pallet) 25 Pcs. Box Length 1110 mm Box Width 140 mm Box Height 85 mm Product Diameter 31 mm Length/Depth 1025 mm Width 31 mm Height 31 mm Height 0.05 kg Gross Weight 0.72 kg Width metre 0.005 kg Tare total 0.05 kg Gross Weight 0.77 kg Cubik metre 0.000985 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 20 °C Max. drying temperature 20 °C Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH <td>California Proposition 65 Compliant</td> <td>Yes</td>	California Proposition 65 Compliant	Yes
Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)775 Pcs.Quantity Per Layer (Pallet)25 Pcs.Box Length1110 mmBox Width140 mmBox Vidth140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. pH-value in usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)775Pcs.Quantity Per Layer (Pallet)25Pcs.Box Length1110mmBox Width140mmBox Height85mmProduct Diameter31mmLength/Depth1025mmWidth31mmHeight0.72kgWeight cardboard0.05kgGross Weight0.77kgCubik metre0.00085M3Recommended sterilisation temperature (Autoclave)121°CMax. usage temperature (food contact)100°CMax. usage temperature (food contact)100°CMax. drying temperature100°CMax. pH-value in usage Concentration2pHRecycling Symbol "7", Miscellaneous PlasticsNo	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 25 Pcs. Box Length 1110 mm Box Width 140 mm Box Height 85 mm Product Diameter 31 mm Length/Depth 1025 mm Width 31 mm Height 31 mm Net Weight 0.72 kg Weight cardboard 0.05 kg Gross Weight 0.77 kg Cubik metre 0.000985 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "7", Miscellaneous Plastics No	Box Quantity	5 Pcs.
Box Length1110 mmBox Width140 mmBox Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight0.25 mmWidth31 mmHeight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Quantity per Pallet (80 x 120 x 200 cm)	775 Pcs.
Box Width140 mmBox Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight31 mmNet Weight0.72 kgWeight cardboard0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Quantity Per Layer (Pallet)	25 Pcs.
Box Height85 mmProduct Diameter31 mmLength/Depth1025 mmWidth31 mmHeight31 mmNet Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax. usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Box Length	1110 mm
Product Diameter31 mmLength/Depth1025 mmWidth31 mmHeight31 mmNet Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature and contact100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Box Width	140 mm
Length/Depth1025 mmWidth31 mmHeight31 mmNet Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature a-20 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Box Height	85 mm
Width31 mmHeight31 mmNet Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Product Diameter	31 mm
Height31 mmNet Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Length/Depth	1025 mm
Net Weight0.72 kgWeight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Width	31 mm
Weight cardboard0.05 kgTare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Height	31 mm
Tare total0.05 kgGross Weight0.77 kgCubik metre0.000985 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Net Weight	0.72 kg
Gross Weight0.77kgCubik metre0.000985M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax. usage temperature (food contact)100°CMax usage temperature (non food contact)100°CMin. usage temperature³-20°CMax. drying temperature100°CMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHRecycling Symbol "7", Miscellaneous PlasticsNo	Weight cardboard	0.05 kg
Cubik metre0.000985M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Tare total	0.05 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Gross Weight	0.77 kg
Max. cleaning temperature (Dishwasher)93 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Cubik metre	0.000985 M3
Max. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Max. usage temperature (food contact)	100 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNo	Max. drying temperature	100 °C
Recycling Symbol "7", Miscellaneous PlasticsNo	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number 5705020298325	Recycling Symbol "7", Miscellaneous Plastics	No
	GTIN-13 Number	5705020298325

GTIN-14 Number (Box quantity)	15705020298322
Customs Tariff No.	96039010
Country of origin	DK

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.