55003 Padholder, 230 mm, Blue





Secure cleaning pads with a lockable pad holder. Can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.



Technical Data

Material Complies with (EC) 1935/2004 on food contact materials ¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity	Polypropylene Stainless Steel (AISI 304) Nylon No Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Use of phthalates and bisphenol A Is Halal and Kosher compliant	
Manufacturing Practice FDA compliant raw material (CFR 21) Use of phthalates and bisphenol A Is Halal and Kosher compliant	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant	
Is Halal and Kosher compliant	Yes
•	No
Box Quantity	Yes
	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Box Length	375 mm
Box Width	295 mm
Box Height	140 mm
Length	230 mm
Width	95 mm
Height	75 mm
Net Weight	0,234 kg
Weight bag	0,0047 kg
Weight cardboard	0,0227 kg
Tare total	0,0274 kg
Gross Weight	0,26 kg
Cubik metre	0,001639 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Gtin-13 Number	5705020550034
GTIN-14 Number (Box quantity)	15705020550031
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.