





JBL Horizon 2 for Hotels

Quick Start Guide

- Single day alarm.
- Dual USB charging ports.
- Hotels can set MAX volume.
- Bluetooth connectivity AND FM Radio (3 Presets).
 - Backlight/nightlight/sunrise function.
 - Sleek design, great JB sound.





In the box: Horizon 2, power supply, security lanyard, FM antennae (pig tail) and warranty card.



Step 1 of Set Up: Pull the plastic tab on the bottom which will engage the lithium ion battery for back up.



On the Box: UPC number. Record this for warranty purposes.



Step 2: Plug in power supply to Horizon and power outlet.

Step 3: Select language: Default is English. Press Snooze Bar (round button) to confirm.

Step 4: "Name" your Horizon2 – set the Room number. 00000 is default so Room 101 would be 00100. Turn Snooze Bar dial to scroll through numbers; Press Snooze Bar down to confirm and advance.

JBL







Step 5: Set MAX Volume for the Room. Default is Level 8.

Step 6: Select 24-Hour or 12-Hour Mode.

Step 7: Now it's time to set the TIME, YEAR, MONTH and DATE


REMEMBER: Turning the Snooze Bar is how you select options or numbers; and Pressing down on the Snooze Bar confirms that setting and advances to any next steps.



Check out the back of the HORIZON2. When you press the Snooze Bar, the back-light comes on. This is a great night-light and it also can be triggered via the Alarm.



JBL







Setting the SINGLE DAY ALARM is simple.

- 1. Press and Hold the Alarm Icon.
- 2. Set the desired time (< > Snooze)
- 3. Select desired Volume
- 4. Select Light ON or OFF (sunrise)
- 5. Alarm confirms as ONCE meaning single day.

Alarm Icon on the screen means alarm has been set.




Bluetooth Paring is very simple. Just press the Bluetooth Icon and the unit will go into Pairing Mode. Search for the named Horizon on your phone or audio device and select it.

> HORIZON2 has two USB Slots on the side perfect for charging your phone and tablet while you are getting some sleep.





JBL



- 6 : Radio forindstilling
- ⑦: Alarm 1/2