

MiniClip Module DTH | TA-337x



Table of Contents

| | |
|---|---|
| 2 | Products Covered By This Installation Guide |
| 2 | Important Safety Instructions |
| 3 | Preparation For Installation |
| 3 | Installation |
| 5 | Warranty |
| 5 | Contact Details |

Products Covered By This Installation Guide

This guide is for use when installing MiniClip Modules into the MiniClip Desktop Housing (DTH). If any of the the MiniClip Modules you are using have a separate Installation Guide then be sure to refer to this as well.

The MiniClip DTH can accommodate 4x25mm modules, 2x25mm modules and 1x50mm module or 2 x 50mm modules. It is not compatible with MediaHub (see MediaHub DTH) or the PoE or Light Switch Modules.

Important Safety Instructions

- Read these instructions carefully before attempting any installation. Follow all instructions and heed all warnings. These instructions should be kept for future reference.
- This equipment is designed for indoor use only.
- This equipment is designed to be fitted into furniture or casegoods.
- Clean only with a dry cloth.
- Refer all servicing to qualified service personnel. Servicing is required when the equipment has been damaged in any way, for example if any power supply plug or cord is damaged, liquid has been spilled or objects have fallen into the equipment, the equipment has been exposed to rain or moisture, does not operate normally or has been dropped or damaged.
- Unplug this equipment during lightning storms or when unused for long periods of time.
- Do NOT install or use this equipment near water.
- Do NOT expose this apparatus to rain or moisture.
- Do NOT expose to dripping or splashing. No objects filled with liquid such as vases shall be placed on the equipment.
- Do NOT install near any heat sources such as radiators, convection heaters or other apparatus such as amplifiers that produce heat.


Preparation For Installation

Before starting installation make sure you have read and understood the “Important Safety instructions”.


Installation

Step 1

Separate the DTH frame and cover. If you want to screw the DTH to the furniture then fix using wood screws through the two holes in the base of the frame.




Frame



Cover

Step 2

Clip the modules you have selected into the DTH base.




Frame with modules clipped in

Step 3

Attach the appropriate cables to rear of the modules. Note if using the HDMI module you will need to use the HDMI pigtail cable CAB-HDMIASD12 and attach your chosen HDMI cable to this.

Step 4

Route cables as shown below and bundle with a cable tie. It is important the cables are routed to the left (when viewed from the rear) to allow the cover to be fitted.



Step 5

Fit the cover ensuring cutout fits neatly over the cable bundle. Secure the cover using the 2 screws provided.

Step 6

The cable bundle can be secured to the DTH cover if required with a cable tie looped through one of the eyelets near the cable exit.

Step 7

If you didn't screw the DTH to the furniture you can now secure the DTH to the desk using the supplied double sided sticky pad if required. A lanyard which can be attached to the DTH is also available.

Installation is now complete

Warranty

Please see TeleAdapt "Sales Terms & Conditions" which are available at <http://www.teleadapt.com/teleadapt/sales-terms-conditions.html>

Contact Details

Americas

TeleAdapt Inc
1315 Greg Street
Suite 110
Sparks
NV 89431
USA
Tel: +1 775 355 8585

Asia

TeleAdapt (Hong Kong) Limited
Hong Kong
Kowloon
Tel: +852 2155 1383
Email: hk@teleadapt.com

Visit our website at: www.teleadapt.com

MiniClip DTH Installation Guide_09/2023_REV-1.4