



Analytical Resource Laboratories

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com



# Certificate of Analysis

## Client Information

**Organic Olivia, LLC**  
75 South Broadway 4FL  
White Plains, NY 10601  
USA  
914-368-7406

## Sample Information

ARL ID: 642616-2  
Date Received: 11/16/2022  
Description: Adrenal Recovery  
Lot#: 202200526  
Serving Size: 2 Capsule(s)

## Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Complete Micro Profile, HM (High Count)</u>	USP, AOAC, ICP-MS					1
Total Plate Count (High Count)	USP <2021>	100	≤ 1 Million	30,000	cfu's/g	1
Coliforms	AOAC 991.14	100	≤ 10,000	200	cfu's/g	1
E. coli	USP <2022>	Absent	Not Detected	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Not Detected	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Not Detected	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	≤ 100,000	None Detected	cfu's/g	1
Mold (High Count)	USP <2021>	100	≤ 100,000	None Detected	cfu's/g	1
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.317	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	≤ 4.1	0.056	mcg/Serving	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	≤ 2.0	0.015	mcg/Serving	1
Lead (Pb)	ARL ICPMS 8.016	0.001	≤ 6	0.306	mcg/Serving	1
Gluten Allergens (as Gliadin)	2.055	2.5	Record Only	<2.5	ppm	1
Weight (Net Average)	ARL 2.001	0.01	Record Only	480.97	mg/Unit	1

## Notes:

+Revision: Updated results | +Revision: Updating Customers Phone number

Form: arlcoa031201a Report: 642616-2

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 1/25/2023 4:39:50 PM

Date Released: 1/25/2023

This Certificate of Analysis represents data only for the sample provided. It does not constitute a guarantee of quality for the entire production lot.

Page 1 of 2



Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
----------	--------	------------	---------------	---------	-----	--------

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

**Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.**

