

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

Date received: 17/08/15

Date of issue: 08/10/15

Report consists of 14 test reports.

Defects before testing: None

Sample name: LING armchair

SAMPLE N° 200911

Overall dimensions: 1000 x 900 x 770 (h) mm

List performed tests:

- 1. Safety requirements EN 16139:2013+AC:2013
- 2. Seat and back static load test EN 1728:2012+AC:2013
- 3. Vertical load on back rest EN 1728:2012+AC:2013
- 4. Arm sideways static load test EN 1728:2012+AC:2013
- 5. Arm downwards static load test EN1728:2012+AC:2013
- 6. Seat and back fatigue test EN 1728:2012+AC:2013
- Seat front edge durability test EN 1728:2012+AC:2013
- 8. Arm fatigue test EN 1728:2012+AC:2013
- 9. Leg forward static load test EN 1728:2012+AC:2013
- 10. Leg sideways static load test EN 1728:2012+AC:2013
- 11. Seat impact test EN 1728:2012+AC:2013
- 12. Back impact test EN 1728:2012+AC:2013
- 13. Arm rest impact test EN 1728:2012+AC:2013
- 14. Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> naging Director Indrea Giaven



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

SAMPLE N° 200911

Date of issue: 08/10/15

Sample weight: Not determined Sample name: LING armchair



Side view



Bottom view



Rear view



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 200911 / 1

Date received: 17/08/15 Date of test: 08/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4 Statement checked Remarks Corner and edges in contact with the users: Absence of sharp edges and corners Yes Edges on the handles: Absence of sharp edges and corners in the direction of the force Handles not present Other edges: · Absence of sharp edges and corners Yes Accessible hollow components: The ends of hollow components are closed or capped Yes Movable and adjustable parts: It shall not be possible for any movable and adjustable part of the Movable and adjustable parts chair to come operate unintentionally. not present Connections between parts of the structure: It shall not be possible for any load bearing part of the seating No to come loose unintentionally Parts which are lubricated: All the parts which are lubricated shall be designed to protect users Lubricated parts not present Shear and squeeze points between movable parts ≥ 7 mm ≤ 18 mm: · Shear and squeeze points under influence of powered mechanism Mechanism not present Shear and squeeze points during normal use and during normal No movements and actions Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013: **YES**

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anlaging-Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 2

Date received: 17/08/15 Date of test: 08/09/15 Date of issue: 08/10/15

Sample name: LING armchair



Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

Test results:

Seat load	Back force	Number	Remarks
N	N	of cycles	
1.600	560	10	No defects

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> Managing Director Or Andrea Giavon



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 3

Date received: 17/08/15 Date of test: 08/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Vertical load on back rest EN 1728:2012+AC:2013

Vertical static load on back rest clause 6.6

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> aging Director Andrea Giavon



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 4

Date received: 17/08/15 Date of test: 08/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Arm sideways static load test EN 1728:2012+AC:2013

Arm sideways static load test clause 6.10

Test results:

Horizontal force N	Number of applications	Remarks
400	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 5

Date received: 17/08/15 Date of test: 08/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Arm downwards static load test EN1728:2012+AC:2013

Arm downwards static load test clause 6.11

Test results:

Vertical force N	Number of applications	Remarks
750	5	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the Eufopean Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 6

Date received: 17/08/15 Date of test: 16/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 7

Date received: 17/08/15 Date of test: 22/09/15 Date of issue: 08/10/15

LING armchair Sample name:



Seat front edge durability test EN 1728:2012+AC:2013

Seat front edge durability test clause 6.18

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT 200911 / 8

Date received: 17/08/15 Date of test:

29/09/15 Date of issue: 08/10/15 LING armchair Sample name:



Arm fatigue test EN 1728:2012+AC:2013

Arm fatigue test clause 6.20

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the Europaan Directives which regulate the electronic signature systems.

anaging Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 9

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Leg forward static load test EN 1728:2012+AC:2013

Leg forward static load test clause 6.15

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 10

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Leg sideways static load test EN 1728:2012+AC:2013

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 11

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 12

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Back impact test EN 1728:2012+AC:2013

Back impact test clause 6.25

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com

TEST REPORT

200911 / 13

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Arm rest impact test EN 1728:2012+AC:2013

Arm rest impact test clause 6.26

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director MAndrea Giavon



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

Filiale: 20851 Lissone MB Tel. 039.464567 Fax 039.464565 lissone@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

200911 / 14

Date received: 17/08/15 Date of test: 01/10/15 Date of issue: 08/10/15

LING armchair Sample name:



Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 200 N

Forwards overturning

Horizontal force 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force 200 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat

Sideways overturning for chairs with arms

Horizontal force 20 N does not overturn

Sideways overturning for chairs without arms

Horizontal force

Forwards overturning for chairs with footrest

Horizontal force

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

n<mark>a</mark>ging Director