

Date received: 24/09/15

Date of issue: 16/10/15

Report consists of 14 test reports.

Defects before testing: None

Sample name: THOMAS

SAMPLE N° 201931

Overall dimensions: 555 x 490 x 1030 (h) mm

List performed tests:

1. Safety requirements EN 16139:2013+AC:2013
2. Seat and back static load test EN 1728:2012+AC:2013
3. Vertical load on back rest EN 1728:2012+AC:2013
4. Arm sideways static load test EN 1728:2012+AC:2013
5. Arm downwards static load test EN 1728:2012+AC:2013
6. Seat and back fatigue test EN 1728:2012+AC:2013
7. Seat front edge durability test EN 1728:2012+AC:2013
8. Arm fatigue test EN 1728:2012+AC:2013
9. Leg forward static load test EN 1728:2012+AC:2013
10. Leg sideways static load test EN 1728:2012+AC:2013
11. Seat impact test EN 1728:2012+AC:2013
12. Back impact test EN 1728:2012+AC:2013
13. Arm rest impact test EN 1728:2012+AC:2013
14. Stability - EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giaron

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 201931

Date of issue: 16/10/15
Sample weight: Not determined
Sample name: THOMAS



Side view



Rear view



Bottom view

TEST REPORT

201931 / 1

Date received: 24/09/15

Date of test: 24/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	No
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 7 \text{ mm} \leq 18 \text{ mm}$: • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 2

Date received: 24/09/15

Date of test: 25/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Seat and back static load test EN 1728:2012+AC:2013

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	560	10	No defects

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 3

Date received: 24/09/15

Date of test: 25/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Vertical load on back rest EN 1728:2012+AC:2013

Vertical static load on back rest clause 6.6

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giaven*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 4

Date received: 24/09/15

Date of test: 25/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Arm sideways static load test EN 1728:2012+AC:2013

Arm sideways static load test clause 6.10

Test results:

Horizontal force N	Number of applications	Remarks
400	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 5

Date received: 24/09/15

Date of test: 25/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Arm downwards static load test EN1728:2012+AC:2013

Arm downwards static load test clause 6.11

Test results:

Vertical force N	Number of applications	Remarks
750	5	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 6

Date received: 24/09/15

Date of test: 28/09/15

Date of issue: 16/10/15

Sample name: THOMAS



Seat and back fatigue test EN 1728:2012+AC:2013

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Savon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 7

Date received: 24/09/15

Date of test: 05/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Seat front edge durability test EN 1728:2012+AC:2013

Seat front edge durability test clause 6.18

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Gravon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 8

Date received: 24/09/15

Date of test: 08/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Arm fatigue test EN 1728:2012+AC:2013

Arm fatigue test clause 6.20

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Marketing Director
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 9

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Leg forward static load test EN 1728:2012+AC:2013

Leg forward static load test clause 6.15

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 10

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Leg sideways static load test EN 1728:2012+AC:2013

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 11

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Seat impact test EN 1728:2012+AC:2013

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 12

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Back impact test EN 1728:2012+AC:2013

Back impact test clause 6.25

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 13

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Arm rest impact test EN 1728:2012+AC:2013

Arm rest impact test clause 6.26

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Gjavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

201931 / 14

Date received: 24/09/15

Date of test: 13/10/15

Date of issue: 16/10/15

Sample name: THOMAS



Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 161 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 161 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : 20 N does not overturn

Sideways overturning for chairs without arms

Horizontal force : /

Forwards overturning for chairs with footrest

Horizontal force : /

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Gravano

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.