Detail Brush, 205 mm, Very hard, Yellow





Effectively clean around gaskets, rubber strips and joints on machinery, and conveyor belts with this compact Detail Brush.

Technical Data

Material Polypropylene Polysester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes William (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No. Is Halal and Kosher compliant Yes Box Quantity 10 Pcs Quantity 10 Pcs Quantity Per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs Box Length 240 mm Box Width 150 mm Box Height 75 mm Length/Depth 205 mm Width 20 mm Net Weight bag 0,0017 kg Weight cardboard 0,008 kg Weight 0,001 kg Cous Weight 0,004 kg Weight 0	Item Number	44016
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) FDA complies With UK 2019 No. 704 on food contact materials Box Quantity Per Layer (Pallet) Box Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Width FDA Compliant FDA Complies With UK 2019 No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant FDA Complian	Visible bristle length	15 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Guantity Per Layer (Pallet) Box Length Box Width 150 mm Box Width 150 mm Box Height 75 mm Length/Depth Width 100 mm Net Weight bag 100 0017 kg Weight cardboard Tare total Gross Weight Cubik metre 100 00164 Mm Recommended sterilisation temperature (Autoclave) Max. usage temperature (Dishwasher) Max. usage temperature (non food contact) Max. pH-value in usage Concentration 10,5 pf GTIN-13 Number Tere total usage Concentration 10,5 pf GTIN-13 Number Tere total usage Concentration 10,5 pf GTIN-13 Number	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Grave (Pallet) Box Length Box Width 150 mm Box Width 150 mm Box Height 75 mm Length/Depth Width 100 mm Net Weight Weight cardboard Tare total Gross Weight Cubik metre 0,00164 Max. cleaning temperature (Dishwasher) Max. usage temperature (In on food contact) Max. pH-value in usage Concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Cupith Per Layer (Pallet) Weight Cardboard Cupith Per Layer	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Guantity per Layer (Pallet) Box Length Box Width Box Width Box Width Cupth Peth Peth Peth Peth Peth Peth Peth Pe	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length/Depth Length/Depth Width 100 mm Net Weight bag Quantity Weight cardboard Gross Weight Cubik metre Quantity Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Min. usage temperature (autoclave) Min. pH-value in usage concentration Max. pH-value in usage Concentration Max. Usage temperature (Josh value) Max. pH-value in usage Concentration Tyce Spont Pecs No. Pos No	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yest	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pes Quantity per Pallet (80 x 120 x 200 cm) 5760 Pes Quantity Per Layer (Pallet) 180 Pes Box Length 240 mm Box Width 150 mm Box Height 75 mm Length/Depth 205 mm Width 20 mm Height 40 mm Net Weight bag 0,0017 kmm Weight cardboard 0,0083 kmm Tare total 0,01 kmm Gross Weight 0,04 kmm Cubik metre 0,000164 kmm Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (Dishwasher) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH GTIN-13 Number 5705020440168	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Length Box Width Box Height Cungth/Depth Per Layer (Pallet) Pos Midth Box Height Cungth/Depth Cungth/Depth Cungth/Depth Cungth Cardboard Cungth Cardb	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) Box Length 240 mm Box Width 150 mm Box Height 75 mm Length/Depth 205 mm Width 100 mm Net Weight 100 mm Net Weight cardboard 100 mm Net Weight m	Box Quantity	10 Pcs.
Box Length 240 mm Box Width 150 mm Box Height 75 mm Length/Depth 205 mm Width 20 mm Height 40 mm Net Weight 0,03 km Weight bag 0,001 km Weight cardboard 0,008 kmm Gross Weight 0,01 kmm Cubik metre 0,00164 kmm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Quantity per Pallet (80 x 120 x 200 cm)	5760 Pcs.
Box Width 150 mm Box Height 75 mm Length/Depth 205 mm Width 20 mm Height 40 mm Net Weight bag 0,0017 kmm Weight cardboard 0,0083 kmmm Tare total 0,01 kmmm Gross Weight 0,04 kmmmm Cubik metre 0,000164 kmmmm Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Quantity Per Layer (Pallet)	180 Pcs.
Box Height 75 mm Length/Depth 205 mm Width 20 mm Height 40 mm Net Weight 0,03 km Weight bag 0,0017 km Weight cardboard 0,0083 km Tare total 0,01 km Gross Weight 0,04 kmm Cubik metre 0,000164 kmm Recommended sterilisation temperature (Autoclave) 121 cmm Max. cleaning temperature (Dishwasher) 93 cmm Max. usage temperature (for food contact) 80 cmm Max usage temperature (non food contact) 100 cmm Min. usage temperature³ -20 cmm Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Box Length	240 mm
Length/Depth 205 mm Width 20 mm Height 40 mm Net Weight 0,03 kg Weight bag 0,0017 kg Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,04 kg Cubik metre 0,000164 kg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Box Width	150 mm
Width 20 mm Height 40 mm Net Weight bag 0,0017 kg Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,00164 kg Cubik metre 0,000164 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (For food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (application of the product of	Box Height	75 mm
Net Weight 0,03 kg Weight bag 0,0017 kg Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,00164 kg Cubik metre 0,000164 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ° -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Length/Depth	205 mm
Net Weight bag 0,0017 kg Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,001 kg Cubik metre 0,000164 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Width	20 mm
Weight bag 0,0017 kg Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,004 kg Cubik metre 0,000164 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Height	40 mm
Weight cardboard 0,0083 kg Tare total 0,01 kg Gross Weight 0,004 kg Cubik metre 0,000164 Mg Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Net Weight	0,03 kg
Tare total 0,01 kg Gross Weight 0,04 kg Cubik metre 0,000164 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH GTIN-13 Number 5705020440168	Weight bag	0,0017 kg
Gross Weight 0,04 kg Cubik metre 0,000164 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH GTIN-13 Number 5705020440168	Weight cardboard	0,0083 kg
Cubik metre 0,000164 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (for food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH GTIN-13 Number 5705020440168	Tare total	0,01 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH GTIN-13 Number	Gross Weight	0,04 kg
Max. cleaning temperature (Dishwasher) Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration CTIN-13 Number 93 °C 80 °C 80 °C 93 °C 96 °C 97 °C 98 °C 99 °C 90 °C	Cubik metre	0,000164 M3
Max. usage temperature (for food contact) Max usage temperature (non food contact) Min. usage temperature³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration CTIN-13 Number 80 °C 100 °	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration To,5 ph GTIN-13 Number 5705020440168	Max. usage temperature (for food contact)	80 °C
Min. pH-value in usage concentration 2 ph Max. pH-value in Usage Concentration 10,5 ph GTIN-13 Number 5705020440168	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 pt GTIN-13 Number 5705020440168	Min. usage temperature ³	-20 °C
GTIN-13 Number 5705020440168	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH
GTIN-14 Number (Box quantity) 15705020440165	GTIN-13 Number	5705020440168
1 21	GTIN-14 Number (Box quantity)	15705020440165

02/02/2021 2/3

Customs Tariff No. 96039091

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

02/02/2021 3/3