

USER GUIDE 2110 & 2111 SERIES



(Model 2110 Shown)

IMPORTANT SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING YOUR APPLIANCE

Unplug from outlet when not in use and before conducting maintenance. When using an electrical appliance, basic precautions should be observed, including the following:

→WARNING

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- » This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Cleaning and user maintenance shall not be made by children without supervision.
- » Children should be supervised to ensure that they do not play with the appliance.
- » If the supply cable is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified person in order to avoid a hazard.
- » Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts of the appliance and its accessories.
- »Unplug from electrical socket when not in use and before cleaning, maintaining or servicing the appliance.
- »Do not run appliance over cable.
- » Do not leave appliance when plugged in.
- » Use only as described in this user guide
- » Use only manufacturer's recommended attachments.
- » Do not use with damaged cable or plug.
- » Do not immerse in water or liquid.
- » If appliance is not working as it should, has been

- dropped, damaged, left outdoors, or dropped into water; do not attempt to operate it and have it repaired at an authorized service center.
- » Do not pull or carry by cable, use cable as a handle, close door on cable, or pull cable around sharp edges or corners.
- » Keep cable away from heated surfaces.
- To unplug, grasp the plug, not the cable.

 Do not handle plug or appliance with wet ha
- » Do not handle plug or appliance with wet hands.
 » Do not put any object into openings.
- » Do not put any object into openings.
 » Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- » Turn off all controls before unplugging
- » Use extra care when cleaning on stairs.
- » Do not use to pick up flammable or combustible liquids, such as petroleum, or use in areas where they may be present.
- » Do not pick up toxic material (chlorine bleach, ammonia, drain cleaner, etc.)
- » Do not use appliance in an enclosed space filled with vapours given off by oil base paint, paint thinner, some mothproofing substances, flammable dust, or other explosive or toxic vapours.
- » Do not pick up hard or sharp objects such as glass, nails, screws, coins, etc.
- » Keep appliance on a level surface.
- » Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- » Do not use without dust bag and/or filters in place
- » Do not use outdoors or on wet surfaces.
- » If your appliance has a motorized brushroll, do not leave machine running in the same spot without the handle fully upright.
- » If your appliance has a TurboBrush® Tool or Pet TurboEraser® Tool, unplug machine before connecting or disconnecting the tools.


SAVE THESE INSTRUCTIONS


This model is for household use only. FOR OPERATION ON A 220-240 VOLT A.C. 50-60 HZ POWER SUPPLY ONLY.

Thanks for buying a BISSELL vacuum!

7-9), and if there is a problem, troubleshooting (page 10). it does today, so this guide has tips on using (page 6-7), maintaining (pages with you. We want to make sure your vacuum works as well in one year as We love to clean and we're excited to share one of our innovative products

What's in the Box?






NOTE: Standard accessories may vary by model. To identify what should be included with your purchase, please refer to the "Carton Contents" list located on the carton top flap.

Safety Instructions2	Warranty11
Product View4	Service11
Assembly5	Contact Information 11
Operations6-7	Product Registration12
Maintenance & Care7-9	Parts & Supplies 12
Traubleshooting 10	

Droount Tooling View

(Model 2110 Shown)



- \sim -Upper Handle TurboBrush® Tool
- W 4 D (2110 Series Only) Tank Release Button
- Carry Handle Washable
- 70 Dirt Container Dirt Container Empty Button Pre-Motor Filter


- Washable Post-Motor Filter (2110 Series Only) Cord Hook Hose Clip Upper Quick Wrap ReleaseTM Cord Wrap Crevice Tool Power Cord Extension Wand Dusting Brush
- ᆿᇦᅇ


- 35 Z Z Z
 - 2209876


 - Lower Cord Wrap
 Hose Wand
 Power Switch Pedal
 Handle Recline Pedal
 - Foot Hose Product Rating Label & Serial Number


Assembly


procedures Do not plug in your vacuum until you are familiar with all instructions and operating
















NOTE: The crevice tool can be found inside the extension wand. You can remove it to use it and put it back to store it neatly out of your way when you're finished.

Operations: Power Switch




again to turn your vacuum off when you've finished cleaning. foot to turn on your vacuum. Press it Press the red power switch with your



lock it into the upright position. you're finished, lean it all the way back up to the recline pedal a second time. When Press the recline pedal to lean your vacuum back for cleaning. To get even lower, press

Operations: Adjustment



flooring types. Simply turn the knob towards the desired flooring type. If your vacuum becomes too difficult to push, just move to a higher setting. vacuum to adjust to different You can easily raise or lower your


NOTE: Some frieze and berber carpets have long delicate fibers or threads that may be damaged by rotating brush. Repeated strokes in the same area may enhance this condition.

AN WARANING Before using your vacuum, make sure that the dirt container is in locked position and that all filters, both pre and post-motor filters are in place. DO NOT operate your vacuum without these filters.

70 9

objects to pull them into rotating brush powerfoot on furniture or uneven surfaces. Do not place vacuum cleaner close enough to unit. Always place the cleaner on the floor with the handle in the upright position when The rotating floor brush continues to rotate while tools are in use. To reduce the risk of injury from moving parts, always move the cleaner with the carry handle at the front of the using tools. Never place your fingers under the cleaner when it is running. Never place the

Accesories: Specialized



jobs easier, Just put your vacuum in the tools to make your above floor cleaning only does a great job on your floors, it also comes with a complete set of accessory Your new PowerForce Helix vacuum not

TurboBrush® Tool

(Model 2110 Only)

upright position, pick the accessory tool that best fits your needs and attach it to the end of your hose. You're ready to clean base boards, curtains, upholstery and much more.

Maintenance: Maintain TurboBrush® 00

TurboBrush only comes standard with 2110 series.



replace belt and brush if needed Carefully remove brush separate slot appears then counter-clockwise, faceplate untii



If paddle wheel gets dislodged, align the two clips on each side and pop into place.





parts are not aligned close properly if all correctly. The faceplate will not

Parts Qο

your model number in the search field. For Parts and Supplies, go to www.BISSELL.com and enter

Maintenance: S Container






Holding dirt container over a trash bin, press release button on back to open tank bottom and dump the debris.

Snap bottom back into place when empty.

Maintenance: Cleaning 50 Pre-Motor







Remove the pre-motor filter by pulling it from the tank lid. Clean it with warm water. Once it's clean and dry, put it back into the dirt container lid.

Maintenance: Cleaning the Post-Motor Filter (2110) Only



With dirt container removed, press filter cover release button to access post-motor filter.







Clean all filters with mild detergent, rinse, and squeeze all excess water. Allow filters to dry completely before reinserting.


from electrical outlet before performing maintenance or troubleshooting checks To reduce the risk of electrical shock, turn power switch off and disconnect polarized plug


Do not operate the vacuum with damp or wet filters, without filters in place or with the dirt container.

Maintenance: Cleaning the Separator











Model 2110

paper towel.

Maintenance: Replace Qo



Unplug vacuum, turn over and unscrew Philips head screws model 2110 has 6 screws. to remove bottom cover. Model 2111 has 5 screws and




from inside of the looped belt. broken, remove roller Lift roller straight out. If the belt is not




the screws. into place. This will stretch and 0 the motor shaft and the brush cover back on and replace is installed, place the bottom the belt. Once the brush roll belt by looping the belt over Replace the brush roll and Line up pull the brush forward the end caps


Maintenance: W <u>Clog</u>



have gotten clogged any debris that may it to the left. Remove from the back of the Remove the hose vacuum by twisting



If necessary, remove the screw from the foot hose and check for clogs. the back of your vacuum down towards the bottom Check the foot hose on



the bottom of your vacuum. Check the air passageway on the brush. Remove any debris Remove the bottom cover and

Troubleshooting

To reduce the risk of electric shock, turn power switch off and disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.

anticativi encompatiti i se este estatori del compatiti del compatiti del compatiti del compatiti del compatit La compatiti del compatiti

THE RESERVOIS OF THE PROPERTY	***************************************	
Problem	Possible causes	Remedies
Vacuum	Power cord not plugged in	Check electrical plug
cleaner won't run	Blown fuse/tripped breaker	Check/replace fuse or reset breaker
	Dirt container is full	Empty dirt container
	Filter dirty	Check, remove debris or clean
	Hose not secure	Check to be sure hose is snapped into place at both ends
	Dirt container not in place	Remove dirt container and secure into place, making sure you hear a click
Vacuum cleaner won't	Vacuum path clogged	Visually check air passageway, hose inlet, and hose for anything that might be obstructing the vacuum path. Carefully remove blockage.
	Rotating power brush drive belt broken	Replace drive belt
	Drive belt stretched	Check drive belt area and remove obstructions. Replace drive belt if necessary
	Floor brush bristles worn	Replace floor brush
	Floor brush jammed	Remove floor brush and clean debris from brush and ends. Check drive belt for any damage

Notes

JONSUMEY GIVAYANJER

consumer services on the details set out below. additional instruction regarding this guarantee or have questions regarding what it may cover, please contact your local BISSELL This guarantee gives you specific legal rights, in addition to rights you may have under the Australian consumer law. If you need

original purchaser from the date of purchase by Limited 2 Year Guarantee

and transportation. arises within the guarantee period that the item needs re-packing kept for the duration of the guarantee period in case such need user's guide. BISSELL recommends that the original packaging be unauthorized repair, or any other use not in accordance with the damage or malfunction caused by negligence, abuse, neglect, consumable components such as filters, belts, brush rolls, etc., This guarantee does not apply to fans or routine maintenance or replace (with new or remanufactured components or products), at BISSELI's option, free of charge, any defective or malfunctioning part due to manufacturer defect. This guarantee applies to product Subject to the *conditions identified below, BISSELL will repair or used for personal purposes, and not commercial or rental service.

*CONDITIONS OF GUARANTEE

associated with the use of this product. BISSELL and its in-country distributors are not liable Subject to whether such loss is reasonably foreseeable, for incidental or consequential damages of any nature

FOR AUSTRALIAN CONSUMERS ONLY:

DOES NOT AMOUNT TO A MAJOR FAILURE ENTITLED TO HAVE THE GOODS REPAIRED OR REPLACED IF THE GOODS FAIL TO BE OF ACCEPTABLE QUALITY AND THE FAILURE MAJOR FAILURE AND FOR COMPENSATION FOR ANY OTHER REASONABLY FORESEEABLE LOSS OR DAMAGE. YOU ARE ALSO OUR GOODS COME WITH GUARANTEES THAT CANNOT BE YOU ARE ENTITLED TO A REPLACEMENT OR REFUND FOR A EXCLUDED UNDER THE AUSTRALIAN CONSUMER LAW

> WHICH IS IMPOSED BY LAW, OR LIMITS OR MODIFIES ANY REMEDY AVAILABLE TO THE CONSUMER WHICH IS GRANTED BY LAW, TO MAKE A CLAIM UNDER THIS GUARANTEE CONTACT BISSELL AUSTRALIA PTY LTD (DETAILS ABOVE). CONTACT THIS GUARANTEE IS IN ADDITION TO OTHER RIGHTS OR REMEDIES UNDER LAW. NOTHING IN THIS GUARANTEE EXCLUDES, LIMITS OR MODIFIES ANY LIABILITY OF BISSELL GUARANTEE PLEASE PROVIDE BISSELL WITH A COPY OF THE CLAIM EXPENSES INCURRED IN MAKING A CLAIM UNDER THIS BISSELL WILL REIMBURSE REASONABLE POSTAGE / HANDLING RECEIPT OF THE EXPENSES BY EMAIL OR POST. COSTS (IF ANY) FOR RETURNING GOODS TO BISSELL. TO BISSELL PRIOR TO RETURNING ANY GOODS. WHERE AGREED

JOMSUMEY CARE

as follows: limited guarantee, please contact us require service or to claim under our If your BISSELL product should

Website:

www.BISSELL.com

consumercare@bissell.com

¥rite:

BISSELL

AUSTRALIA PTY LIMITED

Scoresby 3179 42 Rocco Dr.

Australia Victoria

Telephone:

New Zealand: 0800-247-735 Australia: 1300-247-735

Replacement parts and accessories are available for purchase. To purchase visit www.BISSELL.com

Visit the BISSELL website: www.BISSELL.com

When contacting BISSELL, have model number of cleaner available.

Please record your Model Number: Please record your Purchase Date:

of purchase in the event of a Guarantee claim. See Guarantee for details. NOTE: Please keep your original sales receipt. It provides proof of the date



©2017 BISSELL Homecare, Inc Grand Rapids, Michigan All rights reserved. Printed in China Part Number 1614/92 OVV ReviA Visit our website at www.BISSELL.com