



# Smartwash

# Professional

# Undercounter

# Warewasher

**SW400**

Professional Undercounter Warewasher




# Smartwash

## Undercounter Warewasher

The New Smartwash Range of undercounter warewasher is the first attractive, intelligent, one touch warewashing system in Australia that offers incredibly sustainable results in water and energy consumption.

This professional warewasher offers the first one touch control panel with digital wash and rinse temperature displays for easy HACCP recording for accurate food safety reporting. These machines are sleek and compact because we know space is of the essence and presentation is key.

Only Smartwash offers you a warewasher with one touch control, drain pump fitted as standard, a self cleaning cycle and 3 wash cycle options, offering you an economical and sustainable solution for your business.





---

Up to 1200 glasses per hour. Compartmented racks available to suit tall stem glasses

---

User friendly TOUCH control panel with digital wash and rinse temperature displays for easy HACCP recording

---

Water saving – uses only 1.9 litres per cycle

---

Three wash cycles of 60, 90 & 120 seconds

---

Built-in detergent and rinse aid pump fitted as standard

---

---

Self cleaning cycle, easily removable spray arms & filters together with a pressed wash tank

---

Double skinned door drastically reduces heat & sound emissions

---

Self-Diagnostic system for accurate fault finding & reduced ownership costs

---

Thermostop Function to ensure set rinse temperature is achieved

---

4 x 150mm legs included (optional use)

---

- A. Drain Connection 20mm ID Hose
- B. Water Connection 3/4" x 1.5 Braided Hose
- C. Electrical Connection 2m 15A Plug

# SW400

## Professional Undercounter Warewasher

Utilises 400 x 400mm Dish/Cup rack  
or 17" x 14" & 14" x 14" Glass rack

### SW400 Specifications

<b>DIMENSIONS (WxDxH)</b>	435 x 535 x 690mm
<b>DOOR ENTRY</b>	325mm
<b>RACK SIZE (WxD)</b>	400 x 400mm or 14" x 17" or 14" x 14"
<b>ELECTRIC CONNECTION</b>	240V / 50Hz / 1 Phase
<b>RATING</b>	3.5 kW
<b>WATER SUPPLY</b>	65°C / 2-4 bar (28-58 psi)
<b>SELF CLEANING CYCLE</b>	YES
<b>WASH CYCLE</b>	60 / 90 / 120 sec
<b>WATER CONSUMPTION</b>	Approx. 1.9L per cycle
<b>DOOR CONSTRUCTION</b>	Double-Skinned
<b>WASH / RINSE ARMS</b>	Hydrodynamic Parallel
<b>CONTROL PANEL</b>	Advanced Electronic Soft-Pad
<b>TEMPERATURE GAUGE</b>	Fitted
<b>SELF-DIAGNOSTIC SYSTEM</b>	Fitted
<b>RINSE-AID &amp; DETERGENT PUMP</b>	Fitted
<b>DRAIN PUMP</b>	Fitted
<b>THERMOSTOP, TANK STRAINERS</b>	Fitted
<b>WATERMARK APPROVAL</b>	WMKT25317
<b>HACCP APPROVAL</b>	PE-388-GE-09

Dimensions may change without notice in accordance with product development and design



**eswood.com.au**

211-217 Woodpark Road SMITHFIELD NSW 2164

T: 1800 013 123

E: sales@middleby.com.au

