



BR 40/25 C Ep (240V mains)

Compact walk-behind scrubber dryer with roller brushes or pads and mains power

TECHNICAL DATA AND EQUIPMENT.

KARCHER



BR 40/25 C Ep (240V mains)

Mains operation
Corrosion-free frame

Whisper quiet

Technical data		
Order No.		9.533-472.0
Working width, brush	mm	400
Working width, vacuum	mm	770
Fresh / waste water tank	I	25 / 25
Brush contact pressure	g/cm²	240
Brush rotation speed	rpm	1000
Max. area performance	m²/h	1600
Weight	kg	55
Dimensions (L x W x H)	mm	800 × 575 × 830
Equipment		
Roller brush		I Contraction of the second seco
Tank-in-tank system		1
Mains operation		

Mains operation Straight squeegee

Included in delivery.

KARCHER

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Hardness/ Brush type	Length	Colour	Quanti- ty	Price	Description
Roller brushes for BR								
Roller brush	1	4.762-249.0	medium	400 mm	red	1 piece(s)		red, for all surfaces
	2	4.762-250.0	very soft	400 mm	white	1 piece(s)		Roller brush, very soft, white. Length: 400 mm.With wear- resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.
	3	4.762-274.0	soft	400 mm	natural	1 piece(s)		Very soft, made of horsehair, perfect for spray cleaning and for polishing.
	4	4.762-251.0	high / low	400 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 400 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.
	5	4.762-252.0	hard	400 mm	green	1 piece(s)		Roller brush, hard, green. Length: 400 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.
	6	4.762-481.0	very hard	400 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Quantity	Battery volta- ge	Battery capaci- ty	Battery type	Price	Description
Batteries Battery	1	6.654-093.0	1 piece(s)	12 V	76 Ah	mainte- nance- free		Gel traction battery, maintenance-free. With 12 V/70 Ah (5h). 2 batteries required for 24 V machines, 3 required for 36 V machines.
Battery Chargers Charger	2	6.654-094.0	1 piece(s)	24 V				24 V built-in charger for battery 6.654-093.0 (70 Ah, 2x12 V, maintenance-free). Only for package variants.

KARCHER

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description
Roller pad shaft								·
Pad roller shaft	1	4.762-228.0		400 mm				Roller pad shaft, aluminium For roller pads or microfibre collers, length 400 mm.
Roller pads								
Roller pad on sleeve	2	6.369-724.0	soft	400 mm	96 mm	yellow		
	3	6.369-726.0	medium	400 mm	96 mm	red		
	4	6.369-725.0	hard	400 mm	96 mm	green		
	5	6.369-727.0	very soft	400 mm	96 mm	white		
Roller pad	6	8.635-691.0		400 mm		brown		
Microfibre shaft								
Microfibre roller	7	4.114-004.0	microfibre	400 mm	96 mm	light green		Micro fibre roller, length 400 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.

KARCHER

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Length	Colour	Quanti- ty	Price	Description	
Suction bar, complete							I	
Squeegee	1	4.777-064.0	770 mm		1 piece(s)		straight, without reverse rolls	
	2	4.777-407.0	770 mm	transparent	1 piece(s)			
Squeegees for suction bars				÷			·	
Suction lip	3	6.273-253.0	790 mm	blue	2 parts		Fluted, standard, natural rubber.	
	4	6.273-254.0	790 mm	transparent	2 parts		Fluted, oil-resistant, polyurethane.	
Suction lips	5	6.273-353.0	790 mm	blue	2 parts			
	6	6.273-354.0	790 mm	transparent	2 parts			
Suction bars and squeegees								
	7	2.640-023.0			1 piece(s)			

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous Filling hose	1	6.680-124.0	1,5 m		1 piece(s)			
RM Dosierstation Cleaning agent dosage kit, wall mounted DS 3	2	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	

ACCESSORIES FOR BR 40/25 C EP (240V MAINS) 9.533-472.0



		Order No.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
Suction hose accessories	1	4.444-015.0	3,25 m		1 piece(s)		1