



HD 16/15-4 Cage Plus

Special class 3-phase cold water high-pressure cleaner for continuous operation in tough operating conditions. With tough steel frame, 150 bar pressure and 1600 litres per hour water flow.



1 Cage frame

- Robust, tubular outer frame.
- Integrated crane attachment point and accessory compartment.

2 Electronic monitoring for greater operating safety

- Leakage protection and soft start.
- Overvoltage and undervoltage protection.



HD 16/15-4 Cage Plus

- Powder-coated tubular steel frame
- 4-pole air-cooled electric motor
- Puncture proof wheels for maximum mobility

Technical data

Order Number		1.353-905.0
EAN code		4054278157894
Current type	Ph / V / Hz	3 / 400 / 50
Flow rate	l/h	500-1600
Operating pressure	bar / MPa	30-150 / 3-15
Max. pressure	bar / MPa	190 / 19
Max. water feed temperature	°C	max. 60
Power rating	kW	9,5
Weight	kg	95
Dimensions (L x W x H)	mm	957 × 686 × 1080

Equipment

Trigger gun		EASY!Force Advanced
High-pressure hose	m	15 / Premium quality / ID 8, 315 bar
Spray lance	mm	1050
Power nozzle		■
Dirt Blaster spray lance		■
Anti-twist system (AVS)		-
Pressure switch control		■
Infinitely variable pressure and water flow control on the unit		■
High pressure lance		■
Servo Control		■

■ Included in delivery.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0

KÄRCHER




		Order Number	ID	Max. working pressure	Length	Price	Description	
Standard with unions on both sides								
High-pressure hose, 20 m DN 10, 220 bar, extension	1	6.110-043.0	ID 10	220 bar	20 m		with union on both sides, M 22 x 1.5 with anti-kink protection. NW 10/155°C/220 bar	▲
High-pressure hose, 25 m DN 10, extension, not rotatable	2	6.110-044.0	ID 10	220 bar	25 m			▲
Hose assembly premium DN12 21MPa 15m	3	6.110-059.0	ID 12	210 bar	15 m		High-pressure hose for water volumes greater than 1,800 l/h. With union on both sides. 2x M 22 x 1.5 with anti-kink protection.	▲
Hose assembly premium DN12 21MPa 40m	4	6.110-060.0	ID 12	210 bar	40 m			▲
High-pressure hose, 15 m DN 10, 220 bar, extension	5	6.110-042.0	ID 10	220 bar	15 m		15 m high-pressure hose M 22 x 1.5) with kink protection and threaded couplings at both ends. Further data: DN 10/155°C/220 bar.	■
Longlife 400 with unions on both sides								
High-pressure hose 1.5 m, DN 8, including connectors	6	6.110-024.0	ID 8	400 bar	1,5 m		1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).	□
	7	6.110-069.0	ID 8	400 bar	1,5 m			□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0



		Order Number	Flow rate					Price	Description	
Trigger guns										
Extended easy press trigger gun	1	4.118-005.0							Extended easy press high-pressure trigger gun for high-pressure hoses with rotating connector.	■
Servo Control										
Servo control	2	4.118-009.0	1100 l/h							■
Quick connect										
Quick-fitting pipe union coupler trapezo	3	2.115-000.0								<input type="checkbox"/>
Quick-fitting pipe union plug nipple tra	4	2.115-001.0								<input type="checkbox"/>

■ Included in delivery. ☐ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0



		Order Number	Nozzle size				Price	Description	
Power nozzle spray angle 25°									
	1	2.113-017.0	100						■
HP nozzle spray angle 0°									
High-pressure nozzle spray angle °0	2	2.113-039.0	110					Solid jet for very stubborn dirt and stains.	□
Power nozzle spray angle 15°									
Power nozzle spray angle 15°	3	2.113-052.0	100					Fan jet nozzle for stubborn dirt and stains.	□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS
1.353-905.0



		Order Number	Max. working pressure	Nozzle size			Price	Description	
Dirt blaster, large									
Dirt blaster - without changeover function	1	4.114-048.0	300 bar	100					■

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0

KÄRCHER



		Order Number	Max. working pressure	Length			Price	Description	
Rotating spray lances									
1050 mm lance, rotatable, ergonomic	1	4.112-000.0	300 bar	1050 mm				1050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	■
Lance 250 mm, non-rotatable	2	4.112-027.0	300 bar	250 mm					□
550 mm lance, non-rotatable	3	4.112-024.0	300 bar	400 mm					□
Rotatable lance, 600 mm, ergonomic	4	4.112-007.0	300 bar	600 mm				600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Lance 850 mm, rotatable, ergonomic	5	4.112-006.0	300 bar	840 mm				850 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Lance 1550 mm, rotatable, ergonomic	6	4.112-018.0	300 bar	1550 mm				1550 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Lance 2050 mm, rotatable, ergonomic	7	4.112-021.0	300 bar	2050 mm				2050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	□
Double lance									
Double lance 960 mm	8	6.394-665.0	310 bar	960 mm				960 mm double lance for variable pressure adjustment on handle at full water flow rate. Suitable for agricultural use (e.g. stable cleaning).	□
Angular spray lance									
WC and gutter lance	9	4.112-029.0						Stainless steel lance WC and gutter with nozzle insert. Specially shaped for effective and hygienic cleaning of gutters and toilets.	□
Flexible spray lance									
Flexible lance 1050 mm	10	4.112-035.0	210 bar	1050 mm				1050 mm flexible lance with variable bend from 20° to 140°, ideal for cleaning difficult to reach areas, e.g. gutters.	□
Telescopic spray lance									
Telescopic jet pipe	11	4.112-037.0	225 bar	5400 mm					□
Restraint belt for telescopic jet pipe	12	6.373-987.0						Convenient strap for relief when working with the telescopic spray lance (6.394-690). The burden is optimally distributed on the body and longer periods of use are possible.	□
Gutter cleaner									
Gutter cleaning lance	13	2.112-015.0						The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.	□
Undercarriage spray lance									
Underbody lance	14	4.112-032.0		700 mm				Stainless steel lance for effective and easy underbody and wheel arch cleaning. Without high-pressure nozzle.	□
Additional handle									
	15	4.321-380.0							□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS


1.353-905.0



		Order Number						Price	Description	
Y distributor										
Y distributor	1	4.111-024.0								<input type="checkbox"/>
Water filter set										
Water filter attachment kit for HD 20/15-4 and HD 16/15-4 Cage Plus	2	2.851-252.0								<input type="checkbox"/>
Elapsed time counter set										
Add-on hour counter	3	2.851-066.0								<input type="checkbox"/>
Set of puncture-proof wheels										
Set of puncture-proof wheels	4	2.851-067.0								<input type="checkbox"/>
Set of guide rolls										
Set of guide rolls	5	2.851-042.0								<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.


ACCESSORIES FOR HD 16/15-4 CAGE PLUS
1.353-905.0



		Order Number	Flow rate	Nozzle size	Dia-me-ter	Price	Description	
Hard Surface Cleaner FR 50								
FR 50 surface cleaner	1	2.111-023.0			500 mm		Hot water resistant stainless steel surface cleaner with 500 mm working width. Ideal for large areas. With double ceramic bearings, push handle, non-marking swivel castors and detergent dosing system.	<input type="checkbox"/>
Machine-specific nozzle kit for FR								
Nozzle pack for hard surface cleaners (machine-specific) 1300 - 1,800 l/h	2	2.640-781.0	1300-1800 l/h				Machine-specific nozzle kit Kärcher power nozzle for hard surface cleaners	<input type="checkbox"/>
Machine-specific nozzle kits for FRV								
Nozzle 100	3	2.643-769.0		100				<input type="checkbox"/>
Surface Cleaner FR 50 Me								
	4	2.111-024.0						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

KÄRCHER



■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS 1.353-905.0

KÄRCHER



		Order Number	Nozzle size				Price	Description	
Wet blasting attachment (without nozzle)									
Wet blasting attachment with flow control (without nozzles)	1	4.115-000.0						Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet.	<input type="checkbox"/>
Wet blasting attachment without flow control (nozzles not included)	2	4.115-006.0						Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet. Without flow control.	<input type="checkbox"/>
Nozzle pack for wet blasting attachment									
Nozzle pack TR wet jet set 0100	3	2.112-030.0	100						<input type="checkbox"/>
Boron carbide nozzle									
Boron carbide nozzle, for machines as of 1000 l/h	4	6.415-083.0	8 mm					In addition to nozzle packs. Very wear-resistant nozzle with boron carbide chuck for continuous-duty operation.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0

KÄRCHER



		Order Number	Max. working pressure	Nozzle size	Diameter		Price	Description	
Pipe cleaning hose, ID 6									
Hose assembly TR pipe cleaning DN6 max.2	1	6.110-046.0	250 bar						<input type="checkbox"/>
Pipe cleaning hose, DN 6, 20 m, 220 bar	2	6.110-008.0	250 bar					20 m flexible high-pressure hose (DN 6) for cleaning pipes up to 220 bar (threaded connection for R 1/8 nozzle).	<input type="checkbox"/>
Hose assembly TR pipe cleaning DN6 max.2	3	6.110-047.0	250 bar						<input type="checkbox"/>
Pipe cleaning nozzle									
Nozzle pipe cleaning size 100	4	5.763-088.0		100	24 mm			Pipe cleaning nozzle with 24 mm diameter. With 4 nozzles tilted back at a 30° angle.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0



		Order Number	Flow rate				Price	Description	
Cup foam lance									
Packing complete for 6.394-968.0	1	2.112-017.0							<input type="checkbox"/>
Tank 1L	2	6.414-954.0							<input type="checkbox"/>
Foam nozzle mounting kit									
Foam nozzle kit	3	2.112-013.0						Foaming agent kit. The foam nozzle is ideal for use in sanitary areas and the food industry and wherever long application times are necessary.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS

1.353-905.0

KÄRCHER



		Order Number	Length					Price	Description
Hose reel add-on kit									
Hose reel kit, powder-coated, for HD Cage super class	1	2.110-002.0	40 m						<input type="checkbox"/>
Automatic, self-winding hose reels									
Add-on kit hose reel plastics	2	6.392-074.0	20 m						Automatic hose reel for 20 m high-pressure hose. The console is made from powder-coated steel, the drum is made from plastic. <input type="checkbox"/>
Add-on kit hose reel	3	6.392-083.0	20 m						Automatic hose reel for 20 m high-pressure hose. The console consists of stainless steel, the drum is made from plastic. <input type="checkbox"/>
Hose reel, automatic, 20 m, painted	4	6.392-106.0	20 m						Automatic hose reel of durable plastic. Painted steel bracket. Suitable for 20 m high-pressure hose. <input type="checkbox"/>
	5	6.392-105.0	20 m						<input type="checkbox"/>
Hose reel, automatic, 20 m, stainless steel	6	6.392-076.0	20 m						Automatic stainless steel hose reel. With swivel holder. Suitable for 20 m high-pressure hose. <input type="checkbox"/>
ABS hose reel stainless steel	7	6.392-122.0	20 m						High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprong drive. Connection for HP hoses with nipple. <input type="checkbox"/>
Swivel holder	8	2.639-931.0							Swivel holder for automatic hose reel wall mounting. For maximum action radius and flexibility of high-pressure hose. Rotatable 120°. Galvanised steel. <input type="checkbox"/>
ABS wall fastening stainless steel	9	2.641-867.0							Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose. <input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS
1.353-905.0



		Order Number	Flow rate				Price	Description	
Rotating washing brush									
	1	4.113-002.0	800-1300 l/h						<input type="checkbox"/>
	2	4.113-005.0	800-1300 l/h						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

ACCESSORIES FOR HD 16/15-4 CAGE PLUS
1.353-905.0



1-2

		Order Number	Length	Diameter			Price	Description	
Geka coupling									
With hose nozzle, R 1"	1	6.388-465.0							<input type="checkbox"/>
Hose coupling	2	6.388-458.0						with female thread	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.