




## HD 10/16-4 Cage Ex (ATEX)

Special class cold-water high-pressure cleaner designed specifically for use in potentially explosive environments.



### 1 Powder-coated cage frame, conductive

- Robust tubular steel frame.
- Integrated crane attachment point.

### 2 Explosion-proof design

- Conductive rubber tyres.
- Surface temperature always under 200 °C.



## HD 10/16-4 Cage Ex (ATEX)

- Explosion protection II 2 G c T3
- Crankshaft pump with ceramic pistons
- 4-pole air-cooled electric motor

### Technical data

<b>Order Number</b>	1.353-904.0	
<b>EAN code</b>	4054278157887	
<b>Current type</b>	Ph / V / Hz	3 / 400 / 50
<b>Flow rate</b>	l/h	1000
<b>Operating pressure</b>	bar / MPa	160 / 16
<b>Max. pressure</b>	bar / MPa	220 / 22
<b>Max. water feed temperature</b>	°C	max. 50
<b>Power rating</b>	kW	5,5
<b>Weight</b>	kg	111
<b>Dimensions (L x W x H)</b>	mm	980 × 720 × 1100

### Equipment

<b>High-pressure hose</b>	m	10 / DN 8,400 bar
<b>Spray lance</b>	mm	1050
<b>Power nozzle</b>		■
<b>Anti-twist system (AVS)</b>		-
<b>Pressure switch control</b>		■
<b>High pressure lance</b>		■
<b>Servo Control</b>		-

■ Included in delivery.

# ACCESSORIES FOR HD 10/16-4 CAGE EX (ATEX) 1.353-904.0

**KÄRCHER**



		Order Number	Nozzle size				Price	Description	
<b>HP nozzle spray angle 0°</b>									
High-pressure nozzle spray angle °0	1	2.113-036.0	60					Solid jet for very stubborn dirt and stains.	■
<b>Power nozzle spray angle 25°</b>									
Power nozzle 25° spray angle	2	2.113-026.0	60						■

■ Included in delivery.

# ACCESSORIES FOR HD 10/16-4 CAGE EX (ATEX) 1.353-904.0

**KÄRCHER**



		Order Number	Flow rate				Price	Description
<b>Trigger guns</b>								
	1	4.118-020.0						

■ Included in delivery.

# ACCESSORIES FOR HD 10/16-4 CAGE EX (ATEX) 1.353-904.0

**KÄRCHER**



		Order Number	ID	Max. working pressure	Length	Price	Description
<b>Special hoses</b>							
High pressure hose ID 8 / 10 m leitfähig	1	6.110-064.0	ID 8	400 bar	10 m		Electrically conductive longlife high-pressure hose for use in hazardous areas with risks of explosions. Delivered with factory certification on conductivity.

■ Included in delivery.