

#### **B 90 R Classic**

Compact, high productivity ride-on scrubber dryer with advanced features











#### 1 Extremely easy to manoeuvre

- The extra short and sleek design makes this machine extremely agile and easy to manoeuvre despite the large water capacity.
- 90° steering allows on-the-spot turning.

#### 2 Simple operation

- The basic functions are controlled with the EASY switch.
- Operating hours are displayed.

#### 3 Long operating time

- Large compartment for large battery capacity. Pack models include maintenance-free gel batteries.
- Two turbine power settings save energy in the WHISPER setting.

#### 4 Quick replacement

- The brush head is easy to replace without tools.
- R-head rollers can be changed in seconds.

#### **TECHNICAL DATA AND EQUIPMENT.**





#### B 90 R Classic

- Very easy to use
- With operating hour counterFor maintenance cleaning

Technical data		
Order No.		1.161-307.0
EAN code		4039784497856
Working width, brush	mm	550
Working width, vacuum	mm	850
Fresh / waste water tank	1	90 / 90
Theoretical area performance	m²/h	4500
Battery voltage	V	24
Battery capacity	Ah	170
Motor rating	w	2200
Waste container	I	5 + 7
Weight	kg	272
Dimensions (L x W x H)	mm	1450 × 800 × 1200
Sound level	dB(A)	69

Equipment		
Traction drive	•	
Battery and charger included		
Automatic water stop		
Battery type	maintenance-free	
DOSE	-	
2-tank system	•	

■ Included in delivery.





		Order No.	Quantity	Battery volta-	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Drive battery maintenance free replaceme	1	4.035-181.0	1 piece(s)	6 V	170 Ah	mainte- nance- free			•
Battery kit	2	6.654-124.0	1 piece(s)	6 V	180 Ah	mainte- nance- free		6 pcs required	















			,					
					Quanti-			
		Order No.	Length	Colour	ty	Price	Description	
Suction bar, complete				·				
Squeegee	1	4.777-079.0	900 mm	transparent	1 piece(s)			
	2	4.777-080.0	1000 mm	transparent	1 piece(s)			
	3	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	4	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	5	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	6	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
Squeegees for suction bars								
Rubber lip set corrugated oil resis-	7	6.273-023.0	1010 mm	transparent	2 parts			
tant	8	6.273-024.0	1116 mm	transparent	2 parts			
Suction lips	9	6.273-207.0	890 mm	transparent	2 parts		Standard, grooved, oil-resistant.	
	10	6.273-229.0	890 mm	transparent	2 parts		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	11	6.273-213.0	890 mm	blue	2 parts		Fluted, standard, natural rubber.	
	12	6.273-290.0	890 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	
	13	6.273-208.0	960 mm	transparent	2 parts		Standard, grooved, oil-resistant.	
	14	6.273-205.0	960 mm	transparent	2 parts		Slotted, oil-resistant, for sensitive floors.	
	15	6.273-214.0	960 mm	blue	2 parts		Grooved, natural rubber.	
	16	6.273-291.0	960 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	

<sup>| 16 | 6.273-291.0</sup> ■ Included in delivery. 
□ Available accessories.









	T							$\Box$
					Quanti-			
		Order No.	Length	Colour	ty	Price	Description	
Wheels/tyres								
Wheel, super traction	1	6.435-403.0		yellow	1 piece(s)			
Miscellaneous								
Filling hose	2	6.680-124.0	1,5 m		1 piece(s)			
Additional weight kit	3	5.031-498.0			1 piece(s)		ensures that squeegee glides optimally	
Add-on kit eco!zero	4	5.388-133.0			1 piece(s)			
Filter only for replacement	5	6.414-976.0			1 piece(s)			
RM Dosierstation				·				
Cleaning agent dosage kit, wall mounted DS 3	6	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	

lacksquare Included in delivery.  $\Box$  Available accessories.



















		Order No.	Hardness/ Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes for BR									
Roller brush	1	6.906-977.0	soft	532 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55.	
	2	6.906-934.0	medium	532 mm	red	1 piece(s)		Medium, for all floors. Standard with R 55.	[
	3	6.907-413.0	medium	532 mm	red	1 piece(s)			[
Roller brush red for replacement BR 55	4	4.035-193.0	medium	532 mm	red	1 piece(s)			[
Roller brush	5	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55.	[
	6	6.906-979.0	hard	532 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits R 55.	[
	7	6.906-980.0	very hard	532 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.	[
	8	6.906-981.0	soft	638 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65.	[
	9	6.906-935.0	medium	638 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	- [
	10	6.907-414.0	medium	638 mm	red	1 piece(s)			[
Roller brush red for replacement BR65	11	4.035-187.0	medium	638 mm	red	1 piece(s)			[
Roller brush	12	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65.	[
	13	6.906-983.0	hard	638 mm	green	1 piece(s)		Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	[
	14	6.906-984.0	very hard	638 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	[
	15	6.906-985.0	soft	700 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.	[
Roller brush red for replacement BR 75	16	4.035-190.0	medium	700 mm	red	1 piece(s)			[
Roller brush	17	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.	]
	18	6.906-987.0	hard	700 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 75.	[
	19	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremly sticky dirt and for for deep cleaning for unsensitive surfaces only. Fits to brush head R 75.	g; [

<sup>■</sup> Included in delivery. 

Available accessories.















		Order No.	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description	
Roller pad shaft									
Pad roller shaft	1	4.762-432.0		532 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.	
	2	4.762-433.0		638 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	Г
	3	4.762-434.0		700 mm				fits R 75	
Roller pads									
Roller pad	4	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
	5	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.  About 7 to 7.5 pads are required per 10 cm shaft length.	
	6	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft									
Microfibre roller	7	4.114-005.0	microfibre	532 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-432.0. Fits on R 55.	
	8	4.114-006.0	microfibre	638 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-433.0. Fits on R 65.	
	9	4.114-007.0	microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-434.0. Fits on R 75.	l

<sup>■</sup> Included in delivery. 

Available accessories.











Disc Brushes for BD		Order No.	Hardness/ Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brush	1	4.905-015.0	very soft	300 mm	white	1 piece(s)		very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55	
	2	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	
	3	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55.	
	4	4.905-017.0	hard	300 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 55.	
	5	4.905-011.0	very soft	355 mm	white	1 piece(s)		Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normause. Also suitable for sensitive floors. Standard brush head D 65.	
	8	4.905-013.0	hard	355 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 65.	
	9	4.905-019.0	very soft	385 mm	white	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
	10	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	
	11	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium, for all floors. Standard with D 75.	
	12	4.905-021.0	hard	385 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.	

<sup>■</sup> Included in delivery. □ Available accessories.





















								I	_
		Order No.	Hardness/ Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Microfibre pad					<u>'</u>				
Microfibre pad	1	6.371-078.0	microfibre	381 mm	white	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	) [
	2	6.369-959.0	microfibre	356 mm	white	5 piece(s)		5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	[
	3	6.369-120.0	microfibre	280 mm	white	5 piece(s)			[
Pads									
Pad	4	6.369-003.0	medium-soft	356 mm	red	5 piece(s)		5 pads, medium-soft, red, 356 mm diameter. For cleaning al floors. Suitable for, e.g. D 65.	1
	5	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65	. [
	6	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
	7	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning al floors. Suitable for, e.g. D 75.	
	8	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75	. [
	9	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
	10	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning al floors. Suitable for, e.g. D 55.	
	11	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55	. [
	12	6.371-155.0	hard	280 mm	black	5 piece(s)		5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
	13	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.	Е
	14	4.642-025.0	hard	650 mm	brown	5 piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastene For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	
Pad drive board									
Pad drive board	15	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	
	16	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
	17	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	

<sup>■</sup> Included in delivery. 

Available accessories.









			T	1	1			
		0d N	Hardness/	Bi	6-1	Quanti-		Baranintian
		Order No.	Brush type	Diameter	Colour	ty	Price	Description
Diamond pads								
Diamond pad	18	6.371-250.0	coarse	356 mm	white	5 piece(s)		
	19	6.371-252.0	coarse	385 mm	white	5		
						piece(s)		
	20	6.371-246.0	coarse	280 mm	white	5		
						piece(s)		
	21	6.371-251.0	medium	356 mm	yellow	5 piece(s)		
	22	6.371-253.0	medium	385 mm	yellow	5		
	22	0.571 255.0	mediom	363 11111	yenow	piece(s)		
	23	6.371-247.0	medium	280 mm	yellow	5		
						piece(s)		
	24	6.371-235.0	fine	356 mm	green	5		
				-	-	piece(s)		
	25	6.371-236.0	fine	385 mm	green	5		
	26	6.371-233.0	fine	280 mm	green	piece(s)		
	26	0.3/1-233.0	IIIIe	200 111111	Ricell	piece(s)		

<sup>■</sup> Included in delivery. □ Available accessories.









		Order No.		Price	Description
Brush heads	<u> </u>				
Brush-head R 55	1	2.763-002.0			Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.
Brush-head D 55	2	2.763-001.0			Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee: Packed separately.
Brush-head R 65	3	2.763-004.0			Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.
Brush-head D 65	4	2.763-003.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Brush-head S 65	5	2.763-030.0			
Brush-head R 75	6	2.763-006.0			Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Brush-head D 75	7	2.763-005.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Add-on kit B 90 R	8	4.036-061.0			

<sup>■</sup> Included in delivery. 

Available accessories.











					Quanti-		
		Order No.	Length	Diameter	ty	Price	Description
Other attachment kits	· ·		·				
Suction hose accessories	1	4.444-015.0	3,25 m		1 piece(s)		
Support roller kit	2	2.641-773.0			1 piece(s)		
Flashing light kit	3	2.641-718.0			1 piece(s)		
Filling system kit	4	2.641-748.0			1 piece(s)		

<sup>■</sup> Included in delivery. 

Available accessories.