HD 9/50-4

This product uses up to 500 bar of pressure to remove even the most stubborn dirt. The robust cage design provides all-round protection and enables safe crane loading. With sack-trolley principle for easy transportation.

1 High-performance crankshaft pump

- Reliable and durable Kärcher high-performance crankshaft pump ensures optimal pressure.

2 Safe storage

- Accessories and tools are stored in a protected compartment. This means that everything is always in its place.

HD 9/50-4, 1.367-156.0, 2016-10-07

TECHNICAL DATA AND EQUIPMENT.

KÄRCHER

HD 9/50-4

- Robust industrial gun
- Low-water cut-out (optional)

Technical data

Order No.		1.367-156.0
EAN code		4039784731011
Operating pressure	**bar / MPa**	150–500 / 15–50
Flow rate	**l/h**	500–900
Max. water feed temperature	**°C**	60
Pump type		Kärcher high-performance crankshaft pump
Drive		E-Motor 400 V / 50 Hz
Power rating	**kW**	15
Weight	**kg**	190
Dimensions (L x W x H)	**mm**	930 × 800 × 920

Equipment

High-pressure hose	**m**	10 / Heavy duty
Trigger gun		Industrial trigger gun
Stainless steel spray lance	**mm**	700
Flat jet nozzle		■
Safety valve		■
Operating hour meter		■

■ **Included in delivery.**

HD 9/50-4, 1.367-156.0, 2016-10-07

ACCESSORIES FOR HD 9/50-4
1.367-156.0

KÄRCHER

1–7

8

9

10–13

14–15

16

17

18, 20

22

23

24

25–27

28

		Order No.	Length				Price	Description	
High-pressure hoses									
High pressure hose	1	6.391-848.0						640 bar, M 22 x 1,5	■
High-pressure hose	2	6.391-856.0							□
	3	6.391-857.0							□
	4	6.391-020.0							□
Hose assembly DN10 62MPa 10m	5	6.391-846.0							□
High-pressure hose	6	6.391-847.0							□
	7	6.391-019.0							□
Grease for stainless steel threaded joints	8	6.280-180.0							□
Lances									
	9	4.775-824.0							■
Strahlrohe									
Spray lance	10	4.760-679.0							■
Spray lance, industrial type, black, 1050 mm	11	4.760-653.0							□
Spray lance	12	4.760-675.0							□
	13	4.760-677.0							□
Power nozzles									
Flat jet nozzle	14	5.765-164.0							■
Power nozzle hardened 0030 Tol. 1%	15	5.765-159.0						500 bar, 900 l/h (electr.)	□
Add on kits									
ABS protection against water shortage	16	2.641-922.0							□
	17	2.851-028.0							□
Einstrahlige Rotordüsen									
F3 power rotary jet	18	6.415-915.0							□
Nozzles set Power Rotary Jet F8 50 MPa	19	6.025-437.0							□
Tool for changing rotor seat	20	6.025-233.0							□
Pipe cleaning									
	21	6.470-223.0							□
	22	5.763-093.0							□
	23	5.763-094.0							□
	24	5.763-095.0							□
	25	6.392-401.0							□
	26	6.392-402.0							□
	27	6.392-403.0							□
Flächenreiniger									
FRI 50 Me 50 MPa	28	2.643-577.0							□
Nozzle pack 015 FRI 50	29	6.415-044.0							□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR HD 9/50-4
1.367-156.0

KÄRCHER

31

35

36

		Order No.	Length				Price	Description	
Abrasive blaster									
Required adapter for abrasive blasters	30	5.401-325.0							☐
Abrasive blaster	31	6.025-253.0							☐
Jet nozzle	32	6.025-346.0							☐
Nozzles set F98	33	6.025-434.0							☐
F98 nozzle for abrasive blasters	34	6.025-256.0							☐
Suction lance	35	6.025-258.0							☐
Abrasive material hose	36	6.025-308.0							☐
Mounting tool for nozzle set	37	6.025-257.0							☐
Abrasive	38	6.025-309.0							☐
	39	6.025-310.0							☐

■ Included in delivery. ☐ Available accessories.

ACCESSORIES FOR HD 9/50-4
1.367-156.0

KÄRCHER

1

		Order No.					Price	Description	
Coupling									
Coupler -2xM22x1,5	1	4.403-002.0						Brass double connector for connecting and extending high-pressure hoses. With rubber protection. Connector: 2x M 22 x 1.5 m.	☐

■ Included in delivery. ☐ Available accessories.