



HD 9/50 Pe

This product uses up to 500 bar of pressure to remove even the most stubborn dirt. The robust cage design provides all-round protection and enables safe crane loading. With sack-trolley principle for easy transportation.



4 – 6 h



FLAT FREE TIRES



E-Start

1 Industrial trigger gun

- Robust and durable: The new Kärcher industrial trigger gun was designed specially for heavy-duty use.

2 Speed control

- The speed is automatically reduced in standby mode. This protects the engine and saves energy.



HD 9/50 Pe

- Robust industrial gun
- Low-water cut-out (optional)
- Speed control

Technical data

Order No.	1.367-506.0	
EAN code	4039784731035	
Operating pressure	bar / MPa	150-500 / 15-50
Flow rate	l/h	500-900
Max. water feed temperature	°C	60
Pump type	Maximum performance KÄRCHER crankshaft pump	
Drive	Honda GX 660 Petrol	
Power rating	kW	16
Weight	kg	135
Dimensions (L x W x H)	mm	930 x 800 x 920

Equipment

Electric starter		■
High-pressure hose	m	10 / Heavy duty
Trigger gun		Industrial trigger gun
Stainless steel spray lance	mm	700
Flat jet nozzle		■
Safety valve		■
Operating hour meter		■

■ Included in delivery.

ACCESSORIES FOR HD 9/50 PE 1.367-506.0

KÄRCHER



		Order No.	Length				Price	Description	
High-pressure hoses									
High pressure hose	1	6.391-848.0						640 bar, M 22 x 1,5	<input checked="" type="checkbox"/>
High-pressure hose	2	6.391-856.0							<input type="checkbox"/>
	3	6.391-857.0							<input type="checkbox"/>
	4	6.391-020.0							<input type="checkbox"/>
Hose assembly DN10 62MPa 10m	5	6.391-846.0							<input type="checkbox"/>
High-pressure hose	6	6.391-847.0							<input type="checkbox"/>
	7	6.391-019.0							<input type="checkbox"/>
Grease for stainless steel threaded joints	8	6.280-180.0							<input type="checkbox"/>
Lances									
	9	4.775-824.0							<input checked="" type="checkbox"/>
Strahlrohe									
Spray lance	10	4.760-679.0							<input checked="" type="checkbox"/>
Spray lance, industrial type, black, 1050 mm	11	4.760-653.0							<input type="checkbox"/>
Spray lance	12	4.760-675.0							<input type="checkbox"/>
	13	4.760-677.0							<input type="checkbox"/>
Power nozzles									
Power nozzle hardened 15028 Tol. 1%	14	5.765-163.0							<input checked="" type="checkbox"/>
Power nozzle hardened 0028 Tol. 1%	15	5.765-160.0						500 bar, 900 l/h (petrol, 60 Hz)	<input type="checkbox"/>
Add on kits									
ABS protection against water shortage	16	2.641-923.0							<input type="checkbox"/>
	17	2.851-028.0							<input type="checkbox"/>
Einstrahlige Rotordüsen									
F3 power rotary jet	18	6.415-915.0							<input type="checkbox"/>
Nozzles set Power Rotary Jet F8 50 MPa	19	6.025-437.0							<input type="checkbox"/>
Tool for changing rotor seat	20	6.025-233.0							<input type="checkbox"/>
Pipe cleaning									
	21	6.470-223.0							<input type="checkbox"/>
	22	5.763-093.0							<input type="checkbox"/>
	23	5.763-094.0							<input type="checkbox"/>
	24	5.763-095.0							<input type="checkbox"/>
	25	6.392-401.0							<input type="checkbox"/>
	26	6.392-402.0							<input type="checkbox"/>
	27	6.392-403.0							<input type="checkbox"/>
Flächenreiniger									
FRI 50 Me 50 MPa	28	2.643-577.0							<input type="checkbox"/>
Nozzle pack 015 FRI 50	29	6.415-044.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR HD 9/50 PE

1.367-506.0



		Order No.	Length					Price	Description	
Abrasive blaster										
Required adapter for abrasive blasters	30	5.401-325.0								<input type="checkbox"/>
Abrasive blaster	31	6.025-253.0								<input type="checkbox"/>
Jet nozzle	32	6.025-346.0								<input type="checkbox"/>
Nozzles set F98	33	6.025-434.0								<input type="checkbox"/>
F98 nozzle for abrasive blasters	34	6.025-256.0								<input type="checkbox"/>
Suction lance	35	6.025-258.0								<input type="checkbox"/>
Abrasive material hose	36	6.025-308.0								<input type="checkbox"/>
Mounting tool for nozzle set	37	6.025-257.0								<input type="checkbox"/>
Abrasive	38	6.025-309.0								<input type="checkbox"/>
	39	6.025-310.0								<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR HD 9/50 PE

1.367-506.0



		Order No.					Price	Description	
Coupling									
Coupler -2xM22x1,5	1	4.403-002.0						Brass double connector for connecting and extending high-pressure hoses. With rubber protection. Connector: 2x M 22 x 1.5 m.	<input type="checkbox"/>

Included in delivery.
 Available accessories.