



B 60 W

Walk-behind scrubber dryer (60 l) with traction drive. Ideal for 1,000-2,500 m². Configuration example with disc brushes, 65 cm working width and battery (180 Ah).



1 4 batteries to choose from

- The charging curve of the built-in charger is perfectly adjusted to the various battery types.
- For a long battery life.

3 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.

2 Brush head with disc system

■ Different working widths available from 51 to 65 cm.

4 eco!efficiency mode

■ The ecolefficiency mode is extra quiet and optimal for noise-sensitive areas (e.g. hospitals or hotels).

TECHNICAL DATA AND EQUIPMENT.





B 60 W

| Technical data | | |
|--------------------------|-------|-------------------|
| Order No. | | 1.384-020.2 |
| EAN code | | 4039784582545 |
| Working width, vacuum | mm | 850 |
| Fresh / waste water tank | I | 60 / 60 |
| Max. area performance | m²/h | 2600 |
| Brush rotation speed | rpm | 180 |
| Brush contact pressure | g/cm² | -26 |
| Frequency | Hz | 50-60 |
| Voltage | V | 100-240 |
| Motor rating | W | 2100 |
| Weight | kg | 113 |
| Dimensions (L x W x H) | mm | 1520 × 746 × 1147 |
| Battery voltage | V | 24 |
| Battery capacity | Ah | 180 |
| | | |

| Equipment Disc brush | | |
|-------------------------|---|------------------|
| Disc brush | | I. |
| FACT | | - |
| DOSE | | I. |
| Battery type | | maintenance-free |
| Tank-in-tank system | | I . |
| Traction motor | W | 300 |

■ Included in delivery.































| | 1 | | | | | | |
|---|----|-------------|--------|--------|---------------|----------|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | Quanti- | | |
| | | Order No. | Length | Colour | ty | Price | Description |
| Miscellaneous | | I. | | | | | |
| KIK key, yellow | 1 | 5.035-344.0 | | yellow | 1 piece(s) | | |
| KIK key, grey | 2 | 5.035-348.0 | | grey | 1 piece(s) | | |
| Filling hose | 3 | 6.680-124.0 | 1,5 m | | 1 piece(s) | | |
| | 4 | 4.035-076.0 | | white | 1 piece(s) | | |
| Set RFID Schluessel gelb | 5 | 4.035-408.0 | | yellow | 5 piece(s) | | |
| | 6 | 4.035-064.0 | | white | 5 piece(s) | | |
| KAERCHER Fleet Services B40- 120W CAN | 7 | 2.643-347.0 | | | 1 piece(s) | | |
| 12011 (311) | 8 | 5.035-337.0 | | red | 1 piece(s) | | |
| Add-on kit eco!zero | 9 | 5.388-133.0 | | | 1 piece(s) | | |
| Cleaning tool kit accessories | | | | | piece(s) | | |
| Set Homebase Box | 10 | 4.035-406.0 | | | 1 piece(s) | | |
| Adapter Homebase | 11 | 5.035-488.0 | | | 1 piece(s) | | |
| Double hook | 12 | 6.980-077.0 | | | 1 piece(s) | | |
| Holder handhold grey | 13 | 6.980-078.0 | | | 1 piece(s) | | |
| Holder bottle | 14 | 6.980-080.0 | | | 1 piece(s) | | |
| | 15 | 4.070-075.0 | | | 1 piece(s) | | |
| Wheels/tyres | | | | | piece(s) | | |
| Wheel, oil resistant | 16 | 6.435-702.0 | | | 1 piece(s) | | |
| Conversion kit wheels | 17 | 4.744-162.0 | | | 1 piece(s) | | |
| RM Dosierstation | | | | | piece(3) | <u> </u> | |
| Cleaning agent dosage kit, wall mounted DS 3 | 18 | 2.641-811.0 | | | 1 piece(s) | | Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit. |
| Wiping lips | | 1 | | | | | Taiso oc osca with minig system kit. |
| Modification kit, wiping flaps for brush head | 19 | 2.763-031.0 | | | 1 piece(s) | | |

lacksquare Included in delivery. \Box Available accessories.















| | | Order No. | Hardness/ Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
|---------------------|----|-------------|-------------------------|----------|---------|---------------|-------|--|---------|
| Disc Brushes for BD | | ı | | | | | | , | |
| Disc brush | 1 | 4.905-028.0 | very soft | 510 mm | white | 1 piece(s) | | | [|
| | 2 | 4.905-027.0 | soft | 510 mm | natural | 1 piece(s) | | | [|
| | 3 | 4.905-026.0 | medium | 510 mm | red | 1 piece(s) | | | [|
| | 4 | 4.905-029.0 | hard | 510 mm | black | 1 piece(s) | | | [|
| | 5 | 4.905-015.0 | very soft | 300 mm | white | 1 piece(s) | | very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55 | [|
| | 6 | 4.905-016.0 | soft | 300 mm | natural | 1 piece(s) | | Made of natural fibres, for spray cleaning and for polishing. Fits D 55. | [|
| | 7 | 4.905-014.0 | medium | 300 mm | red | 1 piece(s) | | Disc brush, medium-hard, red, 300 mm diameter. For norma use. Also suitable for sensitive floors. Standard for brush head D 55. | 1 |
| | 8 | 4.905-017.0 | hard | 300 mm | black | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning. For unsensitive floors only, Fits D 55. | [|
| | 9 | 4.905-011.0 | very soft | 355 mm | white | 1 piece(s) | | Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm. | [|
| | 10 | 4.905-012.0 | soft | 355 mm | natural | 1 piece(s) | | Made of natural fibres, for spray cleaning and for polishing. Fits D 65. | [|
| | 11 | 4.905-010.0 | medium | 355 mm | red | 1 piece(s) | | Disc brush, medium-hard, red, 355 mm diameter. For norma use. Also suitable for sensitive floors. Standard brush head D 65. | II [|
| | 12 | 4.905-013.0 | hard | 355 mm | black | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 65. | |

[■] Included in delivery.

Available accessories.





















| | | | | | | | | | Т |
|-----------------|----|-------------|-------------------------|----------|--------------------|---------------|-------|--|-----|
| | | | | | | | | | |
| | | Order No. | Hardness/ Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
| Microfibre pad | | | | | | | | | |
| Microfibre pad | 1 | 6.371-271.0 | microfibre | 508 mm | white | 5 piece(s) | | | |
| | 2 | 6.369-959.0 | microfibre | 356 mm | white | 5 piece(s) | | 5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65. | |
| Pads | | | | | | | | | |
| Pad | 3 | 6.369-002.0 | medium-hard | 356 mm | green | 5 piece(s) | | 5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65 | . 🗆 |
| | 4 | 6.369-001.0 | hard | 356 mm | black | 5 piece(s) | | 5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65. | Е |
| | 5 | 6.371-149.0 | soft | 432 mm | beige / natural | 5 piece(s) | | | Г |
| | 6 | 6.369-079.0 | medium-soft | 508 mm | red | 5 piece(s) | | Medium soft, for wet-cleaning of all surfaces and for spray cleaning. | |
| | 7 | 6.369-078.0 | medium-hard | 508 mm | green | 5 piece(s) | | Medium hard, for cleaning stubborn soilings and for deep cleaning. | |
| | 8 | 6.369-077.0 | hard | 508 mm | black | 5 piece(s) | | Hard, for persistent soilings and for deep cleaning. | |
| | 9 | 6.371-153.0 | medium-soft | 280 mm | red | 5 piece(s) | | 5 pads, medium-soft, red, 280 mm diameter. For cleaning al floors. Suitable for, e.g. D 55. | |
| | 10 | 6.371-154.0 | medium-hard | 280 mm | green | 5 piece(s) | | 5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55 | |
| | 11 | 6.371-155.0 | hard | 280 mm | black | 5 piece(s) | | 5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55. | |
| | 12 | 6.371-000.0 | medium-soft | 650 mm | red | 5 piece(s) | | Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head. | |
| | 13 | 4.642-025.0 | hard | 650 mm | brown | 5 piece(s) | | Tough, brown pad (650 x 300 mm) including Velcro fastener For restoring shine in combination with the S 65 head. Only for insensitive surfaces. | |
| Pad drive board | | | | | | | | | |
| Pad drive board | 14 | 4.762-534.0 | | 479 mm | | 1 piece(s) | | | |
| | 15 | 4.762-445.0 | | 280 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55. | |
| | 16 | 4.762-446.0 | | 335 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65. | |

[■] Included in delivery.

Available accessories.









| | | | | | _ | | | T. |
|--------------|----|-------------|------------|-----------|--------|---------------|-------|-------------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | Hardness/ | | | Quanti- | | |
| | | Order No. | Brush type | Diameter | Colour | ty | Price | Description |
| Diamond pads | | | | | | | | |
| Diamond pad | 17 | 6.371-250.0 | coarse | 356 mm | white | 5 | | |
| | 10 | 6.371-260.0 | coarse | 508 mm | white | piece(s) | | - |
| | 10 | 0.371-200.0 | Coarse | 308 11111 | Wille | piece(s) | | |
| | 19 | 6.371-246.0 | coarse | 280 mm | white | 5 | | |
| | | | | | | piece(s) | | |
| | 20 | 6.371-251.0 | medium | 356 mm | yellow | 5 | | |
| | | 5.074.054.0 | | 500 | | piece(s) | | - |
| | 21 | 6.371-261.0 | medium | 508 mm | yellow | 5 piece(s) | | |
| | 22 | 6.371-247.0 | medium | 280 mm | yellow | 5 | | - |
| | 22 | 3.371 247.0 | mediom | 200 11111 | yenow | piece(s) | | |
| | 23 | 6.371-235.0 | fine | 356 mm | green | 5 | | |
| | | | | | | piece(s) | | _ |
| | 24 | 6.371-240.0 | fine | 508 mm | green | 5 | | |
| | | 6 274 222 2 | 6 | 200 | | piece(s) | | |
| | 25 | 6.371-233.0 | fine | 280 mm | green | 5 piece(s) | | |

[■] Included in delivery.

Available accessories.











| | | | | | O | | | |
|---|---|-------------|---------|-------------|---------------|-------|---|--|
| | | Order No. | Length | Colour | Quanti- ty | Price | Description | |
| Squeegees for suction bars | | ' | | | | | | |
| Suction lips | 1 | 6.273-207.0 | 890 mm | transparent | 2 parts | | Standard, grooved, oil-resistant. | |
| | 2 | 6.273-229.0 | 890 mm | transparent | 2 parts | | Slotted, oil-resistant, polyurethane, for sensitive floors. | |
| | 3 | 6.273-213.0 | 890 mm | blue | 2 parts | | Fluted, standard, natural rubber. | |
| | 4 | 6.273-290.0 | 890 mm | transparent | 2 parts | | Closed, oil-resistant, for structured floors. | |
| Rubber lip set corrugated oil resistant | 5 | 6.273-023.0 | 1010 mm | transparent | 2 parts | | | |
| Suction bar, complete | | | | | | | | |
| Squeegee | 6 | 4.777-079.0 | 900 mm | transparent | 1 piece(s) | | | |

[■] Included in delivery.

Available accessories.





| | | Order No. | | | Price | Description |
|----------------------|---|-------------|--|--|-------|-------------|
| Brush heads | | | | | | |
| Brush-head S 65 | 1 | 2.763-030.0 | | | | |
| Add-on kit B60 / B80 | 2 | 4.036-063.0 | | | | |

[■] Included in delivery.

Available accessories.









| | | Order No. | Length | Diameter | Quanti- ty | Price | Description |
|-------------------------------|---|-------------|--------|----------|---------------|-------|--|
| Other attachment kits | | • | ' | | | | ' |
| Suction hose accessories | 1 | 4.444-015.0 | 3,25 m | | 1 piece(s) | | |
| Auto-Fill | 2 | 4.035-345.0 | | | 1 piece(s) | | Automatic clean water refill system with auto-stop function, when tank is full. $\hfill\Box$ |
| Spray extraction mounting kit | | | | | | | |
| Spray suction kit | 3 | 2.642-833.0 | | | 1 piece(s) | | |

[■] Included in delivery.

Available accessories.





| | | | | | | | | | 7 |
|---|---|-------------|------------|----------------|--------------------------|---------------------------|-------|-------------|---|
| | | Order No. | Quantity | Battery volta- | Battery capaci- ty | Battery type | Price | Description | |
| Battery and charger sets | | | | | | | | | |
| Battery quick-charge set V 24V/164Ah | 1 | 2.642-558.0 | 1 piece(s) | 24 V | 164 Ah | mainte- nance- free | | | |
| Accessories for batteries | | | | | | | | | |
| Distance holder set | 2 | 4.642-019.0 | 1 piece(s) | | | | | |] |

 $[\]blacksquare$ Included in delivery. $\hfill\Box$ Available accessories.





| | | Order No. | Quantity | ID | Width | Length | Price | Description |
|------------------------------------|---|-------------|------------|----|-------|--------|-------|-------------|
| - :: | | | | | | | | |
| Sonstiges | | | | | | | | |
| Cleaning agent container, complete | 1 | 4.070-006.0 | 1 piece(s) | | | | | |

[■] Included in delivery.

Available accessories.