

KÄRCHER

makes a difference



CLEANING AGENTS & MANUAL EQUIPMENT

Professional | Home & Garden



CONTENTS

Professional Cleaning and care agents, disinfection	Page 4
Cleaning agents, care agents and disinfection for high pressure	Page 6
Cleaning and care agents for vehicles	Page 14
Treatment chemicals for water treatment	Page 19
Cleaning agents for container cleaning	Page 20
Cleaning agents for industrial parts	Page 21
Cleaning agents, care agents and disinfection for hard and resilient floors	Page 22
Cleaning and care agents for washrooms and surfaces	Page 28
Cleaning and care agents for carpets and upholstery	Page 34

Professional Manual cleaning equipment	Page 38
Cleaning trolleys, buckets and accessories	Page 40
Floor	Page 46
Surface	Page 54
Windows	Page 60



Home & Garden
Cleaning and care agents

Cleaning and care agents - Outdoor
Cleaning and care agents - Indoor

Page 70

Page 72

Page 76

Index

Page 80

EXACTLY THE RIGHT SOLUTION FOR YOU

For optimal cleaning results, the system being used – consisting of machine and cleaning agent – must work perfectly. We recognised this very early on and have consistently relied on our own research and development. We develop our cleaning and care agents specifically for use with Kärcher cleaning machines. This means that you can get the most out of your system's performance capabilities. And you can be sure that you are always getting the maximum possible effectiveness, efficiency and reliability.



Contents of Professional cleaning and care agents, disinfection

Cleaning agents, care agents and disinfection for high pressure	Page 6
Cleaning and care agents for vehicles	Page 14
Treatment chemicals for water treatment	Page 19
Cleaning agents for container cleaning	Page 20
Cleaning agents for industrial parts	Page 21
Cleaning agents, care agents and disinfection for hard and resilient floors	Page 22
Cleaning and care agents for washrooms and surfaces	Page 28
Cleaning and care agents for carpets and upholstery	Page 34

Page	6
Page	14
Page	19
Page	20
Page	21
Page	22
Page	28
Page	34

RESEARCHED, DEVELOPED AND MANUFACTURED FOR YOU

Kärcher cleaning and care agents are just as versatile and powerful as the machines in which they are used – because they are specially developed for use with Kärcher cleaning machines. Only in this way can the performance of the system, consisting of machine and cleaning agent, be fully utilised. Kärcher recognised this early on and has consistently relied on its own research and development. It is the foundation of our success and the core of our thoughts and actions.



1 Benchmark for cleanliness


Research and development are becoming increasingly important as demands and requirements increase, not just of the machines themselves, but of the overall package. How can the full potential be realised and at the same time the environmental impact reduced? How can costs be reduced without compromising on power or quality? These are questions to which Kärcher is seeking the best possible answers in collaboration with experts from various fields of technology and chemistry. With an interdisciplinary approach and also in close cooperation with suppliers and professional operators, our experts analyse every type of dirt on all surfaces so that it can be professionally removed, picked up and disposed of. Right from the very start, the products that we develop are systematic in every sense of the word. And they are developed entirely at Kärcher. The high performance and efficiency of Kärcher cleaning agents are the result of over 30 years of research and development in our own laboratory. As the world's leading manufacturer of cleaning machines, we pursued the path to becoming a system provider early on and today have expertise and technology that set standards.

2 In-house production

As a system provider of cleaning solutions, Kärcher not only develops cleaning agent formulas for use in Kärcher cleaning machines, but also produces these cleaning products itself. The in-house production of cleaning agents is a key aspect that allows us to offer our customers products with consistently high quality and the best delivery capacity, and at the same time to reduce the environmental impact of unnecessary transportation.

PressurePro: FULL POWER WITH SYSTEM

The advantages speak for themselves: faster and improved cleaning with low energy consumption and less waste water pollution. Kärcher cleaning and care agents deliver brilliant performance in industry, trade and the food industry. High-pressure cleaners and cleaning agents which are perfectly balanced.



1 High pressure and temperature-stable

Kärcher cleaning and care agents are specially formulated for use with high-pressure cleaners. Special formulas that remain stable under high pressure and demonstrate their effectiveness. Temperature-stable up to 150°C for safe use in hot water high-pressure cleaners.

2 Precise and reliable dosing

SwitchChem, the integrated cleaning agent dosing system, allows precise and reliable dosing, quick and easy opening and closing, as well as cleaning agent dosing control. No more inconvenient manual dosing. No overdosing. Changing between different cleaning agents can take place quickly without wasting unused cleaning agent. This saves costs. At the same time, the machine tank stays clean and free from microbial load as a result of cleaning agent residue.

3 Protection and care for high efficiency and long machine service life

The optional high-pressure system care offers continuous, precisely dosed and reliable protection against limescale (Machine Protector Advance 1 RM 110) and corrosion (Machine Protector Advance 2 RM 111). Integrated care components ensure constant maximum high-pressure cleaner power and extend the total product life.

4 Calcification protection









Where hot water high-pressure cleaners are used in hard water areas, Kärcher high-pressure cleaning agents reliably protect all parts in contact with water against calcification. As a result, the full heating coil power is maintained with optimal heat transfer and water flow rate. No trace of limescale in the machine and on the cleaned surface. Success: perfect power and cleaning results and a longer machine service life.

5 Corrosion protection

Kärcher cleaning agents not only clean highly effectively, but also protect and care for the cleaning machine. When using soft water, special corrosion protection components provide reliable protection against corrosion and black water. This ensures constant maximum performance of the cleaning machine and cleaning agent.

Product	No.	Activity					Soiling					Application area							Properties				Page
		Pre-cleaning	Cleaning	Foam cleaning	Disinfection	Care, protection, preservation	Oil, grease, soot, emission contamination, wax, excrement, food residues, protein, insect residues	Smoke resin, sugar glaze	Limescale, rust, urine/milkstone, cement, salt deposits	Graffiti, moss, lichen	Bacteria, fungi, viruses	Agriculture	Vehicles	Vehicle parts (e.g. engine)	Food industry, kitchens, sanitary	Industrial components	Solar	Façades	Cleaning machines	ASF (easily separable in oil separators)	DVG listing	IHO listing	
PressurePro Oil and Grease Cleaner Extra	RM 31		■				■					■		■					✓				8, 10
PressurePro Oil and Grease Cleaner Extra, ecoefficiency	RM 31		■				■					■		■					✓				8, 10
PressurePro Active Cleaner, alkaline	RM 81		■				■					■	■	■					✓				8, 10
PressurePro Active Cleaner, alkaline, eco!efficiency	RM 81		■				■					■	■	■					✓				8
PressurePro Wax Remover	RM 36		■				■					■											8
VehiclePro Rim Cleaner, acidic	RM 800		■					■				■							✓				8
VehiclePro Rim Cleaner, alkaline	RM 801		■				■					■							✓				8
VehiclePro Prewash Classic	RM 803	■					■					■							✓				8
PressurePro Active Cleaner, powder	RM 80	■	■				■					■							✓				9
PressurePro Car Shampoo, powder	RM 22			■			■					■							✓				9
PressurePro Hot Wax	RM 41					■					■	■											9
VehiclePro Spray Wax Classic	RM 821					■						■											9
PressurePro Foam Cleaner, neutral	RM 57			■			■							■					✓				9
PressurePro Foam Cleaner, alkaline	RM 58			■			■							■					✓				9
PressurePro Foam Cleaner, acidic	RM 59			■				■						■					✓				9
PressurePro Grease and Protein Remover	RM 731		■				■							■									9
Disinfectant Cleaner	RM 732		■		■		■				■			■						✓			10
Disinfectant Cleaner, foaming	RM 734			■	■		■				■			■						✓			10
Disinfectant	RM 735				■						■			■						✓		✓	10
PressurePro Active Cleaner, acidic	RM 25		■					■						■					✓				10
Intensive Deep Cleaner	RM 750		■				■							■					✓				10
PressurePro Smoke Resin Remover	RM 33		■				■	■						■					✓				10
PressurePro Foam Cleaner, alkaline, Agri	RM 91			■			■				■												11
PressurePro Soaking Agent, alkaline, Agri	RM 92	■					■				■												11
PressurePro Surface Cleaner, acidic, Agri	RM 93		■					■			■												11
Desinfect K 1	RM 790				■						■	■								✓		✓	11
Desinfect K 2	RM 791				■						■	■								✓		✓	11
PressurePro Active Cleaner, neutral	RM 55		■				■							■			■		✓				11
Blasting Abrasive, fine	-		■								■						■						11
Blasting Abrasive, coarse	-		■								■						■						11
PressurePro Façade Cleaner, gel	RM 43		■				■							■									11
PressurePro Solar Panel Cleaner	RM 99		■				■								■		□						11
PartsPro Parts Cleaner	RM 39		■				■							■					✓				12
PressurePro Phosphating Agent, powder	RM 47		■			■	■							■					✓				12
PressurePro Phosphating Agent	RM 48		■			■	■							■					✓				12
PressurePro Descaling Acid	RM 101		■					■									■		✓				12
PressurePro Machine Protector	RM 110					■		■									■		✓				12
PressurePro Machine Protector Advance 1	RM 110					■		■									■		✓				12
PressurePro Machine Protector Advance 2	RM 111					■		■									■		✓				12

■ can be used □ can only be used to a limited extent










	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No. / Unit	Price	
Vehicle										
	PressurePro Oil and Grease Cleaner Extra RM 31 Highly concentrated high-pressure basic cleaning agent. At all temperature ranges extremely efficient lifting of the most stubborn contaminations, such as oil, grease, tar, soot and smoke resin.	High-pressure cleaner Spray units	1+3	1.5-10% 25%	alkaline pH: 13	2.5 l	■ ▲ 4	6.295-584.0		
						10 l	■ ▲ 1	6.295-068.0		
						20 l	■ ▲ 1	6.295-069.0		
						200 l	■ ▲ 1	6.295-422.0		
						1000 l	■ ▲ 1	6.295-072.0		
	PressurePro Oil and Grease Cleaner Extra RM 31 ecoefficiency Highly concentrated high-pressure basic cleaning agent. Effectively removes stubborn dirt, e.g. oil, grease, soot and smoke resin at all temperatures. Very rich, efficient and environmentally friendly thanks to the ecoefficiency formula.	High-pressure cleaner (80 °C) High-pressure cleaner (60 °C) Spray units	1+3	0.75-4% 1-5% 5-25%	alkaline pH: 13.5	2.5 l	■ ▲ 4	6.295-646.0		
						10 l	■ ▲ 1	6.295-647.0		
						20 l	■ ▲ 1	6.295-648.0		
						200 l	■ ▲ 1	6.295-649.0		
	PressurePro Active Cleaner, alkaline RM 81, NTA-free Active and gentle high-pressure cleaning concentrate for heavy oil, grease and mineral contamination. Suitable for vehicle washes, tarpaulin cleaning and engine washes. NTA-free.	High-pressure cleaner Spray units	1+3	1-5% 5-25%	alkaline pH: 12.3	2.5 l	■ ▲ 4	6.295-555.0		
						10 l	■ ▲ 1	6.295-556.0		
						20 l	■ ▲ 1	6.295-557.0		
						200 l	■ ▲ 1	6.295-558.0		
						1000 l	■ ▲ 1	6.295-559.0		
	PressurePro Active Cleaner, alkaline RM 81 ecoefficiency Active and gentle high-pressure cleaning concentrate for heavy oil, grease and mineral contamination. Suitable for vehicle washes, tarpaulin cleaning and engine washes. Very rich, efficient and environmentally friendly thanks to the ecoefficiency formula.	High-pressure cleaner (80 °C) High-pressure cleaner (60 °C) Spray units	1+3	0.75-4% 1-5% 5-25%	alkaline pH: 12.3	2.5 l	■ ▲ 4	6.295-642.0		
						10 l	■ ▲ 1	6.295-643.0		
						20 l	■ ▲ 1	6.295-644.0		
						200 l	■ ▲ 1	6.295-645.0		
	PressurePro Wax Remover RM 36 De-preservation agent; gently removes protective wax coatings and grease residue from paintwork surfaces. Ideal for use with high-pressure cleaners.	High-pressure cleaner		1-5%		20 l	■	1	6.295-423.0	
						200 l	■	1	6.295-149.0	
	VehiclePro Rim Cleaner, acidic RM 800 Highly effective rim cleaner concentrate. Active foam enables the gentle removal of all normal rim contamination, like brake dust, tyre wear, winter salt residues, lime stains and salt deposits.	Spray units Self-service washing stations Vehicle washing plant		10%	acidic pH: 0.3	20 l	■ ▲	1	6.295-441.0	
				10%		200 l	■ ▲	1	6.295-452.0	
				10%						
	VehiclePro Rim Cleaner, alkaline RM 801 Classic Special rim cleaner for all coated light metal and steel rims (excludes uncoated, high-gloss special rims). Gentle action, effectively removes the most stubborn rim contamination, e.g. road dust, baked-on brake dust, tyre wear and winter salt residues. Does not attack concrete floors or wheel arches. ²⁾	Spray units Self-service washing stations Vehicle washing plant		10%	alkaline pH: 13.5	20 l	■	1	6.295-323.0	
				10-20%		200 l	■	1	6.295-401.0	
				10-20%						
	VehiclePro Prewash RM 803 Classic Active and gentle high-pressure pre-spraying agent. For trouble-free acceleration of the softening and removal of oil and grease deposits, as well as insect residues. NTA-free.	High-pressure cleaner Vehicle washing plant Self-service washing stations Spray units	1+2	1.5-6% 0.5-2%	alkaline pH: 13	10 l	■ ▲	1	6.295-547.0	
							20 l	■ ▲	1	6.295-548.0
				1.5-6% 2%			200 l	■ ▲	1	6.295-549.0

¹⁾ VDA-compliant Class A.

²⁾ VDA-compliant Class B.

■ Does not contain any nitrotriacetates (NTA).

▲ Easily separable in oil separator systems (ASF).










	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No. / Unit	Price
	PressurePro Active Cleaner, powder RM 80 Highly concentrated, pourable and water-soluble powder with a fresh scent. Dissolves oil, grease and emission-related soiling, effective at all temperature ranges, gentle action.	High-pressure cleaner Self-service washing stations	1+9	0.5%	slightly alkaline pH: 10.9	20 kg	■ ▲	1	6.295-237.0
			1+9	1%					
	PressurePro Car Shampoo, powder RM 22, NTA-free Powerful shampoo powder for removing stubborn oil, grease and mineral contamination. Ideal for engine cleaning and vehicle washing. NTA-free.	High-pressure cleaner Spray units	1+9	0.5-2%	alkaline pH: 12.7	20 kg	■ ▲	1	6.295-537.0
				5%					
	PressurePro Car Shampoo, powder RM 22 Powerful shampoo powder for removing stubborn oil, grease and mineral contamination. Ideal for engine cleaning and vehicle washing.	High-pressure cleaner Spray units	1+9	0.5-2%	alkaline pH: 12.9	20 kg	▲	1	6.295-254.0
				5%					
	PressurePro Hot Wax RM 41 Paintwork preservation and care agents with high natural carnauba wax content. Produces a high-lustre finish.	High-pressure cleaner Manual	1+3	1-2%	slightly acidic pH: 4.5	10 l	■	1	6.295-153.0
				1-2%		20 l	■	1	6.295-154.0
	VehiclePro Spray Wax RM 821 Classic This liquid spray wax gives vehicles a brilliant shine and long-term protection. Unaffected by water quality, it provides a spotless finish without blow drying. VDA-compliant. ¹⁾	High-pressure cleaner Self-service washing stations	1+9	1-2%	slightly acidic pH: 4	2.5 l	■	4	6.295-583.0
						20 l	■	1	6.295-431.0
						200 l	■	1	6.295-084.0
Food industry									
	PressurePro Foam Cleaner, neutral RM 57 Gentle foam cleaning agent for light oil, grease and protein stains. Stable foam blanket enhances cleaning action and is easily rinsed away.	High-pressure cleaner High-pressure cleaner with foam nozzle Spray units Manual	1-2%	3-10% 10%	neutral pH: 6.7	20 l	■ ▲	1	6.295-178.0
	PressurePro Foam Cleaner, alkaline RM 58 Reliably removes stubborn grease, oil and protein stains, as well as food residue on tiles and containers. Foam blanket permits long periods of contact for intensive cleaning action on vertical surfaces.	Spray units High-pressure cleaner High-pressure cleaner with foam nozzle Manual	4-6%	4-10% 10%	alkaline pH: 13.1	20 l	■ ▲	1	6.295-100.0
						1-2%	200 l	■ ▲	1
	PressurePro Foam Cleaner, acidic RM 59 Effortlessly removes stubborn deposits and coatings like lime, rust, grease, protein, beerstone and milkstone on tiles and containers. Very stable foam blanket ensures intensive cleaning effect on all surfaces.	High-pressure cleaner High-pressure cleaner with foam nozzle Spray units Manual	1-2%	3-10% 6% 10%	acidic pH: 1.8	20 l	■ ▲	1	6.295-192.0
							200 l	■ ▲	1
	PressurePro Grease and Protein Remover RM 731 Removes even the toughest grease, protein, oil and soot contamination from floors, working areas, machines, etc. (particularly suitable for use in the food processing industry). Easy to use, with a gentle cleaning action. Washes clean without residues.	High-pressure cleaner Spray units Manual	1-6%	1-6% 1-6%	alkaline pH: 13.1	5 l	■ ▲	1	6.295-402.0
							200 l	■ ▲	1

¹⁾ VDA-compliant Class A.







²⁾ VDA-compliant Class B.

■ Does not contain any nitrilotriacetates (NTA).

▲ Easily separable in oil separator systems (ASF).

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
	Disinfectant Cleaner RM 732 Disinfectant cleaning agent. With bactericidal, fungicidal and limited virucidal properties. Offers very good cleaning power. Use biocides safely. Always read the label and product information before use.	High-pressure cleaner		1-3%	slightly alkaline	5 l	1	6.295-596.0	
		Maintenance cleaning		1-3%	pH: 9.9	200 l	1	6.295-417.0	
	Disinfectant Cleaner, foaming RM 734 Disinfectant foam cleaning agent. With fungicidal, virucidal, sporicidal and bactericidal properties. At the same time removes grease, protein, oil and soot stains. Stable foam blanket allows use on vertical surfaces. Use biocides safely. Always read the label and product information before use.	High-pressure cleaner with foam nozzle		2-5%	alkaline	20 l	1	6.295-282.0	
		Spray units		2-5%	pH: 13.7				
		Manual		2-5%					
	Disinfectant RM 735 Effective, neutral disinfectant. With bactericidal, fungicidal and limited virucidal properties (e.g. hepatitis B). Use biocides safely. Always read the label and product information before use.	High-pressure cleaner		0.75-2%	neutral	2.5 l	4	6.295-585.0	
		Spray units		0.75-2%	pH: 7.6	5 l	1	6.295-597.0	
		Manual		0.75-2%					
	PressurePro Active Cleaner, acidic RM 25 Acidic high-pressure primary cleaner for sanitary areas. Removes limescale, rust, beerstone and milkstone, grease and albumen stains. Ideal for cleaning inside tanks in the food industry.	High-pressure cleaner	1+3	0.5-10%	acidic	2.5 l	4	6.295-588.0	
		Spray units		25%	pH: 0.2	10 l	1	6.295-113.0	
						20 l	1	6.295-420.0	
						200 l	1	6.295-421.0	
	PressurePro Oil and Grease Cleaner Extra RM 31 ecoefficiency Highly concentrated high-pressure basic cleaning agent. Effectively removes stubborn dirt, e.g. oil, grease, soot and smoke resin at all temperatures. Very rich, efficient and environmentally friendly thanks to the ecoefficiency formula.	High-pressure cleaner (80 °C)	1+3	0.75-4%	alkaline	2.5 l	4	6.295-646.0	
		High-pressure cleaner (60 °C)			pH: 13.5	10 l	1	6.295-647.0	
		Spray units	1+3	1-5%		20 l	1	6.295-648.0	
				5-25%		200 l	1	6.295-649.0	
	PressurePro Oil and Grease Cleaner Extra RM 31 Highly concentrated high-pressure basic cleaning agent. At all temperature ranges extremely efficient lifting of the most stubborn contaminations, such as oil, grease, tar, soot and smoke resin.	High-pressure cleaner	1+3	1.5-10%	alkaline	2.5 l	4	6.295-584.0	
		Spray units		25%	pH: 13	10 l	1	6.295-068.0	
						20 l	1	6.295-069.0	
						200 l	1	6.295-422.0	
						1000 l	1	6.295-072.0	
	PressurePro Active Cleaner, alkaline RM 81, NTA-free Active and gentle high-pressure cleaning concentrate for heavy oil, grease and mineral contamination. Suitable for vehicle washes, tarpaulin cleaning and engine washes. NTA-free.	High-pressure cleaner	1+3	1-5%	alkaline	2.5 l	4	6.295-555.0	
		Spray units		5-25%	pH: 12.3	10 l	1	6.295-556.0	
						20 l	1	6.295-557.0	
						200 l	1	6.295-558.0	
				1000 l	1	6.295-559.0			
	Intensive Deep Cleaner RM 750 Powerful deep cleaner effectively removes the most stubborn stains, such as oil, grease, soot, blood and proteins. Low foam production. Particularly suited for floor cleaning by machine and for processing with hard surface cleaners.	High-pressure cleaner	1+3	1-5%	alkaline	10 l	1	6.295-539.0	
		Scrubber driers			pH: 13.7	200 l	1	6.295-540.0	
		- Decoating		10-50%					
		Scrubber driers		5-50%					
		Manual		5-50%					
	PressurePro Smoke Resin Remover RM 33 Very powerful liquid deep cleaner for removing stubborn stains such as oil, fat, tar, soot, resinous soot, and smoke resin contamination. NTA-free.	High-pressure cleaner	1+3	4-8%	alkaline	20 l	1	6.295-560.0	
		Spray units		10%	pH: 13.5	200 l	1	6.295-561.0	

- Does not contain any nitrilotriacetates (NTA).
- ▲ Easily separable in oil separator systems (ASF).

	Product description	Application	Primary mixture		Properties	Packaging size	PU	Order No./ Unit	Price
			Dosage						
Agriculture									
	PressurePro Foam Cleaner, alkaline RM 91 Agri The foam cleaner has excellent grease-dissolving properties and effortlessly removes organic material such as dung and dirt. Ideal for cleaning poultry, pig and cattle sheds, as well as milking parlours.	High-pressure cleaner	3-5%		alkaline pH: 13.5	10 l	■	1	6.295-654.0
	PressurePro Soaking Agent, alkaline RM 92 Agri The emollient loosens dried dung to reduce cleaning time and water consumption. Corrosion inhibitors preserve stable fixtures. Ideal for stables and milking parlours.	High-pressure cleaner	1-3%		alkaline pH: 14	10 l	■	1	6.295-656.0
	PressurePro Surface Cleaner, acidic RM 93 Agri Acidic surface cleaner for milking parlours, milk chambers and stables. Removes even the most stubborn deposits, such as limescale, minerals and corrosion. Corrosion inhibitors preserve stable fixtures.	High-pressure cleaner	1-3%		acidic pH: 1.4	10 l	■	1	6.295-658.0
	Desinfect K 1 RM 790 Desinfect K 1 RM 790 is a highly effective disinfectant containing peracetic acid for agricultural use. Fully effective within an extremely short contact time of 30 minutes. Use biocides safely. Always read the label and product information before use. ^{4) 6)}	High-pressure cleaner with two-component dual injector	0.5%		acidic pH: 2	18 l	■	1	6.295-503.0
	Desinfect K 2 RM 791 Buffer additive for efficient disinfectant containing peracetic acid. Used in combination with Desinfect K 1 RM 790 for foaming the disinfectant solution. ^{4) 6)}	High-pressure cleaner with two-component dual injector	0.5%		alkaline pH: 13.4	18 l	■	1	6.295-501.0
Façades and solar									
	PressurePro Active Cleaner, neutral RM 55 All-purpose, gentle high-pressure liquid concentrate for removing grease, oil and emission contamination. Ideal for cleaning façades and sensitive surfaces.	High-pressure cleaner Spray units Manual	0.5-8% 10% 2%		slightly alkaline pH: 10	2.5 l 10 l 20 l 200 l 1000 l	■ ▲	4 1 1 1 1	6.295-579.0 6.295-090.0 6.295-411.0 6.295-412.0 6.295-093.0
	Blasting Abrasive, fine Grit size 0.2-0.8 mm - ideal for cleaning clinker, brick, sandstone, terrazzo, steel, hardwood or concrete.	High-pressure cleaner with jet system and jet gun			tailored to individual requirements	25 kg	■	1	6.295-564.0
	Blasting Abrasive, coarse Grit size 0.25-1.4 mm - highly effective on steel, granite, aerated concrete and washed concrete. Also ideal for removing rust, paint and graffiti.	High-pressure cleaner with jet system and jet gun			tailored to individual requirements	25 kg	■	1	6.295-565.0
	PressurePro Façade Cleaner, Gel RM 43 Powerful façade cleaner with gel formula. Removes soot, oil, grease and environmental stains. Suitable for façades clad with stone, brick, rough-cast plaster, plastic, wood and glass.	High-pressure cleaner Spray units	6% 6-8%		alkaline pH: 13.8	20 l	■	1	6.295-447.0
	PressurePro Solar Cleaner RM 99 Highly efficient, gentle and biodegradable cleaning agent for residue-free, streak-free cleaning of solar and photovoltaic systems. Prevents the formation of limescale. For all water hardness levels. For removing stubborn bird droppings, pollen, rust and dust. Also suitable for aluminium frames.	High-pressure cleaner	1+3	0.5-1%	slightly alkaline pH: 9	10 l 20 l	■		6.295-798.0 6.295-799.0

⁴⁾ Included in the 13th DVG list of disinfectants for animal husbandry of June 2011.










⁶⁾ Included in the IHO list of disinfectants for animal husbandry.

■ Does not contain any nitrilotriacetates (NTA).

▲ Easily separable in oil separator systems (ASF).

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Parts cleaning and phosphating									
	PartsPro Parts Cleaner RM 39 Gentle cleaning and degreasing agent effectively removes oil, grease and soot stains from metal parts and provides temporary corrosion protection.	High-pressure cleaner Parts cleaner	2-5%	1-5%	slightly alkaline pH: 10.5	20 l	■	1	6.295-165.0
						200 l	■	1	6.295-424.0
	PressurePro Phosphating Agent, powder RM 47 For degreasing and phosphating in a single operation. Provides temporary protection against corrosion and produces a good base for paints. When processed, it leaves bluish-yellow iron phosphate layers. High yield.	High-pressure cleaner	1+9	0.5-1%	slightly acidic pH: 3.1	20 kg	■ ▲	1	6.295-163.0
	PressurePro Phosphating Agent RM 48 For degreasing and phosphating in a single operation. Provides temporary protection against corrosion and produces a good base for paints. When processed, it leaves bluish-yellow iron phosphate layers.	High-pressure cleaner		0.5-1%	acidic pH: 2	20 l	■ ▲	1	6.295-219.0
						200 l	■ ▲	1	6.295-410.0
Maintenance and care of high-pressure cleaners									
	PressurePro Descaling Acid RM 101 Hydrochloric acid basis for fast descaling. Quickly removes the most stubborn limescale and cleaning agent residues and offers long-lasting corrosion protection. Particularly suitable for heating coils in high-pressure cleaners.	Heating coil descaling		10%	acidic pH: 0	5 l	■ ▲	1	6.295-398.0
	PressurePro Machine Protector RM 110 Calcification protection for hot water high-pressure cleaners. This new formula offers improved protection from lime deposits in heating coil systems (up to 150°C), as well as integrated corrosion protection for all HDS machine components that come into contact with water.	Hot water high-pressure cleaners		6 ml/dH m ³	neutral pH: 7	1 l	■ ▲	6	6.295-312.0
						10 l	■ ▲	1	6.295-303.0
						20 l	■ ▲	1	6.295-488.0
						200 l	■ ▲	1	6.295-305.0
	PressurePro Machine Protector Advance 1 RM 110 Calcification protection for hot water high-pressure cleaners with integral corrosion protection, especially for use in new HDS machines with System Care option. The Machine Protector Advance 1 RM 110 formula offers improved protection against lime deposits on heating coils (up to 150°C) and provides integral corrosion protection for components in contact with water.	Hot water high-pressure cleaners		6 ml/dH m ³	neutral pH: 7	1 l	■ ▲	6	6.295-625.0
	PressurePro Machine Protector Advance 2 RM 111 Maximum machine protection for hot water high-pressure cleaners with system care adaptation. Machine Protector Advance 2 RM 111 offers the following protective functions for your machine: protection against lime deposits in heating coils (up to 150°C), pump care additive for continuous lubrication and care of the high-pressure pump, protection against black water (rust generation in the heating coil with very soft water). Corrosion protection for all parts that come into contact with water.	Hot water high-pressure cleaners		6 ml/dH m ³	alkaline pH: 12.3	1 l	■ ▲	6	6.295-629.0
Hand cleaning									
	Hand Cleaning Paste RM 200 Rich, gentle hand cleanser based on wood flour. For stubborn oil, grease, pigment and paint stains.	Manual		undiluted	neutral pH: 6.4	800 ml	■	1	6.291-031.0
						10 l	■	1	6.291-030.0

- Does not contain any nitrilotriacetates (NTA).
- ▲ Easily separable in oil separator systems (ASF).

Product description	Pressure	Dosing range	Dispensing volume	Extendable	Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
Dosing aids									
 DS 2 Dosing Unit DVGW-certified dosing unit for filling floor cleaning machines and buckets and for preparation of HD/HDS primary mixtures. Includes backflow preventer according to DIN EN 1717.	1.7-3.5 bar	0.3-25%	14 l/min	■	355 x 300 x 210 mm	1.86 kg	1	6.394-653.0	
 DS 3 Cleaning Agent Dosing Station After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Also in conjunction with ABS filling system. Includes backflow preventer (DIN EN 1717).	2-6 bar	0.2-13.5%	15 l/min	■	390 x 390 x 150 mm	3.85 kg	1	2.641-811.0	
Dispensing aids									
Product description	Suitable for bulk size				Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
 Container valve, 5 l Practical aid for efficient filling and dosing of cleaning agents from containers.	5 l				85 x 48 x 40 mm	0.02 kg	1	6.394-819.0	
 Container valve, 10 l Practical aid for efficient filling and dosing of cleaning agents from containers.	10 l				60 x 90 x 70 mm	0.04 kg	1	6.394-758.0	
 Container valve, 20 l Practical aid for efficient filling and dosing of cleaning agents from containers.	20 l				75 x 110 x 60 mm	0.04 kg	1	6.394-759.0	
 Drum tap, 200 l For dispensing cleaning agents from drums.	200 l				150 x 100 x 65 mm	0.08 kg	1	6.412-438.0	
 Barrel pump, 200 l Practical pump for dosing and efficient dispensing of cleaning agents from drums. Accurate and easy to use.	200 l				1560 x 175 x 90 mm	1.1 kg	1	6.291-108.0	
Spray units									
Product description	Pressure	Filling volume	Material	Dispensing volume	Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
 Cleaning Agent Sprayer Lightweight and practical RM sprayer with robust plastic container and comfortable carrying strap for pouring cleaning agents and disinfectants.	3 bar	5 l	Plastic	0.46-1.22 l/min	520 x 200 x 200 mm	1.8 kg	1	6.394-255.0	
 EK 1 Cleaning Agent Sprayer Mobile and compact: low-pressure spray unit for effective dispensing of cleaning agent for wide area coverage. With integrated manual pump, ergonomic pump handle and level control.	0.5-6 bar	10 l	Stainless steel	0.78 l/min	640 x 285 x 270 mm	4.7 kg	1	6.394-628.0	
Telescopic spray lance Accessory for a long reach for use with EK 1 Cleaning Agent Sprayer. Extendable from 860 to 1520 mm including nozzle for precise application.					875 x 45 x 20 mm	0.37 kg	1	6.393-313.0	

VehiclePro: THE PERFECT COMBINATION OF OPTIMAL CLEANING, VALUE PRESERVATION AND ENVIRONMENTAL PROTECTION

Our cleaning agents are specially formulated for all water hardness levels and are suitable for Kärcher wash systems. Special content materials protect components in contact with water against corrosion. Kärcher ASF products are environmentally friendly due to their patented, easily separable formulas.

The composite image is divided into several sections:

- Top Left:** Two glass beakers. The left one contains a yellowish, opaque liquid, while the right one contains a clear, colorless liquid.
- Top Center:** A vertical flow diagram with four yellow boxes: 'RIM CLEANING', 'PRE-CLEANING', 'HIGH PRESSURE/FOAM WASH', and 'DRYING AID/CONSERVATION'.
- Top Right:** A circular green logo for 'WASCHCHEMIE VDA KONFORM' with 'KLASSE A' and 'PARAMETER STAND 2012' in the center, and 'VERBAND DER AUTOMOBILINDUSTRIE E.V.' around the bottom edge.
- Bottom Left:** A man in a green shirt using a high-pressure water spray gun to clean a car covered in white foam.
- Bottom Right:** A diagram showing three containers: a small 20-litre bottle, a medium 80-litre bottle, and a large 10,000-litre IBC. Arrows point from the small to the medium, and from the medium to the large. Below them are labels: '20 litres highly concentrated', '80 litres primary mixture 1+3', and '10,000 litres application solution (e.g. 0.8%)'.

1 Comprehensive vehicle cleaning

Our range of cleaning and care agents for washing vehicles offers products for all applications. From rim cleaning, prewash, high-pressure and foam wash to drying aids and conservation.

2 Highly concentrated power

We use high-quality raw materials for our cleaning agents - in extra-high concentrations. This allows these products to be used in very small dosages, which saves costs. 20 litres of high-pressure cleaning agent produces up to 10,000 litres of ready-to-use cleaning solution. High concentrates also save packaging material and conserve resources. We give you concentrated power and not packaged water.

3 Easily separable formulas (ASF)

Many Kärcher cleaning agents fulfil two tasks with special easily separable formulas (ASF). Firstly: the effective removal of grease and contamination containing mineral oil. Secondly: assurance of the reliability of the separator. Kärcher cleaning agents with ASF also ensure that surfactants quickly separate again from water and contamination containing grease/mineral oil - for more complete and faster separation in the oil separator.

4 Compliance with the highest industry standards










Many Kärcher cleaning agents for washing vehicles comply with the high standards of the German Association of the Automotive Industry (VDA). These VDA-compliant cleaning agents ensure gentle and thorough cleaning.

5 Care and protection without contact

Foam technology is a decisive factor in contactless vehicle washing. Here, Kärcher sets standards with products like Foam Cleaner RM 838 and Foam Polish Plus RM 837. Foam Cleaner RM 838 offers high cleaning performance and perfect, long-acting foam. Foam Polish Plus RM 837 with repair effect provides long-lasting protection.

Product	No.	Activity						Soiling		Application area						Properties			Page	
		Pre-cleaning	Rim cleaning	Cleaning	Foam cleaning	Care, protection	Drying	Oil, grease, soot, insect residues	Limescale, rust, cement, salt deposits	SB	2 pumps	3 pumps	> 4 pumps	2 pumps	3 pumps	Train	Washing Bay	ASF (easily separable in oil separators)		NTA-free
VehiclePro Prewash Classic	RM 803	■						■			■(1)	■					✓	✓		16
VehiclePro Truck Cleaner, acidic	RM 804	■		■				■						■(1)			✓	✓		16
VehiclePro Truck Cleaner, alkaline	RM 805	■		■				■						■(1)			✓	✓		16
VehiclePro Rim Cleaner, acidic	RM 800		■					■	■		■(1)	■	■(V)	■(V)			✓	✓		16
VehiclePro Rim Cleaner, alkaline, Classic	RM 801		■					■	■		■(1)	■	■(V)	■(V)				✓	B	16
VehiclePro Rim Foam	RM 802 ■		■					■	■		■(1)	■					✓	✓	A	16
VehiclePro Active Foam Wash Nano Classic	RM 816				■			■		■(1)	■(2)	■					✓	✓	B	16
VehiclePro High-Pressure Wash, NTA-free	RM 806	■		■				■	■					■(1)			✓	✓		16
VehiclePro High-Pressure Wash	RM 806	■		■				■	■					■(1)			✓	✓		16
VehiclePro Foam Cleaner	RM 838 ■				■			■	■		■(1)	■(2)	■					✓	A	17
VehiclePro Brush Shampoo Classic	RM 811				■			■	■		■(1)	■(2)	■	■(1)	■(2)	■	✓	✓	B	17
VehiclePro Active Foam Classic	RM 812				■			■	■		■(1)	■(2)	■				✓	✓	B	17
VehiclePro Gloss Dryer Nano Classic	RM 832					■					■(2)	■(3)	■					✓	A	17
VehiclePro Liquid Leather	RM 833					■	■							■(2)	■(3)	■		✓		17
VehiclePro Hot Wax Classic	RM 820					■	□		■				■					✓	A	17
VehiclePro Spray Wax Classic	RM 821					■	■		■					■(2)	■(3)			✓	A	17
VehiclePro Super Pearl Wax Classic	RM 824					■			■		■(2)	■(3)	■					✓	A	17
VehiclePro Drying Aid Classic	RM 829					■	■		■		■(2)	■(3)	■					✓	A	17
VehiclePro Kärcher Polish Plus	RM 831					■			■				■					✓	A	17
VehiclePro Foam Polish Plus	RM 837					■			■				■							18
VehiclePro Washing Bay and Tile Cleaner Classic	RM 841			■			□	■								■	✓	✓		18
VehiclePro Softening Salt	-								■	■	■	■	■	■	■	■				18
Rim Cleaner, alkaline	CP 901		■					■	□	■								✓	B	18
Intensive Dirt Remover	CP 930	■						■	■								✓	✓		18
High-Pressure Wash	CP 935			■				■	■								✓	✓		18
Active Foam	CP 940				■			■	■								✓	✓	B	18
Thermo Wax	CP 945					■	□		■									✓	A	18
Top Care	CP 950					■	■		■									✓	A	18

■ NEW ■ can be used □ can only be used to a limited extent
 () Pump / example: (2) indicates a possible product for 2nd pump
 (V) Prespray, i.e. no pump application










	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Prespray and rim cleaner									
	VehiclePro Prewash RM 803 Classic Active and gentle high-pressure pre-spraying agent. For trouble-free acceleration of the softening and removal of oil and grease deposits, as well as insect residues. NTA-free.	High-pressure cleaner	1+2	1.5-6%	alkaline	10 l	■ ▲	1 6.295-547.0	
		Vehicle washing plant		0.5-2%	pH: 13	20 l	■ ▲	1 6.295-548.0	
		Self-service washing stations	1+2	1.5-6%		200 l	■ ▲	1 6.295-549.0	
		Spray units		2%					
	VehiclePro Truck Cleaner, acidic RM 804 The acidic pre-spraying agent with corrosion inhibitor removes mineral soiling such as plaster, lime, mortar and concrete from construction site vehicles. Can also be used to clean stainless steel.	High-pressure cleaner		1-3%	acidic	20 l	■ ▲	1 6.295-595.0	
		Vehicle washing plant		1-3%	pH: 1	200 l	■ ▲	1 6.295-598.0	
		Spray units		1-3%					
	VehiclePro Truck Cleaner, alkaline RM 805, NTA-free The pre-spraying agent in commercial vehicle wash systems effectively supports the removal of the most stubborn contamination such as lubricants, soot, oil, tar, insects and grey film on all types of commercial vehicles. NTA-free.	Spray units		1-3%	alkaline	20 l	■	1 6.295-550.0	
		High-pressure cleaner		1-3%	pH: 12.8				
		Vehicle washing plant		1-3%					
	VehiclePro Rim Cleaner, acidic RM 800 Highly effective rim cleaner concentrate. Active foam enables the gentle removal of all normal rim contamination, like brake dust, tyre wear, winter salt residues, lime stains and salt deposits.	Spray units		10%	acidic	20 l	■ ▲	1 6.295-441.0	
		Self-service washing stations		10%	pH: 0.3	200 l	■ ▲	1 6.295-452.0	
		Vehicle washing plant		10%					
	VehiclePro Rim Cleaner, alkaline RM 801 Classic Special rim cleaner for all coated light metal and steel rims (excludes uncoated, high-gloss special rims). Gentle action, effectively removes the most stubborn rim contamination, e.g. road dust, baked-on brake dust, tyre wear and winter salt residues. Does not attack concrete floors or wheel arches. ²⁾	Spray units		10%	alkaline	20 l	■	1 6.295-323.0	
		Self-service washing stations		10-20%	pH: 13.5	200 l	■	1 6.295-401.0	
		Vehicle washing plant		10-20%					
	VehiclePro Rim Foam RM 802 High-foaming rim cleaner for aluminium and steel rims. Highly effective against stubborn dirt, gentle on materials and the environment.	Self-service washing stations		2-3%	alkaline	20 l	■	1 6.295-934.0	
		Vehicle washing plant		2-3%	pH: 13.1				
								NEW	
High-pressure and foam wash									
	VehiclePro Active Foam Wash Nano RM 816 Classic An active, wax-compatible brush shampoo for brush washes in automatic commercial vehicle wash systems. A special active ingredient combination improves brush sliding ability to protect the vehicle surface and prepare it optimally for treatment with RM 832 Gloss Dryer Nano. VDA-compliant. ²⁾	Vehicle washing plant		0.2%	slightly alkaline	20 l	■ ▲	1 6.295-440.0	
					pH: 8.7	200 l	■ ▲	1 6.295-322.0	
	VehiclePro High-Pressure Wash RM 806, NTA-free This cleaning concentrate has a broad dirt-dissolving range and removes the most stubborn road dirt, such as dust, oil, lubricating grease, insects, tree resin and mud. NTA-free.	High-pressure cleaner	1+3	0.8-2%	alkaline	20 l	■ ▲	1 6.295-553.0	
		Self-service washing stations	1+3	0.8-2%	pH: 13.3	200 l	■ ▲	1 6.295-554.0	
	VehiclePro High-Pressure Wash RM 806 This cleaning concentrate has a broad dirt-dissolving range and removes the most stubborn road dirt, such as dust, oil, lubricating grease, insects, tree resin and mud.	High-pressure cleaner	1+3	0.8-2%	alkaline	5 l	▲	1 6.295-504.0	
		Self-service washing stations	1+3	0.8-2%	pH: 13.5	20 l	▲	1 6.295-433.0	
						200 l	▲	1 6.295-134.0	

¹⁾ VDA-compliant Class A.

²⁾ VDA-compliant Class B.

■ Does not contain any nitrotriacetates (NTA).

▲ Easily separable in oil separator systems (ASF).

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
	VehiclePro Foam Polish RM 837 Clearly visible, long-lasting preservation with repair effect. Protects the surface from environmental influences. Increases shine. With lotus blossom extract.	Vehicle washing plant Self-service washing stations		20-40 ml/ vehicle 20-40 ml/ vehicle	slightly acidic pH: 4	20 l	■	1 6.295-779.0	
Other products									
	VehiclePro Washing Bay and Tile Cleaner RM 841 This acidic washing bay and tile cleaning concentrate quickly and efficiently removes lime, grease, wax, cleaning agent residue and traces of rust.	Deep cleaning Maintenance cleaning		20-50% 5-10%	acidic pH: 0.3	20 l	■ ▲	1 6.295-419.0	
	VehiclePro Softening Salt Specially formulated to soften water in soft water or osmosis water systems.	Vehicle washing plant				25 kg	■	1 6.287-016.0	
Coin-operated wash products									
	Rim Cleaner, alkaline CP 901 Special rim cleaner for coated light metal and steel rims (excludes uncoated, high-gloss special rims). Gentle action, effectively removes even the most stubborn contamination, e.g. baked-on brake dust, tyre wear and winter salt deposits. Overdosage can easily be avoided thanks to the colour of the cleaning agent. ²⁾	High-pressure cleaner Spray units Self-service washing stations		10-20% 10% 10-20%	alkaline pH: 13.5	20 l	■	1 6.295-676.0	
	Intensive Dirt Remover CP 930 Active pre-spraying agent, effortlessly removes the most stubborn grease and oil stains. It easily accelerates the softening and removal of insect residues.	High-pressure cleaner Spray units Self-service washing stations		0.5-2% 0.5-2% 0.5-2%	alkaline pH: 13	20 l 200 l	■ ▲	1 6.295-515.0 1 6.295-516.0	
	High-Pressure Wash CP 935 Highly effective cleaning concentrate with an apple scent for vehicle washes. Removes the most stubborn soiling such as dusts, oil, lubricants, insect residues, tree resin and mud.	High-pressure cleaner Self-service washing stations Spray units		0.3-2% 0.3-2% 0.3-2%	alkaline pH: 12.2	20 l 200 l	■ ▲	1 6.295-517.0 1 6.295-518.0	
	Active Foam CP 940 Slightly alkaline cleaning shampoo, produces a stable foam in clean park systems and in self-service washing stations. Active Foam CP 940 is gentle on the surfaces and can be easily rinsed away. It has a pleasant fresh lemon scent. VDA-compliant. ²⁾	High-pressure cleaner Vehicle washing plant Self-service washing stations High-pressure cleaner with foam nozzle		1.3-2% 1.3-2% 0.2% 1.3-2%	alkaline pH: 11.4	20 l 200 l	■ ▲	1 6.295-519.0 1 6.295-520.0	
	Thermo Wax CP 945 This thermo wax concentrate produces a water-repellent, durable preservative layer with a high-gloss effect. With a high natural carnauba wax content. VDA-compliant. ¹⁾	High-pressure cleaner Self-service washing stations		0.2-0.4% 0.2-0.4%	slightly acidic pH: 4.5	20 l 200 l	■	1 6.295-521.0 1 6.295-522.0	
	Top Care CP 950 Liquid spray wax for conservation and shiny finish care. Insensitive to water hardness, it generates a stable high-lustre film, allows water to be removed from large surfaces and dries without leaving streaks or spots. VDA-compliant. ¹⁾	Self-service washing stations High-pressure cleaner		0.02-0.05% 0.02-0.05%	slightly acidic pH: 3.5	20 l 200 l	■	1 6.295-523.0 1 6.295-524.0	

¹⁾ VDA-compliant Class A.

²⁾ VDA-compliant Class B.

■ Does not contain any nitritotriacetates (NTA).







▲ Easily separable in oil separator systems (ASF).

WaterPro: GETTING THE MOST OUT OF YOUR MACHINES AND SYSTEMS

Kärcher provides suitable treatment chemicals for trouble-free operation and excellent treatment results. Our products have been tried and tested over a number of years and are perfectly adapted to suit specific applications and systems.



PROFESSIONAL
CLEANING AGENTS

Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Water treatment								
 <p>WaterPro Separating Agent, powder RM 846 Reagent for the treatment of washing water containing mineral oil. Forms large, stable flakes that can be easily filtered away.</p>	Water treatment systems		0.1 %	slightly alkaline pH: 8.7	20 kg	■	1 6.295-164.0	
 <p>WaterPro Flocculating Agent RM 847 For the effective treatment of contaminated water from car and engine washes. Forms large and easily filtered flakes.</p>	Water treatment systems	1+9	0.07 %	neutral pH: 5.3	1 l	■	2 6.295-630.0	
 <p>WaterPro Disinfectant, odour removing RM 851 Reliably deactivates odour-causing bacteria and thus prevents unpleasant smells and formation of slime in the washing water circuit.</p>	Water treatment systems		0.002 %	slightly acidic pH: 3	20 l	■	1 6.295-450.0	
 <p>WaterPro Active Chlorine RM 852 Combats the decomposition process, unpleasant odours and slime formation in the washing water circuit. Prevents recontamination of treated drinking water. Use biocides safely. Always read the label and product information before use.</p>	Water treatment systems Drinking water treatment systems		0.002 % 0.0003 %	alkaline pH: 13.1	20 l	■	1 6.295-451.0	
 <p>WaterPro Hardness Stabiliser RM 5000 Prevents scaling on membranes for drinking water treatment and acts as a dispersing agent.</p>	Drinking water treatment systems		According to untreated water composition	slightly acidic pH: 4.5	1 l	■	1 6.295-229.0	23 kg ■ 1 6.290-991.0
 <p>WaterPro Flocculating Agent RM 5001 Highly effective product for cleaning raw water containing suspended matter in water treatment.</p>	Drinking water treatment systems		According to untreated water composition	acidic pH: 0	10 l	■	1 6.295-168.0	







■ Does not contain any nitritotriacetates (NTA).

TankPro: OUR MOST POWERFUL SOLUTION

Special regulations and requirements apply to professional tank and container cleaning. With the new Kärcher TankPro series, which is perfectly adapted to the machine technology, we offer an ideal solution for all cleaning requirements. Nothing is too much for us – with these TankPro products, we offer our customers a solution that is perfectly tailored to suit their individual requirements. All products are high concentrates and therefore particularly economical and efficient. We are fully aware of our responsibility towards people, machines and the environment and do not use any content materials that are harmful to the environment and to health, while maintaining the highest quality.



PROFESSIONAL
CLEANING AGENTS

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	Order No./ PU	Unit	Price
	TankPro Cleaner, acidic RM 870 TankPro Cleaner, acidic RM 870 for interior and exterior cleaning of tanks, silos and containers. Also gently removes heavy lime deposits, building material and food residues.	Tank and silo cleaning Tank and silo cleaning 	1+3	0.5-3%	acidic	20 l	■ 1	6.295-916.0	
			1+10	0.5-3%	pH: 0	200 l	■ 1	6.295-917.0	
						1000 l	■ 1	6.295-918.0	
	TankPro Cleaner, alkaline RM 875 TankPro Cleaner, alkaline RM 875 for thorough cleaning of heavy oil and grease contamination in, e.g. tanks, silos or containers. Foam-reduced, powerful and gentle cleaning action.	Tank and silo cleaning Tank and silo cleaning 	1+4	0.5-3%	alkaline	20 l	■ 1	6.295-919.0	
			1+10	0.5-3%	pH: 13.2	200 l	■ 1	6.295-920.0	
						1000 l	■ 1	6.295-921.0	
	TankPro Cleaner, Polymer RM 880 TankPro Cleaner, Polymer RM 880 for tank interior cleaning. This alkaline, foam-reduced and gentle cleaning concentrate is ideal for dirt such as flour, latex or rubber.	Tank and silo cleaning Tank and silo cleaning 	1+4	0.5-5%	alkaline	20 l	■ 1	6.295-922.0	
			1+10	0.5-5%	pH: 14	200 l	■ 1	6.295-923.0	
						1000 l	■ 1	6.295-924.0	







■ Does not contain any nitrilotriacetates (NTA).

PartsPro: SAFE AND EFFICIENT

In industrial production, millions of parts have to be cleaned each day in preparation for coatings or for assembly. The demands of cleaning power, surface protection and absence of residues are extremely high in this sector. Because of this, Kärcher has developed specific, highly effective cleaning agents which achieve impressive results when used with conventional parts cleaners as well as Kärcher Bio parts cleaners. As a result, Kärcher Bio parts cleaners PC Bio 10 and PC Bio 20 received the "Automechanika Award". All Kärcher parts cleaners are NTA and solvent-free (VOC-free).



PROFESSIONAL CLEANING AGENTS

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Parts cleaning									
	PartsPro Parts Cleaner PC Bio 10 Biologically active cleaning agent, water-based, pH-neutral, hypoallergenic and solvent-free. Particularly suitable for workshops and service companies that want to remove oil, grease and soot contamination from parts.	Bio parts cleaners		undiluted	neutral pH: 7	20 l	■	1 6.295-260.0	
	PartsPro Parts Cleaner PC Bio 20 Biologically active cleaning agent, water-based, pH-neutral, hypoallergenic and solvent-free. Ideal for cleaning sensitive metals, e.g. aluminium, silver, titanium, etc. to remove oil, grease and other dirt.	Bio parts cleaners		undiluted	slightly alkaline pH: 8.8	20 l	■	1 6.295-261.0	
	PartsPro Microbe Suspension Reactivates the biological breakdown process in biological parts cleaners. Increases microbe activity in parts cleaners that have been standing for some time and in cases where the cleaning agent is particularly dirty.	Bio parts cleaners		undiluted	neutral pH: 6	250 ml	■	24 6.295-262.0	
	PartsPro Parts Cleaner RM 39 Gentle cleaning and degreasing agent effectively removes oil, grease and soot stains from metal parts and provides temporary corrosion protection.	High-pressure cleaner Parts cleaner		2-5% 1-5%	slightly alkaline pH: 10.5	20 l 200 l	■	1 6.295-165.0 1 6.295-424.0	
	PartsPro Parts Cleaner Extra, powder RM 63 Removes even the most stubborn stains such as oils, greases, drawing lubricants, soot, etc. For cleaning parts that are not sensitive to alkali, such as engines, gearboxes, small hardware, castings, etc.	Parts cleaner		5%	alkaline pH: 13.2	20 kg	■ ▲	1 6.295-255.0	
	Hand Cleaning Paste RM 200 Rich, gentle hand cleanser based on wood flour. For stubborn oil, grease, pigment and paint stains.	Manual		undiluted	neutral pH: 6.4	800 ml 10 l	■	12 6.295-631.0 1 6.291-030.0	

■ Does not contain any nitrilotriacetates (NTA).

▲ Easily separable in oil separator systems (ASF).

FloorPro: POWERFUL AND HIGH PERFORMANCE

Kärcher FloorPro cleaning agents are highly effective and excellent cleaning results are achieved in the shortest time with less effort. In the Kärcher cleaning system, machines, accessories and cleaning agents are perfectly matched. This makes work easier, faster and more convenient. At the same time, optimal protection of the cleaning machines and surfaces to be cleaned are added benefits.



1



2



3



4

1 Machine compatibility

The content materials in Kärcher cleaning and care agents are specially formulated for the materials of the cleaning machines. In extreme material tests and long-term trials during the development of cleaning agents and machines, we ensure that e.g. seals, rollers and brush material are not attacked. For you, this means: machines and cleaning agents in the Kärcher system are the safest and most efficient solution in the long term.

2 Limescale and corrosion protection

We want you to benefit from your Kärcher cleaning machines for as long as possible. For this reason, all Kärcher cleaning agents contain protecting and preserving active ingredients, which protect the machine from calcification and rust. Special limescale inhibiting components also prevent the formation of lime films and lime soap stains. Lime soap stains are caused by hard water and block hoses or lead to sticky deposits on the floor.

3 Easy and efficient application

Highly developed Kärcher cleaning agents for scrubber driers combine high cleaning performance with low foam formation in the water tank. Exemplary low foam formulas allow easy and efficient processing. The entire dirty water tank volume can be used and the intervals between emptying are longer.












4 Reliable and precise dosing

Dose, the integrated cleaning agent dosing unit from Kärcher, not only enables reliable and precise dosing, but also quick and easy opening and closing as well as cleaning agent dosing control from 2.5 l and 10 l Kärcher containers. No more inconvenient manual dosing. No overdosing. Changing between different cleaning agents can take place quickly without wasting unused cleaning agent. This saves costs. At the same time, the machine tank stays clean and free from microbial load as a result of cleaning agent residue.



















Product	No.	Activity							Soiling							Application area							Properties					Page	
		Stain removal	Maintenance cleaning	Intermediate cleaning	Deep cleaning	Disinfection	Maintenance care	Intermediate care	Care, protection	Oil, grease, soot, wax, protein, road dirt	Rubber wear, heel marks and footprints	Limescale, rust, urine scale, cement	Ink, biro/feit tip pen, adhesives	Foam reduction	Bacteria, fungi, viruses	Care/protective film (polymer and wax coatings)	PVC, PUR, PE, PU, epoxy resin	Linoleum	Rubber	Concrete, screed	Fine stone, unglazed	Ceramic, tiles, granite, porphyry	Marble, terrazzo	Surfactant-free	High wetting ability (special surfactant mixture)	Very low foaming	Highly streak-free / shine-enhancing		Anti-slip DIN 5113.1, DIN EN 13893, sports halls DIN EN 14904
FloorPro Tyre and Abrasion Marks Remover, NTA-free	RM 776	■							■						■				■	■	■								24
Universal Stain Remover	RM 769	■										■			■	■	■	■	■	■	■	■							24
FloorPro Multi Cleaner	RM 756	■	■						■						■	■	■	■	■	■	■	■		✓	✓				24
FloorPro All-purpose Cleaner Tefral	-	■	■						■						■	■	■	■	■	■	■	■		✓	✓				24
Floor Cleaner	CA 50 C	■	■						■						■	■	■	■	■	■	■	■							24
FloorPro Deep Cleaner Solisal	-	■	■						■						■	■	■	■	■	■	■	■							24
FloorPro Universal Cleaner	RM 743	■	■						■						□	□	□	□	□	□	□	□		✓		✓			24
FloorPro Shine Cleaner	RM 730	■	■						■						■	■	■	■	■	■	■	■			✓	✓			24
FloorPro Fine Stoneware Cleaner	RM 753	■	■						■						□	□	□	□	■	□	□	□		✓	✓	✓			24
FloorPro Floor Cleaner RAT Classic	-	■	■		■				■						■				■	□	■	■			✓	✓			24
Universal Cleaner RUH Classic	-	■	■						■						■	■	■	■	■	■	■	■							24
FloorPro Wipe Care Extra	RM 780	■	■				■		■						■	■	■	■	■	■	■	■				✓		✓	25
FloorPro Wipe Care Solinet	-	■	■				■		■						■	■	■	■	■	■	■	■				✓		✓	25
FloorPro Wipe Care	RM 746	■	■				■		■						■	■	■	□	□	□	□	□							25
FloorPro Care Dispersion	RM 784						■	■	■						■	■	□										✓		25, 26
FloorPro Spray Cleaner	RM 748			■				■	■						■	■	■	■											25
FloorPro Spray Cleaner Unispray	-			■				■	■						■	■	■												25
FloorPro Deep Cleaner	RM 69	□		■					■						■				■	□	■	■							25
FloorPro Deep Cleaner eco!efficiency	RM 69	□		■					■						■				■	□	■	■							25
FloorPro Industrial Cleaner RIR Classic	-	□	■	■					■																				25
FloorPro Shine Cleaner, low foam	RM 755	■	■						■						■				■	□	■	■			✓	✓			25
FloorPro Intensive Deep Cleaner Extra	RM 752			■					■						□	■			■	■	■	■							26
FloorPro Allround Deep Cleaner	RM 754	□		■					■						■	■	□	■	□	■	■	■							26
Intensive Deep Cleaner, NTA-free	RM 750			■					■						■				■	■	■	■							26
FloorPro Deep Cleaner, acidic	RM 751	□		■					■		■				□					■	■	■							26
FloorPro Escalator Cleaner, neutral	RM 758	□		■					■																				26
CarpetPro Foam Blocker	RM 761	■	■									■																	26
Disinfectant Cleaner	RM 732	■		■					■					■	■	■	■	■	■	■	■	■							26
Disinfectant	RM 735			■										■	■	■	■	■	■	■	■	■							26
FloorPro Protect Dispersion Extra	RM 782							■							■	■	□									✓		PVC	26
FloorPro Crystallising Agent	RM 749								■																				26
FloorPro High Gloss Crystallising Agent, powder	RM 775							■																					27

■ NEW ■ can be used □ can only be used to a limited extent












PROFESSIONAL CLEANING AGENTS

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Stain removal									
	FloorPro Tyre and Abrasion Marks Remover RM 776, NTA-free Highly active special cleaner for removing rubber abrasion marks and marks caused by forklift trucks. Also effectively removes stubborn oil and soot contamination, as well as polymer and wax coatings. Adhesive tape residue is efficiently removed.	Deep cleaning		undiluted	alkaline pH: 13.3	10 l	■	1	6.295-545.0
						20 l	■	1	6.295-546.0
						200 l	■	1	6.295-572.0
	Universal Stain Remover RM 769 Universal Stain Remover RM 769 for all textile coverings, upholstery and hard surfaces - removes oil, tar, shoe polish, adhesive, etc., from solvent-resistant surfaces.	Manual		undiluted		500 ml	■	6	6.295-490.0
Maintenance cleaning									
	FloorPro Multi Cleaner RM 756 High wetting ability, universal and extremely economical: the everyday cleaner FloorPro Multi Cleaner RM 756 for the machine and manual cleaning of all types of floors and surfaces.	Manual - Maintenance cleaning Scrubber driers - Maintenance cleaning		0.25-1%	slightly alkaline pH: 9	1 l	■ ▲	12	6.295-913.0
				0.25-1%		2.5 l	■ ▲	4	6.295-915.0
						10 l	■ ▲	1	6.295-914.0
	FloorPro All-purpose Cleaner Tefral Surfactant-free, odourless everyday cleaner suitable for machines.	Maintenance cleaning		1-2%	neutral pH: 7	10 l	■ ▲	1	3.334-028.0
	CA 50 C Floor Cleaner Floor cleaner for manual cleaning of all hard and resilient floors - with gentle cleaning action. Also suitable for shiny surfaces and furnishings.	Maintenance cleaning		0.3-1%	neutral pH: 7.4	1 l	■	12	6.295-683.0
						5 l	■	2	6.295-684.0
	FloorPro Deep Cleaner Solisal Neutral all-purpose cleaner, very rich, hypoallergenic, material-friendly, subtle citrus scent.	Maintenance cleaning Intermediate cleaning		0.5-1% 2-5%	neutral pH: 6.4	1 l	■	12	3.334-023.0
						10 l	■	1	3.334-022.0
	FloorPro Universal Cleaner RM 743 All-purpose floor cleaner for cleaning both resilient floors and also hard surfaces. Suitable for streak-free cleaning of linoleum and fine stoneware tiles. Very low-foam. Free from surfactants and readily separating.	Maintenance cleaning Manual		0.5-2% 0.5-2%	slightly alkaline pH: 10.5	1 l	■ ▲	12	6.295-293.0
	FloorPro Shine Cleaner RM 730 Low-foam floor shine cleaner for all high-gloss, hard and resilient floors. Especially suitable for cleaning high-gloss stone floors. RM 730 ASF dries streak-free.	Scrubber driers - Deep cleaning Scrubber driers - Maintenance cleaning Manual		10-25% 1-3% 1%	slightly alkaline pH: 10.8	1 l	■ ▲	6	6.295-491.0
	FloorPro Fine Stoneware Cleaner RM 753 Special cleaner for all fine stoneware tiles. Reliably dissolves oil, grease and mineral contamination. Does not impair anti-slip properties of fine stoneware tiles. Free from surfactants and readily separating.	Deep cleaning Maintenance cleaning Manual		5-20% 3-5% 3%	slightly alkaline pH: 10.5	2.5 l	■ ▲	4	6.295-587.0
						10 l	■ ▲	1	6.295-082.0
	FloorPro Floor Cleaner RAT Classic Mild machine cleaner for daily use, with active cleaning power and fresh fragrance for all hard floor coverings, coated and uncoated.	Maintenance cleaning Deep cleaning		1-2% 5-10%	slightly alkaline pH: 8.7	10 l	■ ▲	1	3.334-102.0
	Universal Cleaner RUH Classic Mild universal cleaner with pleasant lotus fragrance for all washable floor coverings, surfaces and furnishings, exceptional cleaning performance in manual and mechanical cleaning (SSM-compatible).	Maintenance cleaning		0.2-1%	neutral pH: 8	1 l	■ ▲	6	3.334-089.0
						10 l	■ ▲	1	3.334-087.0


■ Does not contain any nitrilotriacetates (NTA).
▲ Easily separable in oil separator systems (ASF).

Product description	Application	Primary mixture		Properties	Packaging size	PU	Order No./ Unit	Price
		Dosage						
Maintenance cleaning and care								
 <p>FloorPro Wipe Care Extra RM 780 Powerful cleaning and care agent for maintenance cleaning of all water-resistant hard and resilient floors and coverings. Specially suited for gyms and multi-purpose halls, as expert report in accordance with DIN V 18032-2:2001-04 concerning anti-slip properties is available. Wipe Care Extra RM 780 dries streak-free.</p>	Maintenance cleaning Manual	0.5-2% 1-3%	slightly alkaline pH: 9	2.5 l	■	4	6.295-580.0	
				10 l	■	1	6.294-997.0	
				20 l	■	1	6.295-468.0	
 <p>FloorPro Wipe Care Solinet Mildly scented, non-coating wiper care agent, quick-drying and leaves a streak-free film without affecting the surface of the floor covering.</p>	Intermediate cleaning Maintenance cleaning	2-3% 0.5-1%	neutral pH: 7	1 l	■	12	3.334-055.0	
				10 l	■	1	3.334-054.0	
 <p>FloorPro Wipe Care RM 746 Active neutral soap cleaner. Produces an anti-slip and dirt-repellent care film. Polishes very easily. Produces a gleaming high-gloss finish.</p>	Maintenance cleaning Manual	1-3% 1-3%	slightly alkaline pH: 9.2	10 l	■	1	6.295-156.0	
				200 l	■	1	6.295-465.0	
 <p>FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Produces an anti-slip, dirt-repellent and abrasion-resistant care film. High covering power.</p>	Coating Spray cleaner Wipe restoration Wipe care	undiluted 20-30% 30-50% 1-3%	neutral pH: 7.6	5 l	■	2	6.295-817.0	
								
Intermediate cleaning and care (e.g. spray cleaners, wipe restoration)								
 <p>FloorPro Spray Cleaner RM 748 Wax-based slip-resistant spray emulsion for all coated hard surfaces. Repairs and restores coated floors. Removes heel marks and footprints, while applying an anti-slip finish.</p>	Cleaners	undiluted	slightly alkaline pH: 8.5	10 l	■	1	6.295-162.0	
								
 <p>FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Produces an anti-slip, dirt-repellent and abrasion-resistant care film. High covering power.</p>	Coating Spray cleaner Wipe restoration Wipe care	undiluted 20-30% 30-50% 1-3%	neutral pH: 7.6	5 l	■	2	6.295-817.0	
								
 <p>FloorPro Spray Cleaner Unispray Ready-to-use, solvent-free spray cleaner containing surfactants for cleaning treated and untreated floor coverings.</p>	Cleaners	undiluted	neutral pH: 6.8	10 l	■	1	3.334-059.0	
								
Intermediate cleaning								
 <p>FloorPro Deep Cleaner RM 69 Powerful cleaning agent, effortlessly removes stubborn oil, grease, soot and mineral contamination from floors and industrial floors.</p>	Deep cleaning Maintenance cleaning Manual	10-25% 0.5-1% 0.5-1%	alkaline pH: 12.1	2.5 l	■ ▲	4	6.295-582.0	
				10 l	■ ▲	1	6.295-120.0	
				20 l	■ ▲	1	6.295-415.0	
				200 l	■ ▲	1	6.295-416.0	
				1000 l	■ ▲	1	6.295-123.0	
 <p>FloorPro Deep Cleaner RM 69 ecoefficiency Powerful cleaning agent, effortlessly removes stubborn oil, grease, soot and mineral contamination from floors and industrial floors. Very rich, efficient and environmentally friendly thanks to the ecoefficiency formula.</p>	Deep cleaning Scrubber driers - deep cleaning (ecoefficiency) Maintenance cleaning Scrubber driers - Maintenance cleaning Manual	10-25% 7-20% 0.5-1% 0.05-3.5% 0.5-1%	alkaline pH: 12.2	2.5 l	■ ▲	4	6.295-650.0	
				10 l	■ ▲	1	6.295-651.0	
				20 l	■ ▲	1	6.295-652.0	
				200 l	■ ▲	1	6.295-653.0	
								
 <p>FloorPro Industrial Cleaner RIR Classic Powerful industrial and machine cleaner with active cleaning power for all alkali-resistant surfaces and hard floor coverings.</p>	Deep cleaning Intermediate cleaning Maintenance cleaning	5-10% 1-2% 1%	alkaline pH: 11.2	10 l	■ ▲	1	3.334-103.0	
								
								
 <p>FloorPro Shine Cleaner RM 755 Citrus-fresh low-foam floor shine cleaner for all hard floors. RM 755 dries completely streak-free. Ideal for high-gloss stone floors.</p>	Deep cleaning Maintenance cleaning Manual	10-25% 1-3% 1%	alkaline pH: 12	2.5 l	■ ▲	4	6.295-846.0	
				10 l	■ ▲	1	6.295-174.0	
				20 l	■ ▲	1	6.295-409.0	
				200 l	■ ▲	1	6.295-176.0	
				1000 l	■ ▲	1	6.295-177.0	



■ Does not contain any nitrilotriacetates (NTA).
▲ Easily separable in oil separator systems (ASF).






	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price	
Deep cleaning										
	FloorPro Intensive Deep Cleaner Extra RM 752 Extra powerful deep cleaner for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease and mineral contamination.	Deep cleaning (care film)		20-50%	alkaline	10 l	■ ▲ 1	6.295-813.0		
		Deep cleaning (dirt)		5-20%	pH: 13.2	200 l	■ ▲ 1	6.295-814.0		
							1000 l	■ ▲ 1	6.295-815.0	
	FloorPro Allround Deep Cleaner RM 754 Highly efficient deep cleaner for easy removal of wax and polymer coatings on water-resistant and alkali-sensitive floors. No time-consuming rinsing required.	Deep cleaning (care film)		15-50%	slightly alkaline	10 l	■ ▲ 1	6.295-811.0		
		Deep cleaning (dirt)		10-20%	pH: 10.5	200 l	■ ▲ 1	6.295-812.0		
		Maintenance cleaning		1-3%						
	Intensive Deep Cleaner RM 750 Powerful deep cleaner effectively removes the most stubborn stains, such as oil, grease, soot, blood and proteins. Low foam production. Particularly suited for floor cleaning by machine and for processing with hard surface cleaners.	High-pressure cleaner	1+3	1-5%	alkaline	10 l	■ ▲ 1	6.295-539.0		
		Scrubber driers				pH: 13.7	200 l	■ ▲ 1	6.295-540.0	
		- Decoating			10-50%					
		Scrubber driers			5-50%					
	FloorPro Deep Cleaner, acidic RM 751 Acidic deep cleaner for floor cleaners. Effectively removes cement film, deposits and residue, e.g. limescale, rust, beer or milk residues. Ideal for final cleaning on building sites.	Deep cleaning		5-25%	acidic	2.5 l	■ 4	6.295-586.0		
		Maintenance cleaning		1-5%	pH: 0.7	10 l	■ 1	6.295-129.0		
		Manual		0.5-1%		200 l	■ 1	6.295-130.0		
	FloorPro Escalator Cleaner, neutral RM 758 Intensive hard floor cleaner for escalators and travelators additionally protects the machine and escalator equipment from corrosion. Removes oil, grease and mineral contamination. For escalators manufactured by KONE, Otis, Fujitel, Schindler, Mitsubishi, CNIM, DONG, YANG, HITACHI and TOSHIBA, among others.	Escalator cleaning		10-40%	neutral	20 l	■ ▲ 1	6.295-408.0		
					pH: 6.7					
In addition to deep cleaning										
	CarpetPro Foam Blocker RM 761 The CarpetPro Foam Blocker RM 761 reduces foaming in dirty water tanks and increases the machine's duration of use. Compatible with all machines.	Wet and dry vacuum cleaners		0.5%		2.5 l	■ 1	6.291-389.0		
		Spray extraction machines		0.5%						
		Carpet cleaners		0.5%						
		Floor cleaning machines		0.5%						
		Parts cleaner		0.5%						
Disinfection										
	Disinfectant Cleaner RM 732 Disinfectant cleaning agent. With bactericidal, fungicidal and limited virucidal properties. Offers very good cleaning power. DVG-listed. Use biocides safely. Always read the label and product information before use.	High-pressure cleaner		1-3%	slightly alkaline	5 l		6.295-596.0		
		Maintenance cleaning		1-3%	pH: 9.9	200 l		6.295-417.0		
		Spray units		1-3%						
		Manual		1-3%						
	Disinfectant RM 735 Effective, neutral disinfectant. With bactericidal, fungicidal and limited virucidal properties (e.g. hepatitis B), VAH/DGHM and DVG-listed. Use biocides safely. Always read the label and product information before use.	High-pressure cleaner		0.75-2%	neutral	2.5 l	■ 4	6.295-585.0		
		Spray units		0.75-2%	pH: 7.6	5 l	■ 1	6.295-597.0		
		Manual		0.75-2%						
Care and protection										
	FloorPro Protect Dispersion Extra RM 782 Extra robust polymer coating for water-resistant floors. Excellent covering power, adhesion, slip resistance and abrasion resistance. Increased resistance to alcohol and disinfectant.	Coating		undiluted	slightly alkaline	5 l	■ 2	6.295-816.0		
					pH: 8.6					
	FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Produces an anti-slip, dirt-repellent and abrasion-resistant care film. High covering power.	Coating		undiluted	neutral	5 l	■ 2	6.295-817.0		
		Spray cleaner		20-30%	pH: 7.6					
		Wipe restoration		30-50%						
		Wipe care		1-3%						
	FloorPro Crystallising Agent RM 749 Crystallising liquid for treating and hardening calcareous floors such as marble, terrazzo and cast stone. The crystallised floor is then harder and more wear-resistant.	Crystallising		undiluted	acidic	10 l	■ 1	6.295-284.0		
					pH: 0.8					




■ Does not contain any nitrilotriacetates (NTA).
▲ Easily separable in oil separator systems (ASF).

Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
 FloorPro High Gloss Crystallising Agent, powder RM 775 Crystallising powder for treating and hardening marble and terrazzo floors. After crystallisation, the floor has an attractive high gloss and is harder and more resistant to wear.	Crystallising		undiluted	acidic pH: 1.4	5 kg	1	6.295-117.0	

- Does not contain any nitrilotriacetates (NTA).
- ▲ Easily separable in oil separator systems (ASF).

Product description	Pressure	Dosing range	Dispensing volume	Extendable	Dimensions (L × W × H)	Weight	PU	Order No./ Unit	Price
Dosing aids									
 DS 2 Dosing Unit DVGW-certified dosing unit for filling floor cleaning machines and buckets and for preparation of HD/HDS primary mixtures. Includes backflow preventer according to DIN EN 1717.	1.7-3.5 bar	0.3-25%	14 l/min	■	355 × 300 × 210 mm	1.86 kg	1	6.394-653.0	
 DS 3 Cleaning Agent Dosing Station After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Also in conjunction with ABS filling system. Includes backflow preventer (DIN EN 1717).	2-6 bar	0.2-13.5%	15 l/min	■	390 × 390 × 150 mm	3.85 kg	1	2.641-811.0	

Product description	Suitable for bulk size	Dimensions (L × W × H)	Weight	PU	Order No./ Unit	Price
Dispensing aids						
 Container valve, 5 l Practical aid for efficient filling and dosing of cleaning agents from containers.	5 l	85 × 48 × 40 mm	0.02 kg	1	6.394-819.0	
 Container valve, 10 l Practical aid for efficient filling and dosing of cleaning agents from containers.	10 l	60 × 90 × 70 mm	0.04 kg	1	6.394-758.0	
 Container valve, 20 l Practical aid for efficient filling and dosing of cleaning agents from containers.	20 l	75 × 110 × 60 mm	0.04 kg	1	6.394-759.0	
 Drum tap, 200 l For dispensing cleaning agents from drums.	200 l	150 × 100 × 65 mm	0.08 kg	1	6.412-438.0	
 Barrel pump, 200 l Practical pump for dosing and efficient dispensing of cleaning agents from drums. Accurate and easy to use.	200 l	1560 × 175 × 90 mm	1.1 kg	1	6.291-108.0	


Product description	Pressure	Filling volume	Material	Dispensing volume	Dimensions (L × W × H)	Weight	PU	Order No./ Unit	Price
Spray units									
 Cleaning Agent Sprayer Lightweight and practical RM sprayer with robust plastic container and comfortable carrying strap for pouring cleaning agents and disinfectants.	3 bar	5 l	Plastic	0.46-1.22 l/min	520 × 200 × 200 mm	1.8 kg	1	6.394-255.0	
 EK 1 Cleaning Agent Sprayer Mobile and compact: low-pressure spray unit for effective dispensing of cleaning agent for wide area coverage. With integrated manual pump, ergonomic pump handle and level control.	0.5-6 bar	10 l	Stainless steel	0.78 l/min	640 × 285 × 270 mm	4.7 kg	1	6.394-628.0	
Telescopic spray lance Accessory for a long reach for use with EK 1 Cleaning Agent Sprayer. Extendable from 860 to 1520 mm including nozzle for precise application.					875 × 45 × 20 mm	0.37 kg	1	6.393-313.0	
 Pump spray bottle 1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.		1 l	Plastic	0.22-0.38 l/min	195 × 140 × 310 mm	0.56 kg	1	6.394-409.0	

POWERFUL, ERGONOMIC, ECO-FRIENDLY

All Kärcher products for manual cleaning are specially designed for the requirements of cleaning service providers. They quickly and reliably remove all typical contaminations without adversely affecting surfaces. Cleaning performance alone no longer meets the professional demands of cleaning service providers and facility management. The cleaning agents of choice have to offer much more: a pleasant scent, modern environmental sustainability, reliable dosing of concentrates and good handling, i.e. ergonomic bottles.



1



2



3

1 A clear product line

Our innovative and comprehensive product range for manual cleaning covers all areas from sanitary facilities, surfaces and glass to floors. Colour coding and language-neutral labels clearly indicate the right application.

2 Sustainability

Kärcher is a member of the sustainability initiative, the Association for Soaps, Detergents and Maintenance Products in Europe (AISE). All manual cleaning agents from Kärcher carry the EU Ecolabel – the EuroBlume (EcoFlower) – and the Austrian Ecolabel. Our advanced formulas improve the effectiveness and are also eco-friendly – from production to waste water treatment. Concentrates reduce packaging. And the spray heads are reusable.

3 Easy-to-clean effect

The water repellent effect on fittings and surfaces prevents dirt adhesion and lime stains and makes subsequent cleaning easy.

4 Newest technologies


Kärcher sets standards: with sanitary cleaners containing innovative acids that are both powerful and safe and clean glass streak-free.











5 Good and safe handling

The optimised shape and function of spray heads and bottles are exemplary in terms of user-friendliness and ergonomics. The 0.5-litre spray bottles are easy to handle even during long periods of use, and the spray heads fit comfortably in the hand and can be operated with up to three fingers. The variable foam nozzle prevents aerosol formation and increases work safety.













PROFESSIONAL
CLEANING AGENTS









	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Washroom - Maintenance cleaning									
	SanitPro Maintenance Cleaner Allsan Pleasant-smelling sanitary/ all-purpose cleaner, hypoallergenic and non-corrosive.	Maintenance cleaning Intermediate cleaning		1-2% 4-5%	slightly acidic pH: 4.5	1 l 10 l	■ ■	12 3.334-047.0 1 3.334-046.0	
									NEW
	Perfumed Cleaner Citral Neutral scented cleaner, leaves a long-lasting fresh scent, hypo- allergenic and non-corrosive.	Maintenance cleaning Intermediate cleaning		0.5-1% 1-2%	slightly alkaline pH: 8.7	1 l 10 l	■ ■	12 3.334-032.0 1 3.334-031.0	
									NEW
	CA 20 C Sanitary Everyday Cleaner Eco-friendly everyday sanitary cleaner with gentle cleaning action. Ideal for everyday cleaning of sanitary facilities.	Maintenance cleaning		1-8%	slightly acidic pH: 2.1	1 l 5 l	■ ■	12 6.295-679.0 2 6.295-680.0	
	CA 20 R Sanitary Everyday Cleaner, ready-to-use Ready-to-use sanitary everyday cleaner. Gentle cleaning action, environmentally friendly. Pack of 12 bottles incl. 2 spray heads. One spray head is sufficient for up to 40 applications.	Maintenance cleaning		undiluted	slightly acidic pH: 2.1	0.5 l	■	12 6.295-685.0	
	SanitPro Scented Cleaner RSD Classic Mildly acidic sanitary cleaning agent with fresh scent for daily cleaning of all acid-resistant surfaces and facilities in swimming pools, toilets and sanitary facilities; removes limescale, dirt and grease residue - not suitable for calcar- eous floor coverings such as marble, terrazzo, travertine and Solnhofen.	Maintenance cleaning		undiluted - 1%	acidic pH: 1.2	1 l 10 l	■ ■	6 3.334-095.0 1 3.334-093.0	
									NEW
	SanitPro WC Cleaner Tolisan Ready-to-use, gel-forming cleaning agent for removing limescale and urine scale deposits in toilets and urinals.	Maintenance cleaning		undiluted	acidic pH: 0.8	750 ml 10 l	■ ■	15 3.334-043.0 1 3.334-041.0	
									NEW
	CA 10 C Sanitary Deep Cleaner Active, viscous deep cleaning concen- trate with fresh fragrance for manual cleaning of soiled sanitary surfaces. Developed with a special gel formula for better adherence to vertical surfac- es, for example in toilets and urinals.	Deep cleaning		10-100%	slightly acidic pH: 2.1	1 l 5 l	■ ■	12 6.295-677.0 2 6.295-678.0	
Washroom - Intermediate cleaning									
	SanitPro Deep Cleaner Unisan Plus Strong acidic sanitary deep cleaner, does not contain any hydrochloric acid.	Maintenance cleaning Deep cleaning		1-5% 5-20%	acidic pH: 0.7	1 l 10 l	■ ■	12 3.334-045.0 1 3.334-044.0	
									NEW
	SanitPro Deodoriser Urisan For daily cleaning of sanitary facilities; also suitable for eliminating urine smells in passageways or underpasses - pro- vides lasting protection against urine smells by the microbiological decom- position of unpleasant odorous sub- stances.	Deep cleaning Maintenance cleaning		3% 0.8-1.5%	slightly alkaline pH: 8.7	1 l	■	12 3.334-010.0	
									NEW
	FloorPro Deep Cleaner, acidic RM 751 Acidic deep cleaner for floor cleaners. Effectively removes cement film, depos- its and residue, e.g. limescale, rust, beer or milk residues. Ideal for final cleaning on building sites.	Deep cleaning Maintenance cleaning Manual		5-25% 1-5% 0.5-1%	acidic pH: 0.7	2.5 l 10 l 200 l	■ ■ ■	4 6.295-586.0 1 6.295-129.0 1 6.295-130.0	


■ Does not contain any nitrilotriacetates (NTA).




Product description	Application	Primary mixture	Dosage	Properties	Packaging size		Order No./		Price	
					PU	Unit	Unit	Unit		
 SanitPro Deep Cleaner RSA Classic Sanitary cleaning agent with fresh scent for basic and intensive cleaning of all acid-resistant surfaces and facilities in swimming pools, toilets and sanitary facilities; removes stubborn limescale, dirt and grease residue - not suitable for calcareous floor coverings like marble, terrazzo, travertine and Solnhofen.	Maintenance cleaning		0.5-1%	acidic pH: 0.2	1 l	■	6	3.334-099.0		
					10 l	■	1	3.334-097.0		
					NEW					
 Uripur Toilet Rim Blocks Citrus Eliminates unpleasant odours and prevents limescale and urine scale deposits, deodorising and hygienically fresh, does not contain para-dichlorobenzene and phosphates, biodegradable surfactant-based.					1 kg		10	3.336-227.0		
										NEW
Surface - Maintenance cleaning										
 SurfacePro Alcohol-based Cleaner Alca Multi-purpose cleaner, high-foaming, slightly scented, cleaning alcohol and surfactant-based, dries quickly and streak-free, for gentle and efficient cleaning of all water-resistant surfaces.	Maintenance cleaning		1-2%	neutral pH: 8	1 l	■	12	3.334-034.0		
					10 l	■	1	3.334-033.0		
					NEW					
 SurfacePro Maintenance Cleaner, odourless Allflex Universal cleaner which contains no solvents or corrosive substances, especially for the food industry.	Intermediate cleaning		2-4%	slightly alkaline	1 l	■	12	3.334-025.0		
	Maintenance cleaning		0.5-1%	pH: 9.8	10 l	■	1	3.334-024.0		
					NEW					
 Perfumed Cleaner Fleural Neutral scented cleaner, leaves a long-lasting fresh scent, hypo-allergenic and non-corrosive.	Maintenance cleaning		0.5-1%	slightly alkaline	1 l	■	12	3.334-030.0		
	Intermediate cleaning		1-2%	pH: 9.3	10 l	■	1	3.334-029.0		
					NEW					
 CA 30 C Surface Cleaner Universal surface cleaning concentrate for floors and indoor use. Dries quickly and streak-free.	Maintenance cleaning		1%	neutral pH: 7.4	1 l	■	12	6.295-681.0		
					5 l	■	2	6.295-682.0		
CA 30 R Surface Cleaner, ready-to-use										
 Ready-to-use surface cleaner for manual application. Dries quickly and streak-free. Pack of 12 bottles incl. 2 spray heads. Up to 40 applications per spray head.	Maintenance cleaning		undiluted	slightly alkaline pH: 8.6	0.5 l	■	12	6.295-686.0		
						NEW				
 SurfacePro All-purpose Cleaner RAG Classic Mild multi-purpose cleaner with active fresh fragrance for all washable floor coverings, surfaces and furnishings in daily facility and office cleaning.	Maintenance cleaning		0.5-1%	neutral pH: 7	1 l	■	6	3.334-085.0		
					10 l	■	1	3.334-083.0		
					NEW					
 Universal Cleaner, surfactant-free RM 770 Powerful surfactant-free universal cleaner for all textiles, resilient and hard floor coverings, as well as ceilings and walls. Removes stubborn oil, grease and nicotine stains. Offers lasting protection against dirt and stains, cleaning intervals are extended.	Spray units		5-50%	slightly alkaline	1 l	■	6	6.295-489.0		
	Manual		5-50%	pH: 8.6						
	Spray extraction machines		12.5%							
	1-disc machines		5-12%							
Surface - Intermediate cleaning										
 SurfacePro Cleaner, alkaline Induflex Powerful, gently foaming and non-scented floor cleaner, combats stubborn greasy dirt, organic origin.	Deep cleaning		10-20%	alkaline	10 l	■ ▲	1	3.334-021.0		
	Intermediate cleaning		2-5%	pH: 13.3						
					NEW					





■ Does not contain any nitrotriacetates (NTA).

	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
	SurfacePro Scouring Agent Inoxal Ready-to-use, slightly scented scouring agent, does not scratch, non-corrosive.	Maintenance cleaning		undiluted	neutral pH: 7	500 ml ■ 10 l ■	12 1	3.334-040.0 3.334-039.0	
									NEW
	Universal Stain Remover RM 769 Universal Stain Remover RM 769 for all textile coverings, upholstery and hard surfaces - removes oil, tar, shoe polish, adhesive, etc., from solvent-resistant surfaces.	Manual		undiluted		500 ml ■	6	6.295-490.0	
Glass - Maintenance cleaning									
	SurfacePro Glass and Surface Cleaner Sural Ready-to-use, very effective cleaner for all glass and surfaces.	Maintenance cleaning		undiluted	slightly alkaline pH: 10	500 ml ■ 10 l ■	12 1	3.334-038.0 3.334-037.0	
									NEW
	CA 40 R Glass Cleaner, ready-to-use Ready-to-use glass cleaner, also suitable for plastic surfaces. Dries quickly and streak-free. Pack of 12 bottles incl. 2 spray heads. Up to 40 applications per spray head.	Maintenance cleaning		undiluted	neutral pH: 5.2	0.5 l ■ 5 l ■	12 2	6.295-687.0 6.295-688.0	
	SurfacePro Glass and Surface Cleaner RGR Classic For streak-free cleaning of all types of washable surfaces like glass, plastic, Resopal®, shiny, painted or polished surfaces, facilities, objects, etc., alcohol-based for easy removal of grease contamination, streaks, fingerprints, soot and nicotine deposits.	Maintenance cleaning		undiluted	slightly alkaline pH: 11	1 l ■ 10 l ■	1 1	3.334-092.0 3.334-090.0	
Glass - Deep cleaning									
	SurfacePro Glass Cleaner Glasal Powerful glass cleaner for effortless dirt removal and hypoallergenic; foaming formula, adheres well to surfaces, cleans streak-free, slightly alkaline, unscented.	Maintenance cleaning		1-2%	neutral pH: 7.3	10 l ■	1	3.334-035.0	
									NEW

■ Does not contain any nitritotriacetates (NTA).


Product description	Packaging size	Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
Empty containers						
 <p>CA 20 C-D Empty bottle, Sanitary Everyday Cleaner Labelled empty bottle, reusable, for individual dosing of ready-to-use sanitary everyday cleaner from concentrate. Economical and environmentally friendly.</p>	0.5 l	65 x 65 x 225 mm	0.06 kg	12	6.295-714.0	
 <p>CA 30 C-D Empty bottle, Surface Cleaner Labelled empty bottle, reusable, for individual dosing of ready-to-use surface cleaner from concentrate. Economical and environmentally friendly.</p>	0.5 l	65 x 65 x 225 mm	0.06 kg	12	6.295-715.0	

Product description	Pressure	Dosing range	Dispensing volume	Extendable	Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
Dosing aids									
 <p>Dosing head Easy-to-use dosing head for precise and efficient cleaning agent dosing. Head fits on all 1 l concentrate bottles.</p>		5-20 ml			310 x 35 x 35 mm	0.02 kg	12	6.295-724.0	
 <p>DS 2 Dosing Unit DVGW-certified dosing unit for filling floor cleaning machines and buckets and for preparation of HD/HDS primary mixtures. Includes backflow preventer according to DIN EN 1717.</p>	1.7-3.5 bar	0.3-25%	14 l/min	■	355 x 300 x 210 mm	1.86 kg	1	6.394-653.0	
 <p>DS 3 Cleaning Agent Dosing Station After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Also in conjunction with ABS filling system. Includes backflow preventer (DIN EN 1717).</p>	2-6 bar	0.2-13.5%	15 l/min	■	390 x 390 x 150 mm	3.85 kg	1	2.641-811.0	

Product description	Suitable for bulk size	Dimensions (L x W x H)	Weight	PU	Order No./ Unit	Price
Dispensing aids						
 <p>Sprayer, red with foam nozzle Durable spray head including foam nozzle for CA 20 R Sanitary Everyday Cleaner, ready-to-use. With 3-finger trigger and adjustable, uniform spraying pattern. Sufficient for 40 applications.</p>	0.5 l	120 x 90 x 35 mm	0.04 kg	12	6.295-722.0	
 <p>Sprayer, blue Durable spray head for CA 30 R Surface Cleaner, ready-to-use. With 3-finger trigger and adjustable, uniform spraying pattern. For minimum 15,000 actuations (40 x 0.5 l bottles).</p>	0.5 l	120 x 90 x 35 mm	0.04 kg	12	6.295-723.0	
 <p>Spray nozzle, red Practical aid for application of ready-to-use sanitary everyday cleaner for wide area coverage. Spraying pattern can be adjusted in combination with the red sprayer.</p>		17 x 15 x 15 mm	3 g	12	6.295-725.0	
 <p>Container valve, 5 l Practical aid for efficient filling and dosing of cleaning agents from containers.</p>	5 l	85 x 48 x 40 mm	0.02 kg	1	6.394-819.0	

CarpetPro: A STRONG TEAM TO SAVE TIME

The CarpetPro line gently and effectively cleans and protects textile surfaces. This innovative system reduces cleaning and drying times and delays resoiling, protecting treated surfaces as well as the environment and your budget. The CarpetPro line is based on iCapsol technology, which encapsulates and binds the dirt. Rinsing carpets is no longer necessary as the encapsulated residual contamination is simply vacuumed up during subsequent maintenance cleaning. Carpets dry quickly and are ready to walk on in no time.



1 iCapsol technology

The patented iCapsol technology can be used not only for intermediate cleaning of carpets, but also for deep cleaning. This is unique worldwide. iCapsol active ingredients bind the dirt and surfactants after cleaning to prevent resoiling of the carpet fibres. iCapsol active ingredients form a crystalline structure when dry. These crystals are simply vacuumed up during the next maintenance cleaning. This results in time savings of up to 50% even when deep cleaning, as there is no need to rinse and the drying time is shorter. The advantages are noticeable even without previous rinsing, because resoiling is delayed and carpets stay cleaner for longer.

2 Phosphate-free formulas

Kärcher is aware of its responsibility towards the environment and people. Our cleaning agents demonstrate that powerful cleaning is also possible without using harmful content materials like phosphates.

3 Integrated odour absorber

An integrated odour absorber cuts the time needed for intermediate and deep cleaning of textile surfaces. Carpets and upholstery are not only left clean, but also smell clean.

4 WoolSafe-certified



















Many Kärcher CarpetPro products carry the WoolSafe seal. The worldwide certification programme for textile cleaning products confirms that Kärcher CarpetPro products are suitable for wool and other sensitive textile fibres and are safe when used properly. Products which are WoolSafe-certified ensure professional treatment and care of carpets and upholstery which retain their value.

5 Patented water-soluble film: simple and safe






The deep cleaning power of CarpetPro Cleaner RM 760 Tablets is wrapped in a patented water-soluble film. The film dissolves to release the cleaning power of the tablets. This allows quick and reliable dosing directly at the place of use without the need for protective gear. RM 760 Tablets dissolve quickly – cleaning can start immediately. Each tab contains the right amount of cleaning agent – this prevents incorrect dosing, protects the environment and saves money.

Product	No.	Activity				Soiling				Machine/Tool						Properties					Page
		Stain removal	Intermediate cleaning	Deep cleaning	Care, protection	Grease, earth, protein and road dirt	Rust, urine, mineral deposits	Ink, biro/felt tip pens, adhesives, tar, shoe polish	Cleaning agent residue	Foam reduction	Puzzi	BRC	BRS	BDS	Manual (cloth, brush, spray unit)	iCapsol technology	Odour absorber	Surfactant-free	Phosphate-free	WoolSafe-certified	
Universal Stain Remover	RM 769	■					■							■							36
CarpetPro Cleaner iCapsol	RM 768		■			■					■	■	■	■		✓				✓	36
CarpetPro Cleaner iCapsol	RM 768 OA		■			■	□				■	■	■		✓	✓					36
CarpetPro Dry Cleaner	RM 766		■			■							■	■	✓			✓			36
CarpetPro Carpet Cleaner RTS Classic	-	■				■				■	■										36
CarpetPro Cleaner, Powder	RM 760		□	■		■	□			■					✓	✓		✓	✓		36
CarpetPro Cleaner, Powder Classic	RM 760			■		■				■											36
CarpetPro Cleaner, Tablets	RM 760		□	■		■				■					✓			✓	✓		36
CarpetPro Cleaner	RM 764			■		■	□			■	■					✓		✓	✓		36
CarpetPro Cleaner, Classic	RM 764			■		■				■	■										36
CarpetPro Cleaner, quick-drying	RM 767		□	■		■				■	■					✓					37
Universal Cleaner, surfactant-free	RM 770		■	■		■				■	■		■				✓				37
CarpetPro Conditioner	RM 763			■	■		■	■		■	■									✓	37
CarpetPro Foam Blocker	RM 761		■	■					■	■	■										37
CarpetPro Protector	RM 762				■					■				■						✓	37

■ NEW ■ can be used □ can only be used to a limited extent


	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price
Stain removal									
	Universal Stain Remover RM 769 Universal Stain Remover RM 769 for all textile coverings, upholstery and hard surfaces – removes oil, tar, shoe polish, adhesive, etc., from solvent-resistant surfaces.	Manual		undiluted		500 ml	■	6 6.295-490.0	
Intermediate cleaning									
	CarpetPro Cleaner iCapsol RM 768 CarpetPro Cleaner iCapsol RM 768 for intermediate cleaning. Dry foam with encapsulation technology: dirt is encapsulated and vacuumed off during your next maintenance cleaning.	Intermediate cleaning		6%	neutral pH: 6.1	10 l	■	1 6.295-562.0	
	CarpetPro Cleaner iCapsol RM 768 OA Powerful dry foam CarpetPro Cleaner iCapsol RM 768 OA with odour eliminator. With encapsulation technology: dirt is encapsulated and is vacuumed off when you next clean.	Intermediate cleaning		6%	slightly alkaline pH: 8.5	10 l	■	1 6.295-634.0	
	CarpetPro Dry Cleaner RM 766 CarpetPro Dry Cleaner RM 766 for intermediate cleaning of textile floor coverings. With cellulose fibres for cleaning deep into the pile and iCapsol to prevent resoiling. Quick drying.	Intermediate cleaning		undiluted	neutral pH: 8	1 kg	■	5 6.295-911.0	
	CarpetPro Carpet Cleaner RTS Classic Deep cleaning with hygienic freshness of textile floor coverings after the spray extraction process; never soak carpet!	Intermediate cleaning		undiluted	neutral pH: 7	10 l	■	1 3.334-104.0	
Deep cleaning									
	CarpetPro Cleaner RM 760 Powder The CarpetPro Cleaner RM 760 Powder is a spray extraction cleaner with outstanding cleaning performance, iCapsol encapsulation technology and odour absorber. No time-consuming rinsing.	Deep cleaning Intermediate cleaning		1% 1%	neutral pH: 7.7	0.8 kg 10 kg	■ ■	4 6.295-849.0 1 6.295-847.0	 
	CarpetPro Cleaner RM 760 Powder Classic Powerful spray extraction deep cleaner CarpetPro Cleaner RM 760 Powder Classic. For textile floor coverings, walls and upholstery (also blended fabrics and fully synthetic fibres).	Deep cleaning Intermediate cleaning		1% 1%	slightly alkaline pH: 8.2	0.8 kg 10 kg	■ ■	4 6.290-175.0 1 6.291-388.0	
	CarpetPro Cleaner RM 760 Tablet CarpetPro Cleaner RM 760 Tablet is a spray extraction deep cleaner in tablet form. With encapsulation technology. In a practical foil that is water-soluble. No time-consuming rinsing.	Deep cleaning Intermediate cleaning		2 tablets in 8 litres of water 2 tablets in 8 litres of water	neutral pH: 7	16 tablets 200 tablets	■ ■	20 6.295-850.0 1 6.295-851.0	
	CarpetPro Cleaner RM 764 CarpetPro Cleaner RM 764, the deep cleaning spray extraction cleaner. For all textile floor coverings (also mixed fabrics and fully synthetic fibres), upholstered furniture and walls.	Deep cleaning Intermediate cleaning		1% 1%	slightly alkaline pH: 9.2	10 l	■	1 6.295-854.0	 
	CarpetPro Cleaner RM 764 Classic Powerful deep cleaner CarpetPro Cleaner RM 764 Classic for spray extraction. For all textile floor coverings (also mixed fabrics and fully synthetic fibres), upholstered furniture and walls.	Deep cleaning Intermediate cleaning		1% 1%	slightly alkaline pH: 9.7	10 l	■	1 6.295-290.0	

■ Does not contain any nitrilotriacetates (NTA).


Product description	Application	Primary mixture	Dosage	Properties	Packaging size	PU	Order No./ Unit	Price	
 CarpetPro Cleaner, quick-drying RM 767 Liquid fast-drying spray extraction agent CarpetPro Cleaner RM 767 for textile surfaces and upholstery eliminates unwanted odours and improves floor hygiene.	Deep cleaning		1.2%	neutral	10 l	■	1	6.295-198.0	
	Intermediate cleaning		1.2%	pH: 6.4					
 Universal Cleaner, surfactant-free RM 770 Powerful surfactant-free universal cleaner for all textiles, resilient and hard floor coverings, as well as ceilings and walls. Removes stubborn oil, grease and nicotine stains. Offers lasting protection against dirt and stains, cleaning intervals are extended.	Spray units		5-50%	slightly alkaline	1 l	■	6	6.295-489.0	
	Manual		5-50%	pH: 8.6					
	Spray extraction machines		12.5%						
	1-disc machines		5-12%						
In addition to deep cleaning									
 CarpetPro Conditioner RM 763 The effective CarpetPro Conditioner RM 763 for all types of fibres reduces rinsing time, removes dirt and surfactant residues, neutralises the fibres and freshens up the colours.	Spray extraction machines		1%	slightly acidic	1 l	■	12	6.295-844.0	
				pH: 3.8	5 l	■	2	6.295-845.0	
 CarpetPro Foam Blocker RM 761 The CarpetPro Foam Blocker RM 761 reduces foaming in dirty water tanks and increases the machine's duration of use. Compatible with all machines.	Wet and dry vacuum cleaners		0.5%		2.5 l	■	1	6.291-389.0	
	Spray extraction machines		0.5%						
	Carpet cleaners		0.5%						
	Floor cleaning machines		0.5%						
	Parts cleaner		0.5%						
Impregnation									
 CarpetPro Protector RM 762 CarpetPro Protector RM 762 for carpets and textile surfaces. Effective long-term protection against both wet and dry dirt. Seals the fibres and makes them hard-wearing.	Spray units		20%	neutral	5 l	■	2	6.295-852.0	
	Spray extraction machines		20%	pH: 5.5					

■ Does not contain any nitrilotriacetates (NTA).

DEEP CLEANING WITH iCapsol ENCAPSULATION TECHNOLOGY



INTERMEDIATE CLEANING WITH ENCAPSULATION TECHNOLOGY iCapsol



CLEANING DAILY – CLEANING EFFICIENTLY

Even with modern, efficient cleaning machines, manual cleaning remains a common practice in daily maintenance cleaning. Surfaces can be quickly and affordably cleaned by hand in places that machines cannot reach. And with the unparalleled precision and touch of the human hand. As the world's leading provider of cleaning technology, we are continuously expanding our range of professional and high-quality manual cleaning tools. The current product range is modular and divided into the areas of wet cleaning, dry cleaning and glass cleaning. Innovative cleaning and system solutions that you need and want.




Contents of Professional manual equipment

Manual cleaning equipment	Page 39	Combinations	Page 58
Cleaning trolleys, buckets and accessories	Page 40	Windows	Page 60
Floor	Page 46		
Surface	Page 54		

MANUAL CLEANING EQUIPMENT

Dry and damp floor cleaning also involves sweeping and dusting. With these two procedures, loose coarse and fine dirt can be removed quickly and effectively. Adhesive dirt, on the other hand, calls for wet cleaning. With the help of manual tools from Kärcher, all manual procedures for floor cleaning can be carried out with ease. In addition to floor cleaning, glass and surface cleaning also play an important role in the Kärcher programme. The products are designed in such a way that the corresponding surfaces can be cleaned efficiently.




PROFESSIONAL
MANUAL EQUIPMENT

- 1** Customers can avail of a full product range that includes cleaning machines, cleaning agents and manual cleaning equipment.
- 2** To avoid cross-contamination, manual cleaning equipment can be divided according to locations of use by means of colour coding.

- 3** Height, handling, handles, etc. are designed so that minimum effort is required on the part of the operator.
- 4** Handles and attachments are all uniform, so there is a reduced need for replacement investment, since existing tools can be used.

High-quality, professional equipment is indispensable for daily cleaning of hard surfaces. Kärcher has the perfect basic equipment for this.



- 1 Daily cleaning of hard surfaces**
 - Cleans all sensitive areas, wiped surfaces and hard surfaces.
 - The efficient mop press makes for light work.
 - 2 separate, colour-coded 15-litre buckets for optimal hygiene.
- 2 All on board**
 - 3 drawers for storing all required utensils.
 - 3 colour-coded buckets for different applications.
 - Robust folding bin liner holder for extra cart storage.

- 3 Quick and easy**
 - Much lighter than a bucket.
 - Fast emptying and filling.
 - Cleaning agent is dispensed at the push of a button.
- 4 Eco-friendly**
 - Eco-friendly, with less waste.
 - No more bending, mop clamps automatically in place.
 - Improved hygiene, no contact with dirt and cleaning agents.

TRANSPORT CART - PREMIUM

Trolley Hotel Premium I

NEW



Trolley Hotel Premium II

NEW



Description	High-quality hotel cart for 6 to 8 rooms. Includes fold-up 120-litre bin liner holder and thanks to the 125 mm wheels with bumpers, it is easy to manoeuvre, even with a heavy load.	125 mm wheels with bumpers enable easy manoeuvrability of this hotel cart with bin liner holder (120 litres), even with a heavy load. Suitable for 10 to 12 rooms.
Dimensions (L x W x H) cm	113 x 64 x 142.5	197 x 64 x 142.5
Quantity Unit	1	1
PU	1	1
Order No.	6.999-224.0	6.999-225.0
Price		

PROFESSIONAL
MANUAL EQUIPMENT

TRANSPORT CART - CLASSIC

Trolley Hotel Classic I

NEW



Trolley Hotel Classic II

NEW







Trolley Hotel Classic III

NEW







Description	Hotel cart with fold-up 120-litre bin liner holder. The cart is suitable for 12 to 15 rooms and features three wooden shelves and five 125 mm wheels.	Suitable for cleaning 15 to 18 rooms: Hotel cart with fold-up 120-litre bin liner holder, three wooden shelves and five 125 mm wheels.	A fold-up, 120-litre bin liner holder is included in the basic equipment of the hotel cart for 10 to 12 rooms. It also features three wooden shelves and five 125 mm wheels.
Dimensions (L x W x H) cm	117 x 53 x 128	127 x 53 x 128	107 x 53 x 128
Quantity Unit	1	1	1
PU	1	1	1
Order No.	6.999-221.0	6.999-222.0	6.999-223.0
Price			

CLEANING TROLLEY - PREMIUM

	Trolley Clean Liner Classic I	Trolley Clean Liner Classic II	Trolley ECO!Clean Liner Press	Trolley Clean Liner Classic III
				
Description	Ergonomic, corrosion-resistant cleaning trolley made from 100% Polypropylene. With 2 colour-coded 15-litre buckets and user-friendly universal press, fold-up bin liner holder, 3 colour-coded buckets and 3 drawers in different sizes.	With double bucket roller mop press and bin liner holder. For mop with flaps.	With double bucket mop press, covered 150-litre bin liner holder and closable drawer compartments.	With double bucket mop press and bin liner holder.
Dimensions (L x W x H) cm	128 x 65 x 110	92 x 65 x 110	140 x 65 x 110	92 x 65 x 110
Quantity Unit	1	1	1	1
PU	1	1	1	1
Order No.	5.999-044.0	6.999-080.0	6.999-162.0	6.999-163.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

CLEANING TROLLEY - PREMIUM

	Trolley ECO!Clean Liner	Trolley Clean Liner Classic IV	Trolley ECO!Clean Liner Mini	Trolley Clean Liner Classic Light Duty
				
Description	Compact, flexible, ergonomic, robust and corrosion-resistant cleaning trolley made from 100% polypropylene. With practical storage options for easy handling. Protected bin liner holder, can be operated using the foot pedal.	Fast wet cleaning system with pre-conditioning and bin liner holder.	Fast wet cleaning system with pre-conditioning and covered bin liner holder.	Ergonomic cleaning trolley with two 15-litre and three 4-litre buckets, mop box and fold-up 120-litre bin liner holder. The cart is made from polypropylene, meaning it is corrosion-resistant.
Dimensions (L x W x H) cm	108 x 53 x 115	78 x 58 x 109	84 x 60 x 109	128 x 52 x 110
Quantity Unit	1	1	1	1
PU	1	1	1	1
Order No.	5.999-021.0	6.999-164.0	6.999-165.0	6.999-190.0
Price				

NEW

CLEANING TROLLEY - PREMIUM

Trolley ECO!First Liner



Description	Corrosion-resistant cleaning trolley made from 100% polypropylene. Perfect for quick and easy maintenance cleaning. Protected bin liner holder, can be operated using the foot pedal.		
Dimensions (L x W x H) cm	66 x 52 x 110		
Quantity	Unit	1	
PU	1		
Order No.	5.999-019.0		
Price			

PROFESSIONAL
MANUAL EQUIPMENT

CLEANING TROLLEY - CLASSIC

Trolley Classic I

NEW



Trolley Classic II

NEW



Trolley Classic III

NEW



Trolley Classic IV

NEW



Description	Ideal for quick maintenance cleaning: cleaning trolley with two colour-coded 4-litre buckets.	Cleaning trolley with user-friendly mop press and two colour-coded 4-litre and 15-litre buckets.	Generous storage space included: Cleaning trolley with four colour-coded 4-litre buckets, mop press and a removable double bucket cart.	With mop press for flexible application: cleaning trolley with generous storage space and four 4-litre and two 15-litre buckets. All buckets are colour-coded.
Dimensions (L x W x H) cm	107 x 66 x 112	107 x 66 x 112	140 x 65 x 112	135 x 65 x 112
Quantity	Unit	1		1
PU	1			1
Order No.	6.999-216.0	6.999-217.0	6.999-218.0	6.999-219.0
Price				

CLEANING TROLLEY - CLASSIC

Trolley Classic V



Description	Cleaning trolley with generous storage space for pre-conditioning. Includes two 20-litre mop boxes and four colour-coded 4-litre buckets.
Dimensions (L x W x H) cm	114 x 52 x 112
Quantity Unit	1
PU	1
Order No.	6.999-220.0
Price	

PROFESSIONAL
MANUAL EQUIPMENT

MOBILE BUCKET CART

Bucket cart with press 28 l



Double bucket cart with press 2 x 15 l



Double bucket cart with press 2 x 25 l



Single mobile bucket with press 25 l



Description	Well-balanced, corrosion-resistant bucket cart made from 100% polypropylene. With 25-litre bucket and efficient roller press, large handle and additional storage space for accessories.	Very mobile, corrosion-resistant double bucket cart made from 100% polypropylene. With colour-coded 15-litre buckets and user-friendly mop press. Very hygienic and easy to clean.	Double bucket cart made from 100% polypropylene. Corrosion-resistant, very mobile and equipped with mop press and two colour-coded 25-litre buckets. Very hygienic and easy to clean.	This very mobile and corrosion-resistant single mobile bucket includes a mop press and a blue 25-litre bucket. Made from high-quality plastic.
Dimensions (L x W x H) cm	43 x 71 x 97	66 x 43 x 88	73 x 45 x 93	53 x 43 x 91
Quantity Unit	1	1	1	1
PU	1	1	1	1
Order No.	6.999-021.0	6.999-025.0	6.999-209.0	6.999-207.0
Price				

MOBILE BUCKET CART

Single mobile bucket with press and "U" sliding handle 25 l



NEW

Single mobile bucket with handle 25 l



NEW

Description	Single mobile bucket made from high-quality plastic, corrosion-resistant and very mobile. With "U" sliding handle, mop press and a blue 25-litre bucket.	Very mobile, corrosion-resistant single mobile bucket made from high-quality plastic with side sliding handle. With a blue 25-litre bucket and user-friendly mop press.
Dimensions (L x W x H) cm	62 x 43 x 91	53 x 43 x 93
Quantity	1	1
PU	1	1
Order No.	6.999-208.0	6.999-210.0
Price		

CLEANING BUCKET

Bucket with mop press 15 l



Description	15-litre bucket with carrying handle and a mop roller press that can be operated using a foot pedal on the bucket. The simple system is perfect for cleaning small surfaces.
Dimensions (L x W x H) cm	46 x 32 x 36
Quantity	1
PU	1
Order No.	6.999-227.0
Price	

ACCESSORIES



PROFESSIONAL
MANUAL EQUIPMENT

	Order No.	Number of units	PU	Description	Price
Cleaning trolley and accessories					
ECO!First Liner Console	1 5.999-020.0	1	1	In combination with ECO!First Liner Trolley 5.999-019.0. Additional space for cleaning equipment.	
Bucket, yellow (4 l)	2 5.999-049.0	1	1	Yellow 4-litre bucket with colour-coded cleaning system.	
Bucket, red (4 l)	3 5.999-050.0	1	1	Red 4-litre bucket with colour-coded cleaning system.	
Bucket, blue (4 l)	4 5.999-051.0	1	1	Blue 4-litre bucket with colour-coded cleaning system.	
Bucket, green (4 l)	5 6.999-186.0	1	1	Green 4-litre bucket with colour-coded cleaning system.	
Hinged lid for bucket (4 l)	6 6.999-187.0	1	1	Replacement hinged lid for our colour-coded 4-litre buckets with order nos. 5.999-049.0, 5.999-050.0, 5.999-051.0 and 6.999-186.0.	
Accessories holder, double bucket cart	7 6.999-077.0	1	10	In combination with double bucket cart 6.999-025.0. For additional equipment or bottles.	
Blue laundry net with strap (50 l)	8 6.999-128.0	1	10	For storage and for gentle washing of used mops in the washing machine. In blue. Capacity: 50 l.	
Red laundry net with strap (20 l)	9 6.999-129.0	1	10	For storage and for gentle washing of used mops in the washing machine. In red. Capacity: 20 l.	
White laundry net with strap (70 l)	10 6.999-130.0	1	10	For storage and for gentle washing of used mops in the washing machine. In neutral white. Capacity: 70 l.	
Mop box blue with lid (10 l)	11 6.999-199.0 ■	1	1	Blue mop box with 10 l volume, for preconditioning mop covers. Available in conjunction with Premium cleaning trolley 5.999-021.0, 6.999-164.0 and 6.999-165.0, 6.999-190.0.	
Mop box red with lid (10 l)	12 6.999-200.0 ■	1	1	For preconditioning mop covers: red mop box with 10 l volume. Available in combination with our ECO!Clean Liner cleaning trolley, order no. 5.999-021.0.	
Roller press	13 6.999-195.0 ■	1	1	Replacement roller press for cleaning trolley 6.999-080.0 and mobile bucket cart 6.999-021.0.	
Mop press	14 6.999-196.0 ■	1	1	Mop press (spare part). Suitable for the Premium and Classic cleaning trolleys and for mobile bucket carts.	
Mop rest	15 6.999-192.0 ■	1	1	Rest for mop holder. Suitable for all cleaning trolleys and carts and the Classic transport trolley.	
PVC bin liner with zipper, red (120 l)	16 6.999-160.0	1	1	Plastic bin liner. May be used for Clean Liner Classic Trolleys.	
PVC bin liner with zipper, blue (120 l)	17 6.999-161.0	1	1	Plastic bin liner. May be used for Clean Liner Classic Trolleys.	
PVC bin liner with zipper (120 l)	18 6.999-228.0 ■	1	1	Plastic bin liner. Suitable for all transport and cleaning trolleys and carts.	
Drawer with key (40 l)	19 6.999-177.0	1	1	40-litre replacement drawer with key for Premium cleaning trolley.	
Drawer with key (22 l)	20 6.999-176.0	1	1	22-litre replacement drawer with key for Premium cleaning trolley.	
Drawer with key (10 l)	21 6.999-204.0 ■	1	1	10-litre replacement drawer with key for Premium cleaning trolley.	

■ NEW More Kärcher original accessories can be found on the following pages.

SWEEPING

Litter picker 100 cm



Dustpan with rubber profile with sweeping slide



ECO!Broom and waste container



Description	For picking up coarse dirt conveniently.	The sweep-collect system, consisting of a sweeping slide and dustpan with an ergonomic handle and rubber profile, is perfect for removing coarse and wet dirt.	Ideal for working with one hand: the very lightweight ECO!Broom features a waste container for removing coarse dirt and a squeegee which adapts to the ground conditions.
Dimensions (L x W x H) cm	100	32 x 15 x 96	28 x 29 x 85
Quantity	1	1	1
PU	10	1	1
Order No.	6.999-113.0	6.999-191.0	6.999-226.0
Price			

PROFESSIONAL
MANUAL EQUIPMENT

SWEEPING AND SCRAPING

Broom PVC 35 cm



Broom PVC 60 cm



Scraper, short handle



Scraper, long handle



Description	In combination with aluminium handle 6.999-115.0 and aluminium telescopic handle 6.999-100.0.	In combination with wooden handle 6.999-117.0.	For removing chewing gum, paint residue and coarse dirt on smooth surfaces.	
Dimensions (L x W x H) cm	35	60	24 x 10.5	32 x 10.5
Quantity	1	1	1	1
PU	10	10	25	25
Order No.	6.999-114.0	6.999-116.0	6.999-126.0	6.999-127.0
Price				

DUST BINDING - DUST MOP COVERS

Cotton dust mop
60 cm

Cotton dust mop
80 cm

Cotton dust mop
110 cm

Cotton dust mop
120 cm



Description	100% cotton. For dry mopping medium-sized surfaces. For dust mop holder 6.999-092.0.	100% cotton. For dry mopping large surfaces. For dust mop holder 6.999-093.0.	100% cotton. For dry mopping large surfaces. For dust mop holder 6.999-107.0.	100% cotton. For dry mopping large surfaces. For dust mop holder 6.999-108.0.
Dimensions (L × W × H) cm	60 × 13	80 × 13	110 × 13	120 × 13
Quantity	1	1	1	1
PU	30	30	15	15
Order No.	6.999-090.0	6.999-091.0	6.999-109.0	6.999-110.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

DUST BINDING - DUST MOP COVERS

Acrylic dust mop 60 cm

Acrylic dust mop 80 cm



Description	For dry mopping medium-sized surfaces. For dust mop holder 6.999-092.0.	For dry mopping large surfaces. For dust mop holder 6.999-093.0.
Dimensions (L × W × H) cm	60 × 13	80 × 13
Quantity	1	1
PU	30	30
Order No.	6.999-148.0	6.999-149.0
Price		

DUST BINDING - HOLDERS

Dust mop holder 60 cm Dust mop holder 80 cm Rigid dust mop holder 110 cm Rigid dust mop holder 120 cm



Description	In combination with aluminium handle 6.999-096.0 or telescopic handle 6.999-111.0. For dust mop 6.999-090.0 and 6.999-148.0.	In combination with aluminium handle 6.999-096.0 or telescopic handle 6.999-111.0. For dust mop 6.999-091.0 and 6.999-149.0.	In combination with aluminium handle 6.999-096.0 or telescopic handle 6.999-111.0.	
Dimensions (L x W x H) cm	60 x 9	80 x 9	110 x 9	120 x 9
Quantity	1	1	1	1
PU	30	30	10	10
Order No.	6.999-092.0	6.999-093.0	6.999-107.0	6.999-108.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

DUST BINDING - HOLDERS

Holder with squeegees 40 cm Holder with squeegees 60 cm Duster ECO 540 Pad sole, corrugated



Description	Structured slat holder (40 cm) for daily maintenance cleaning with dust binding cloths 3.337-999.0, 3.338-003.0, 3.338-004.0 and 3.338-006.0. With fixing system for convenient application.	Very hygienic, easy-to-sterilise slat holder (60 cm) for daily maintenance cleaning with dust binding cloths 3.337-999.0, 3.338-003.0, 3.338-004.0 and 3.338-006.0.	For perfect dusting with the corresponding dust binding cloths.	For duster ECO 540.
Dimensions (L x W x H) cm /	40 x 11	60 x 11	58 x 10	58 x 10
Quantity	1	1	1	1
PU	1	1	20	10
Order No.	6.999-057.0	6.999-152.0	3.335-752.0	3.335-856.0
Price				

DUST BINDING - DUST BINDING CLOTHS

Dust-binding cloth
neolinn BASIC

Dust-binding cloth
neolinn CLASSIC

Dust-binding cloth
neolinn CLASSIC Roller

Dust-binding cloth
neolinn ECO

NEW

NEW

NEW

NEW



Description	Oil-impregnated disposable cloth for all smooth floor coverings.	Disposable cloth with special adhesive for all smooth floor coverings, surfaces and objects.		Oil-impregnated disposable cloth for all smooth floor coverings.
Dimensions (L × W × H) cm	60 × 30	60 × 26	32 × 20	60 × 24
Quantity	50	25	900	1000
PU	8	18	1	1
Order No.	3.337-999.0	3.338-004.0	3.338-003.0	3.338-006.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

WET CLEANING

Pad holder, hand

Pad, white

Pad, green

Rubber squeegee
55 cm



Description	For cleaning corners and edges that machines cannot reach. For white pad 6.999-102.0 and green pad 6.999-103.0.	For cleaning corners and edges that machines cannot reach. For hand pad holder 6.999-101.0 and pad holder with joint 6.999-158.0.		Plastic water squeegee.
Dimensions (L × W × H) cm	23 × 10	24.5 × 12 × 2	24.5 × 12 × 2	55
Quantity	1	1	1	1
PU	12	12	12	10
Order No.	6.999-101.0	6.999-102.0	6.999-103.0	6.999-089.0
Price				

WET CLEANING

Chain barrier, 1 m



Stopper with handle



NEW

Description	Yellow chain barrier made from polypropylene. Length: 1 metre.	Ergonomic universal door stopper with rubber edge and aluminium handle. Suitable for any type of door.
Dimensions (L x W x H) cm	100	15.7 x 7.9 x 90
Quantity Unit	1	1
PU	10	6
Order No.	6.999-185.0	6.999-206.0
Price		

PROFESSIONAL
MANUAL EQUIPMENT

WET CLEANING – MOP COVERS

Cotton mop

Microfibre mop,
short fibre

Microfibre mop,
loop

Microfibre mop,
short fibre, abrasive



Description	100% cotton. Flap. For mop holder 6.999-098.0.	Microfibre, short fibre. Flap. For mop holder 6.999-098.0.	Microfibre loop mop. Flap. For mop holder 6.999-098.0.	Microfibres and PP fibres for more abrasive cleaning power. Flap. Perfect for non-slip tiles. For mop holder 6.999-098.0.
Dimensions (L x W x H) cm	40 x 13	40 x 13	40 x 13	40 x 13
Quantity Unit	1	1	1	1
PU	25	25	25	25
Order No.	6.999-094.0	6.999-095.0	6.999-097.0	6.999-099.0
Price				

WET CLEANING - MOP COVERS

Microfibre mop,
short fibre, abrasive

Microfibre mop,
short fibre

ECO!Mop set,
red

ECO!Mop set,
blue



Description	Microfibrés and PP fibres for more abrasive cleaning power. Perfect for non-slip tiles. Pocket attachment.	Microfibre, short fibre. Pocket attachment.	Microfibre loop mop for excellent dirt pick-up. Pocket attachment.	
Dimensions (L × W × H) cm	40 × 13	40 × 13	40 × 13	40 × 13
Quantity	1	1	1	1
PU	25	25	25	25
Order No.	6.999-131.0	6.999-132.0	6.999-136.0	6.999-143.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

WET CLEANING - MOP COVERS

Microfibre mop,
white

Cotton mop

Basic cotton mop

Basic microfibre mop



Description	Microfibre mop for excellent dirt pick-up. Pocket attachment.	Cotton mop for excellent water absorption. Pocket attachment.	With pocket and flap, as well as loops on the inside and fringes outside.	With pocket and flap, as well as abrasive strips for more effective dirt removal.
Dimensions (L × W × H) cm	40 × 13	40 × 13	40 × 13	40 × 13
Quantity	1	1	1	1
PU	25	25	50	50
Order No.	6.999-146.0	6.999-147.0	3.337-959.0	3.337-957.0
Price				

WET CLEANING – MOP HOLDERS

Mop holder, flaps, 40 cm



Mop holder with clip, 40 cm



Description	In combination with aluminium handle 6.999-096.0 or telescopic handle 6.999-111.0.	
Dimensions (L x W x H) cm	40 x 11	40 x 11
Quantity	Unit	
	1	1
PU	10	10
Order No.	6.999-098.0	6.999-144.0
Price		

WET CLEANING – MOP SYSTEMS

ECO!Mop
97 - 184 cm



Mop system



ECO!Spray mop
system



Red replacement bottle
650 ml



Description	Mop holder including telescopic handle. Thanks to the pocket attachment, mops can be switched quickly and easily. In addition, mops are fastened with a clip, so there is no need to bend down. Locking option on the universal joint, making it ideal for vertical cleaning tasks.	Includes mop holder, 140 cm aluminium handle and mop clip.	Spray mop system with 0,66-litre bottle and spray unit. The cleaning solution is sprayed directly onto the mop and ensures fast and ergonomic cleaning of small areas.	Red replacement bottle with 650 ml filling capacity for spray mop with order no. 5.999-045.0.
Dimensions (L x W x H) cm	40 x 184	40 x 140	40 x 155	8,5 x 8,5 x 26
Quantity	Unit			
	1	1	1	1
PU	1	1	1	1
Order No.	5.999-024.0	6.999-145.0	5.999-045.0	6.999-166.0
Price				

WET CLEANING - MOP SYSTEMS

Green replacement bottle, 650 ml

Blue replacement bottle, 650 ml

Yellow replacement bottle, 650 ml

Grey replacement bottle, 650 ml



Description	Green replacement bottle with 650 ml filling capacity for spray mop with order no. 5.999-045.0.	Blue replacement bottle with 650 ml filling capacity for spray mop with order no. 5.999-045.0.	Yellow replacement bottle with 650 ml filling capacity for spray mop with order no. 5.999-045.0.	Grey replacement bottle with 650 ml filling capacity for spray mop with order no. 5.999-045.0.
Dimensions (L x W x H) cm	8.5 x 8.5 x 26	8.5 x 8.5 x 26	8.5 x 8.5 x 26	8.5 x 8.5 x 26
Quantity Unit	1	1	1	1
PU	1	1	1	1
Order No.	6.999-167.0	6.999-168.0	6.999-169.0	6.999-170.0
Price				

PROFESSIONAL MANUAL EQUIPMENT

WET CLEANING - WARNING SIGNS

Caution wet floor sign, German

Caution wet floor sign, English

Caution wet floor sign, Russian

Warning sign for door



NEW

Description	Clearly visible warning sign. Quick to erect.			Hanging sign "STOP - no access" with suction cup.
Dimensions (L x W x H) cm	22 x 54	22 x 54	22 x 54	50 x 30
Quantity Unit	1	1	1	1
PU	5	5	5	10
Order No.	6.999-104.0	6.999-105.0	6.999-106.0	6.999-229.0
Price				

SCRAPING

Scraper,
short handle



Scraper,
long handle



Replacement blades
for scraper



Description	For removing chewing gum, paint residue and coarse dirt on smooth surfaces.		For scraper, short handle 6.999-126.0 and scraper, long handle, 10 cm 6.999-127.0.
Dimensions (L x W x H) cm	24 x 10.5	32 x 10.5	10
Quantity	Unit	1	1
PU	25	25	10
Order No.	6.999-126.0	6.999-127.0	6.999-076.0
Price			

DUST BINDING

ECO!Duster 97-184 cm



Feather duster holder 60 cm



Microfibre cleaning cloth
for feather duster 60 cm



Description	Brush with curved dust bristles for effective removal of spiders' webs or for removing dust on pipes, etc.	Flexible holder for dusting and cleaning hard-to-access or uneven surfaces such as radiators, cupboards, walls, etc. Also in combination with telescopic handle 6.999-111.0.	Microfibre cleaning cloth for feather duster holder 60 cm 6.999-150.0.
Dimensions (L x W x H) cm	184	60 x 6	60 x 8
Quantity	Unit	1	1
PU	1	6	12
Order No.	5.999-027.0	6.999-150.0	6.999-151.0
Price			

DAMP AND WET CLEANING

Hand pad holder,
velcro fastener 30 cm

Microfibre cleaning cloth
for hand pad holder

Microfibre cleaning cloth,
glass, for hand pad holder

Microfibre cloth,
glass



Description	Ideal for all washable surfaces such as glass, stainless steel, ceramics, desks, etc. Large supporting surface, making it very efficient.	Ideal for walls, floors, corners, etc. In combination with hand pad holder, velcro fastener 30 cm 6.999-119.0.	Perfect on smooth and shiny surfaces. In combination with hand pad holder, velcro fastener 30 cm 6.999-119.0.	Perfect on smooth and shiny surfaces.
Dimensions (L × W × H) cm	30 × 8	30 × 12	30 × 12	40 × 40
Quantity	1	1	5	5
PU	12	25	5	40
Order No.	6.999-119.0	6.999-118.0	6.999-142.0	6.999-155.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

DAMP AND WET CLEANING – CLEANING CLOTHS

Microspun microfibre
cloth, red

Microspun microfibre
cloth, blue

Microspun microfibre
cloth, yellow

Microspun microfibre
cloth, green

NEW

NEW

NEW

NEW



Description	Fine microfibre cloth with high cleaning performance.			
Dimensions (L × W × H) cm	38 × 37.5	38 × 37.5	38 × 37.5	38 × 37.5
Quantity	10	10	10	10
PU	10	10	10	10
Order No.	3.338-247.0	3.338-248.0	3.338-249.0	3.338-250.0
Price				

DAMP AND WET CLEANING - CLEANING CLOTHS

Velour microfibre
cloth, red

Velour microfibre
cloth, blue

Velour microfibre
cloth, yellow

Velour microfibre
cloth, green

NEW

NEW

NEW

NEW



Description	Woven silk velour cloth with high cleaning performance.			
Dimensions (L x W x H) cm	40 x 40	40 x 40	40 x 40	40 x 40
Quantity	10	10	10	10
Unit				
PU	20	20	20	20
Order No.	3.338-264.0	3.338-266.0	3.338-268.0	3.338-270.0
Price				

DAMP AND WET CLEANING - CLEANING CLOTHS

Premium microfibre
cloth, red

Premium microfibre
cloth, blue

Premium microfibre
cloth, yellow

Premium microfibre
cloth, green

NEW

NEW

NEW

NEW



Description	Knitted microfibre cloth with impressive dirt pick-up.			
Dimensions (L x W x H) cm	40 x 40	40 x 40	40 x 40	40 x 40
Quantity	10	10	10	10
Unit				
PU	20	20	20	20
Order No.	3.338-272.0	3.338-274.0	3.338-276.0	3.338-278.0
Price				

DAMP AND WET CLEANING – CLEANING CLOTHS

Multi-purpose cloth,
red

NEW



Multi-purpose cloth,
blue

NEW



Multi-purpose cloth,
yellow

NEW



Multi-purpose cloth,
green

NEW














Description	Universal cleaning cloth for daily work.			
Dimensions (L × W × H) cm	40 × 38	40 × 38	40 × 38	40 × 38
Quantity	10	10	10	10
Unit				
PU	10	10	10	10
Order No.	3.338-260.0	3.338-261.0	3.338-262.0	3.338-263.0
Price				

COMBINATIONS






PROFESSIONAL
MANUAL EQUIPMENT









































Handle - holder

										
		6.999-144.0	6.999-098.0	6.999-092.0 6.999-093.0	6.999-107.0 6.999-108.0	6.999-057.0 6.999-152.0	6.999-089.0	6.999-158.0	6.999-150.0	3.335-752.0
	6.999-096.0	■	■	■	■	■	■	■		■
	6.999-111.0	■	■	■	■	■	■	■	■	■

Handle - attachment

				
		6.999-126.0	6.999-114.0	6.999-116.0
	6.999-100.0	■	■	
	6.999-115.0		■	
	6.999-117.0			■

Mop cover - holder

												
		6.999-144.0	6.999-098.0	6.999-057.0 6.999-152.0	3.335-752.0	6.999-092.0	6.999-093.0	6.999-107.0	6.999-108.0	6.999-119.0	6.999-158.0 6.999-101.0	
	3.337-959.0	■										
	3.337-957.0	■										
	6.999-136.0	■										
	6.999-143.0	■										
	6.999-131.0	■										
	6.999-132.0	■										
	6.999-146.0	■										
	6.999-147.0	■										
	6.999-094.0		■									
	6.999-097.0		■									
	6.999-095.0		■									
	6.999-099.0		■									
	3.335-856.0				■							
	3.337-999.0			■	■							
	3.338-004.0			■	■							
	3.338-003.0			■	■							
	3.338-006.0			■	■							
	6.999-090.0					■						
	6.999-091.0						■					
	6.999-148.0					■						
	6.999-149.0						■					
	6.999-109.0							■				
	6.999-110.0								■			
	6.999-118.0									■		
	6.999-142.0									■		
	6.999-102.0										■	
	6.999-103.0										■	

PROFESSIONAL
MANUAL EQUIPMENT

WASHERS

White Star washer

White Star washer

White Star washer

Blue Star washer



Description	Made from high-quality fibres, long-pile for fast cleaning of glass and surfaces.			Blended fabric made from PES and microfibres, long-pile, high water and dirt pick-up.
Dimensions (L x W x H) cm	25	35	45	25
Quantity Unit	1	1	1	1
PU	10	10	10	10
Order No.	3.345-497.0	3.345-128.0	3.345-129.0	3.345-498.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

WASHERS

Blue Star washer

Blue Star washer

Microfibre washer

Microfibre washer







Description	Blended fabric made from PES and microfibres, long-pile, high water and dirt pick-up.		Microfibre cleaning cloth with high water absorption and powerful cleaning action.	
Dimensions (L x W x H) cm	35	45	25	35
Quantity Unit	1	1	1	1
PU	10	10	10	10
Order No.	3.345-130.0	3.345-131.0	3.345-499.0	3.345-132.0
Price				

WASHERS

	Microfibre washer	Pad Strip washer	Pad Strip washer
			
Description	Microfibre cleaning cloth with high water absorption and powerful cleaning action.	Blended fabric made from high-quality fibres, short-pile with additional pad surface.	
Dimensions (L × W × H) cm	45	35	45
Quantity Unit	1	1	1
PU	10	10	10
Order No.	3.345-133.0	3.345-134.0	3.345-135.0
Price			

 PROFESSIONAL
MANUAL EQUIPMENT

T-BEAMS

	Aluminium T-beam	Aluminium T-beam	Aluminium T-beam	Bionic T-beam, movable
				
Description	Light and sturdy, high-quality finish, reliable when using telescopic lance.			Flexible, handle individually adjustable by 45°, rests securely in the hand and provides reliable support when using the telescopic lance.
Dimensions (L × W × H) cm	25	35	45	35
Quantity Unit	1	1	1	1
PU	10	10	10	10
Order No.	3.345-500.0	3.345-136.0	3.345-137.0	3.345-138.0
Price				

T-BEAMS

Bionic T-beam, movable

NEW



Bionic T-beam

NEW



Bionic T-beam

NEW



Description	Flexible, handle is individually adjustable by 45°, rests securely in the hand and provides reliable support when using the telescopic lance.	Ergonomic shape, secure hold, perfect for use with the telescopic lance.	
Dimensions (L x W x H) cm	45	35	45
Quantity Unit	1	1	1
PU	10	10	10
Order No.	3.345-139.0	3.345-140.0	3.345-141.0
Price			

WINDOW WIPER HANDLES

Bionic quick-release handle

NEW



Bionic wiper handle, movable

NEW



Soft grip wiper handle

NEW



Description	Ergonomic shape, secure hold, fast and easy rail replacement.	Ergonomic shape, 180° adjustable working angle, robust design.	Soft grip design for easy handling, easy rail replacement.
Dimensions (L x W x H) cm	15.5 x 10 x 4	20 x 8.5 x 3	14 x 9 x 3
Quantity Unit	1	1	1
PU	15	20	20
Order No.	3.345-142.0	3.345-143.0	3.345-144.0
Price			

WIPER RAILS

V-rail, stainless steel V-rail, stainless steel V-rail, stainless steel V-rail, stainless steel

NEW

NEW

NEW

NEW



Description	Professional rail made from stainless steel with V cut-out, adjustable rail position.			
Dimensions (L × W × H) cm	25	35	45	55
Quantity Unit	1	1	1	1
PU	25	25	25	25
Order No.	3.345-145.0	3.345-146.0	3.345-147.0	3.345-148.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

WINDOW SCRAPERS

Glass scraper

Bionic window scraper

Window and floor
scraper, 25 cm long

Window and floor
scraper, 120 cm long

NEW

NEW

NEW



Description	Ideal for cleaning glass or other smooth glass surfaces.	Ergonomic handle, large scraper surface, secure and sturdy, perfect for using with the telescopic lance.	More power thanks to the 25 cm handle, with protective cover for increased safety.	With 120 cm handle for easy operation, with protective cover for increased safety.
Dimensions (L × W × H) cm	9.5 × 5	10	25 × 10	120 × 10
Quantity Unit	1	1	1	1
PU	50	10	10	10
Order No.	6.999-156.0	3.345-151.0	3.345-153.0	3.345-154.0
Price				

WASH BRUSHES

Wash brush, soft

NEW



Wash brush, hard

NEW



Adapter for wash brush R 1/4"

NEW



Description	With soft synthetic bristles and brass thread.	With hard synthetic bristles and brass thread.	Suitable for all standard wash brushes.
Dimensions (L x W x H) cm	30	30	4.5 x 2 x 2
Quantity Unit	1	1	1
PU	1	1	1
Order No.	3.345-181.0	3.345-182.0	3.345-164.0
Price			

PROFESSIONAL
MANUAL EQUIPMENT

BELT AND HOLSTER

Holster

NEW



Belt for holster

NEW



Description	Ideal for working on a ladder, suitable for window wipers and washers.	Fits holster.
Dimensions (L x W x H) cm	4.1 x 9.5 x 10	90 x 0.5 x 6
Quantity Unit	1	1
PU	5	5
Order No.	3.345-171.0	3.345-172.0
Price		

BUCKET

Bucket 22 l

Lid

Stainless steel strainer

Replacement rollers



Description	Rectangular bucket for 45 cm washers.	For 22-litre bucket.		
Dimensions (L × W × H) cm	48 × 24 × 24	48 × 24 × 24	42 × 10 × 11,5	8,5 × 5,5 × 4,5
Quantity	1	1	1	4
PU	6	1	1	1
Order No.	3.345-173.0	3.345-174.0	3.345-175.0	3.345-176.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

WATER SQUEEGEES

Squeegee, reinforced

Squeegee, reinforced

Water squeegee, reinforced, oil-resistant

Water squeegee for hygienic areas



Description	For difficult tasks, dries floors streak-free.		Oil-resistant for difficult tasks, dries floors streak-free.	For hygienic areas, dries floors streak-free.
Dimensions (L × W × H) cm	55	75	55	55
Quantity	1	1	1	1
PU	10	10	10	10
Order No.	3.345-177.0	3.345-178.0	3.345-179.0	3.345-380.0
Price				

WATER SQUEEGEE - HANDLE

Aluminium handle, Ø 22 mm

NEW




Description	For water squeegees, high-quality finish and very sturdy.
Dimensions (L x W x H) cm	140
Quantity Unit	1
PU	50
Order No.	3.345-180.0
Price	

CHAMOIS

Polishing cloth

NEW



Media chamois

NEW



Premium chamois

NEW



Description	For polishing and cleaning glass surfaces.	Perfect quality for cleaning glass surfaces, rectangular.	Perfect quality for cleaning glass surfaces.
Dimensions (L x W x H) cm	70 x 50	70 x 45	82 x 63
Quantity Unit	1	1	1
PU	10	10	10
Order No.	3.345-183.0	3.345-184.0	3.345-185.0
Price			

WINDOW CLEANING KIT

Glass and window cleaning kit

NEW



Description	Kit for special applications, full range of basic equipment with sturdy nylon bag.
Dimensions (L x W x H) cm	131 x 22 x 4
Quantity Unit	1
PU	5
Order No.	3.345-187.0
Price	

PROFESSIONAL
MANUAL EQUIPMENT

TELESCOPIC LANCES

Telescopic lance 2 x 125 cm

NEW



Telescopic lance 2 x 200 cm

NEW



Telescopic lance 3 x 150 cm

NEW



Telescopic lance 3 x 200 cm

NEW



Description	High-quality finish and very sturdy, for safe working without a ladder - directly from the ground.			
Dimensions (L x W x H) cm	250	400	450	600
Quantity Unit	1	1	1	1
PU	10	10	10	10
Order No.	3.345-084.0	3.345-085.0	3.345-087.0	3.345-629.0
Price				

TELESCOPIC LANCES

Telescopic lance
3 x 300 cm

Telescopic lance
4 x 250 cm

Telescopic lance
4 x 300 cm

Telescopic lance
4 x 400 cm



NEW

NEW

NEW

NEW

Description	High-quality finish and very sturdy, for safe working without a ladder - directly from the ground.			
Dimensions (L x W x H) cm	900	1000	1200	1600
Quantity Unit	1	1	1	1
PU	4	4	4	4
Order No.	3.345-088.0	3.345-081.0	3.345-082.0	3.345-083.0
Price				

PROFESSIONAL
MANUAL EQUIPMENT

ACCESSORIES

Joint

Replacement cone

Bionic pipe brush,
curved

Bionic wall brush, oval



NEW

NEW

NEW

NEW

Description	Easy, freely adjustable joint for use with the telescopic lance.	Allows fast tool changing and ensures optimal hold of tools.	Ergonomic handle for cleaning round surfaces and pipes.	Ergonomic handle for cleaning walls and rough surfaces.
Dimensions (L x W x H) cm	34 x 5 x 4	12 x 2.5 x 2.5	40 x 20 x 12	32 x 27 x 9
Quantity Unit	1	1	1	1
PU	1	1	1	1
Order No.	3.345-157.0	3.345-158.0	3.345-159.0	3.345-160.0
Price				

ACCESSORIES

Fixi bracket



NEW

Brush holder



NEW

Adapter for brush




NEW

Description	For securely fastening cloths and sponges.	Suitable for round and flat brushes for safe painting work.	Suitable for all standard brushes.
Dimensions (L × W × H) cm	21 × 19,2 × 9	21 × 11 × 5	4,5 × 2,5 × 2,5
Quantity	1	1	1
PU	1	1	1
Order No.	3.345-161.0	3.345-162.0	3.345-163.0
Price			

NOTHING LESS THAN THE BEST FOR YOU

For optimal cleaning results, the system being used – consisting of machine and cleaning agent – must work perfectly. We recognised this very early on and have consistently relied on our own research and development. We develop our cleaning and care agents specifically for use with Kärcher cleaning machines. This means that you can get the most out of your system's performance capabilities. And you can be sure that you are always getting the maximum possible effectiveness, efficiency and reliability.



Contents of Home & Garden cleaning and care agents

Cleaning and care agents – Outdoor

Cleaning and care agents – Indoor

Page 72

Page 76

RESEARCHED, DEVELOPED AND MANUFACTURED FOR YOU

Kärcher cleaning and care agents are just as versatile and powerful as the machines in which they are used – because they are specially developed for use with Kärcher cleaning machines. Only in this way can the performance of the system, consisting of machine and cleaning agent, be fully utilised. Kärcher recognised this early on and has consistently relied on its own research and development. It is the foundation of our success and the core of our thoughts and actions.



1 Benchmark for cleanliness

Research and development are becoming increasingly important as demands and requirements increase, not just of the machines themselves, but of the overall package. How can the full potential be realised and at the same time the environmental impact reduced? How can costs be reduced without compromising on power or quality? These are questions to which Kärcher is seeking the best possible answers in collaboration with experts from various fields of technology and chemistry. With an interdisciplinary approach and also in close cooperation with suppliers and professional operators, our experts analyse every type of dirt on all surfaces so that it can be professionally removed, picked up and disposed of. Right from the very start, the products that we develop are systematic in every sense of the word. And they are developed entirely at Kärcher. The high performance and efficiency of Kärcher cleaning agents are the result of over 30 years of research and development in our own laboratory. As the world's leading manufacturer of cleaning machines, we pursued the path to becoming a system provider early on and today have expertise and technology that set standards.

2 In-house production

As a system provider of cleaning solutions, Kärcher not only develops cleaning agent formulas for use in Kärcher cleaning machines, but also produces these cleaning products itself. The in-house production of cleaning agents is a key aspect that allows us to offer our customers products with consistently high quality and the best delivery capacity, and at the same time to reduce the environmental impact of unnecessary transportation.

THE PERFECT COMPLEMENT: KÄRCHER CLEANING AND CARE AGENTS

For over 30 years Kärcher has been attaching great importance to environmental sustainability and conservation of resources in the development stage, selection of raw materials and production of its cleaning and care agents. The cleaning agents which are tailored to the machines not only guarantee optimal cleaning results, but also save water, time and energy. Ready biodegradability is a matter of course. With the Universal Cleaner ecologic, Kärcher goes even one step further and only uses surfactants made from 100% renewable raw materials for production and a bottle made from more than 96% plant-based plastic – another plus in terms of environmental protection.



UV colour protection formula against yellowing of plastics plus material protection formula for longer life.








The UV protective formula prevents darkening, the intensive care component maintains the wooden structure.














Protective formula against resoiling plus wind and weather protection in one.

HOME & GARDEN
CLEANING AND
CARE AGENTS

Product description	Application / Dosing	Container size	PU	Order No./ Unit
Universal cleaning agent				
 <p>Universal Cleaner Powerful universal cleaner for processing with Kärcher high-pressure cleaners. With new active dirt remover, which effortlessly removes oils, greases and stubborn mineral-based contamination with cold water. Can be used around the house, in the garden and on vehicles.</p>	<p>With high-pressure cleaner Connect bottle to high-pressure cleaner, insert suction hose in the bottle or pour cleaning agent into the tank. Apply at low pressure, allow to react briefly and then rinse off thoroughly at high pressure.</p>	1 l	6	6.295-753.0
 <p>Universal Cleaner Powerful all-purpose cleaner effortlessly removes oils, greases and mineral-based contamination. For garden furniture, vehicles, façades and all water-resistant surfaces.</p>	<p>With high-pressure cleaner or manual Apply using the high-pressure cleaner or mix in the bucket by hand at a ratio of 1:10 and apply with a sponge. Allow to react briefly, then rinse off thoroughly.</p>	5 l	1	6.295-357.0
 <p>Abrasive (bag) Fine spray agent (grain size 0.2-0.8 mm) for gentle cleaning of bricks, tiles, steel, hardwood and concrete. Ideal for rust and paint removal.</p>	<p>For high-pressure cleaners in conjunction with the Kärcher sandblasting/wet-blasting set.</p>	25 kg	1	6.280-105.0
Around the house				
 <p>Stone and Façade Cleaner 3-in-1 Powerful stone and façade cleaner with the unique 3-in-1 formula for maximum cleaning performance. With active dirt remover, protective formula against resoiling, as well as wind and weather protection. For maximum cleaning efficiency, care and maintenance and protection in a single step. Can be used on stone terraces, walls and façades around the house and garden.</p>	<p>With high-pressure cleaner Connect bottle to high-pressure cleaner, insert suction hose in the bottle or pour cleaning agent into the tank. Apply at low pressure, allow to react briefly and then rinse off thoroughly at high pressure. Further applications increase the care and protective effect.</p>	1 l	6	6.295-765.0
 <p>Stone and Façade Cleaner The powerful cleaner effortlessly removes oils, greases, soot, dust and emissions pollution from stone and aluminium façades, stone walls, terraces and other stone surfaces.</p>	<p>With high-pressure cleaner or manual Apply using the high-pressure cleaner or mix in the bucket by hand at a ratio of 1:10 and apply with a sponge. Allow to react briefly, then rinse off thoroughly.</p>	5 l	1	6.295-359.0



	Product description	Application / Dosing	Container size	PU	Order No./ Unit
	Wood Cleaner 3-in-1 Powerful wood cleaner with the unique 3-in-1 formula, which, in addition to maximum cleaning performance thanks to the active dirt remover, also offers a UV protective formula and intensive care. For maximum cleaning efficiency, care and maintenance and protection in a single step. Can be used on treated and untreated wooden surfaces in the outside area.	With high-pressure cleaner Connect bottle to high-pressure cleaner, insert suction hose in the bottle or pour cleaning agent into the tank. Apply at low pressure, allow to react briefly and then rinse off thoroughly at high pressure. Further applications increase the care and protective effect.	1 l	6	6.295-757.0
					
	Wood Cleaner For thorough cleaning of all treated and untreated water-resistant wooden surfaces such as garden furniture, wooden floors and terraces. Particularly gentle on materials.	With high-pressure cleaner or manual Apply using the high-pressure cleaner or mix in the bucket by hand at a ratio of 1:10 and apply with a sponge. Allow to react briefly, then rinse off thoroughly.	5 l	1	6.295-361.0
	Plastic Cleaner 3-in-1 Powerful plastics cleaner with the unique 3-in-1 formula, which, in addition to maximum cleaning performance thanks to the active dirt remover, also offers a colour protection and material protection formula. For maximum cleaning efficiency, care and maintenance and protection in a single step. Can be used on garden furniture, plastic window frames and other plastic surfaces.	With high-pressure cleaner Connect bottle to high-pressure cleaner, insert suction hose in the bottle or pour cleaning agent into the tank. Apply at low pressure, allow to react briefly and then rinse off thoroughly at high pressure. Further applications increase the care and protective effect.	1 l	6	6.295-758.0
					
	Plastic Cleaner For thorough cleaning of garden furniture, plastic window frames, children's slides and other plastic surfaces. Particularly gentle on materials.	With high-pressure cleaner or manual Apply using the high-pressure cleaner or mix in the bucket by hand at a ratio of 1:10 and apply with a sponge. Allow to react briefly, then rinse off thoroughly.	5 l	1	6.295-358.0
	Glass Finisher 3-in-1 Saves time and effort: The Glass Finisher 3-in-1 guarantees long-lasting cleanliness without stains and streaks and is ideally suited for large window areas which are difficult to access (e.g. conservatory or glass façades). With protective formula against re-soiling. No effect on coated glass surfaces.	With high-pressure cleaner Connect wash brush to high-pressure cleaner and prepare glass areas with universal cleaner. Rinse off cleaning agent with high-pressure cleaner. Apply glass finisher with high-pressure cleaner and then rinse off with high-pressure cleaner. Allow surface to dry.	1 l	6	6.295-474.0
					
	Patio & Deck Cleaner Concentrate The Patio & Deck Cleaner Concentrate for gentle and careful cleaning of balconies, patios and decks (wood/stone). Removes oil, grease, emissions pollution and soot. When diluted makes 5 l of cleaning agent.	With high-pressure cleaner Makes 5 l of ready-to-use patio and deck cleaner. Mix 0.5 l of patio and deck cleaner with 4.5 l of tap water (1:9) and apply either at low pressure with the high-pressure cleaner or also via the foam jet. Manual Mix 150 ml of concentrate with 5 l of tap water.	500 ml	8	6.295-842.0
					
	Spray Bottle Cleaning and care agents can be applied effortlessly with the Kärcher pump spray bottle. With infinitely variable setting of the spray jet and angle.	Manual Pour in cleaning or care agent, pressurise bottle by pumping, set spray jet and apply.	1 l	3	6.394-374.0

FAST TRACK TO HIGH SHEEN: WITH KÄRCHER CLEANING AND CARE AGENTS

To give cars and motorbikes a brilliant shine, Kärcher offers a wide range of cleaning solutions for this diverse application area. Cleaning agents tailored precisely to the machines coupled with the appropriate accessories remove even the most stubborn dirt – thus saving time, water and effort. Regular cleaning with our special agents restores shine and helps different materials last longer.



The Ultra Foam Cleaner for continuous foaming.











Rim cleaner with intelligent colour switch, which indicates the end of the treatment time.



3-in-1: active dirt remover for maximum degreasing, quick-dry formula and ultra-shine formula.

HOME & GARDEN
CLEANING AND
CARE AGENTS

	Product description	Application / Dosing	Packaging size	PU	Order No./ Unit
Vehicle Care					
	Car Shampoo 3-in-1 Powerful car shampoo with the unique 3-in-1 formula, which, in addition to maximum cleaning performance thanks to the active dirt remover, also offers a quick-dry formula and ultra shine. For maximum cleaning efficiency, care and maintenance and protection in a single step. For gentle cleaning of all vehicles.	With high-pressure cleaner Connect bottle to high-pressure cleaner, insert suction hose in the bottle or pour cleaning agent into the tank. Apply at low pressure, allow to react briefly and then rinse off thoroughly at high pressure. Further applications increase the care and protective effect.	1 l	6	6.295-750.0
	Car Shampoo Slightly alkaline, foaming cleaning agent for thorough vehicle cleaning. Safe for the environment and particularly gentle on all painted and plastic surfaces.	With high-pressure cleaner or manual Apply using the high-pressure cleaner or mix in the bucket by hand at a ratio of 1:10 and apply with a sponge. Allow to react briefly, then rinse off thoroughly.	5 l	1	6.295-360.0
	Car Shampoo Concentrate Car shampoo concentrate for gentle and careful vehicle cleaning. Removes oil, grease, winter and road dirt on paintwork, glass, plastic and chrome. When diluted makes 5 l of cleaning agent.	With high-pressure cleaner Makes 5 l of ready-to-use car shampoo. Mix 0.5 l of car shampoo with 4.5 l of tap water (1:9) and apply either at low pressure with the high-pressure cleaner or also via the foam jet. Manual Mix 150 ml of concentrate with 5 l of tap water.	500 ml	8	6.295-843.0
		NEW			
	Ultra Foam Cleaner 3-in-1 With special foam booster for even more intensive cleaning. Thanks to the new active dirt remover, it effortlessly and quickly removes oil and grease-based contamination, as well as typical vehicle and road dirt. Phosphate-free and gentle on materials.	With foam jet Pour Ultra Foam Cleaner into the tank of the foam jet or connect to Connect 'n' Clean, set dosing to min. or max. depending on level of contamination and apply. Allow to react briefly, clean with brush and then rinse off at high pressure. Do not allow to dry.	1 l	6	6.295-743.0

	Product description	Application / Dosing	Packaging size	PU	Order No./ Unit
	Rim Cleaner 3-in-1 Gently cleans all types of steel and light metal rims of brake dust, winter salt and other road dirt. The intelligent colour switch indicates when the cleaning agent can be rinsed off. Simple application with effective gel formula.	Manual Spray onto dry, cold rim and allow to take effect until the clean turns a red colour. Then rinse off thoroughly at high pressure. Do not clean hot components.	500 ml	8	6.295-760.0
	Insect Remover 3-in-1 Gently removes insects from painted surfaces, radiator grills, exterior mirrors, windscreen and plastic.	Manual Spray onto dry area, allow 3-5 minutes to take effect and then rinse off thoroughly at high pressure.	500 ml	8	6.295-761.0
	Glass Cleaner Gel 3-in-1 For manual cleaning of glass and mirrors, as well as shiny, waterproof surfaces. Even removes greasy and oily dirt. Perfect processing with gel formula, which prevents undesired run-off on vertical surfaces.	Manual Spray onto surface, distribute evenly with a cloth and then rub clear.	500 ml	8	6.295-762.0
	Bike Cleaner 3-in-1 For manual cleaning of bikes. Gently and effectively removes typical dirt such as brake dust, tyre wear, insects, mud and oil-based dirt. Perfect processing with good adhesive gel formula.	Manual Spray onto dry, cold bike and allow 3-5 minutes to take effect. Then rinse off thoroughly. Do not clean hot components.	500 ml	8	6.295-763.0

THE PERFECT COMPLEMENT: KÄRCHER CLEANING AND CARE AGENTS

For over 30 years Kärcher has been attaching great importance to environmental sustainability and conservation of resources in the development stage, selection of raw materials and production of its cleaning and care agents. Our cleaning agents are tailored precisely to the machines and not only guarantee optimal cleaning results, but also save water, time and energy.








Thorough cleaning of textile areas deep into the fibres.
















Kärcher floor care product and floor polisher FP 303 add a high-gloss finish to floors.



Application of glass cleaner with the spray bottle.

Product description	Application / Dosing	Packaging size	PU	Order No. / Unit
Cleaning and care agents for textile areas				
 <p>Carpet Cleaner RM 519 Liquid cleaning agent with quick-dry formula for occasional cleaning. Suitable for carpets, upholstery, car seats, etc.</p>	<p>Spray extraction cleaner Depending on level of contamination, add 100-200 ml of carpet cleaner to the fresh water tank and fill up with water (< 50 °C). Then spray and vacuum at the same time. Do not rinse. If required, clean afterwards using clear, warm water. In the case of heavy soiling, spray, allow to take effect for at least 5 minutes and then vacuum. For very absorbent textiles (wool), vacuum again after cleaning.</p>	1 l	6	6.295-771.0
 <p>Textile Impregnating Spray Care Tex RM 762 Highly effective protection with long-term effect for all textile surfaces. Carpets, upholstery and car seat receive a dirt-repellent protective film which hampers resoiling. Dirt can thus be vacuumed easier and more thoroughly.</p>	<p>Spray extraction cleaner Clean textile surfaces beforehand. Mix 500 ml of textile impregnating spray with 2.0 l of water. Add impregnating solution to the fresh water tank, spray evenly onto surface at a distance of approx. 30 cm using the wash nozzle and allow to dry.</p>	500 ml	8	6.295-769.0
Defoamer for vacuum cleaners with water filter and steam vacuum cleaners				
 <p>FoamStop neutral With this liquid defoaming agent annoying foam disappears in an instant.</p>	<p>Vacuum cleaners with water filter / steam vacuum cleaners Add a capful of FoamStop (2 ml) to the tank of the vacuum cleaner with water filter or steam vacuum cleaner which is filled with water. In the event of excessive foaming, another capful can be added.</p>	125 ml	6	6.295-873.0
 <p>FoamStop citrus With this liquid defoaming agent with allergen-free citrus scent annoying foam disappears in an instant.</p>	<p>Vacuum cleaners with water filter / steam vacuum cleaners Add a capful of FoamStop (2 ml) to the tank of the vacuum cleaner with water filter or steam vacuum cleaner which is filled with water. In the event of excessive foaming, another capful can be added.</p>	125 ml	6	6.295-874.0
 <p>FoamStop fruity With this liquid defoaming agent with allergen-free fruity scent annoying foam disappears in an instant.</p>	<p>Vacuum cleaners with water filter / steam vacuum cleaners Add a capful of FoamStop (2 ml) to the tank of the vacuum cleaner with water filter or steam vacuum cleaner which is filled with water. In the event of excessive foaming, another capful can be added.</p>	125 ml	6	6.295-875.0

Product description	Application / Dosing	Packaging size	PU	Order No. / Unit
Reinigungs- und Pflegemittel in Verbindung mit Hartbodenreiniger und Wischmopp				
 <p>Floor cleaning and care product for sealed wood RM 534 For thorough and gentle cleaning, refreshing and maintenance of sealed wooden floors. With effective moisture protection to stop floor from swelling. With fresh lemon fragrance.</p>	<p>For cleaning in the home with hard floor cleaner Fill the fresh water tank of the Kärcher hard floor cleaner with water and then add 1/2 to 1/4 of a cap of floor cleaner. Manual wiping Vacuum floor. Add 2 to 3 capfuls to 5 l water and damp wipe.</p>	500 ml	8	6.295-941.0
NEW				
 <p>Floor cleaning and care product for oiled/waxed wooden floors RM 535 RM 535 floor cleaning and care product cleans, maintains and protects oiled and waxed wooden flooring and leaves behind a streak-free, silky matt lustre without any wiping. Pleasant beeswax fragrance.</p>	<p>For cleaning in the home with hard floor cleaner Fill the fresh water tank of the Kärcher hard floor cleaner with water and then add 1/2 to 1/4 of a cap of floor cleaner. Manual wiping Vacuum floor. Add 2 to 3 capfuls to 5 l water and damp wipe.</p>	500 ml	8	6.295-942.0
NEW				
 <p>Stone Floor Cleaner RM 537 RM 537 floor cleaning and care product for a streak-free result on tiles, stone and natural stone. Effectively and gently removes running tracks and is also suitable for vinyl, PVC and lino.</p>	<p>For cleaning in the home with hard floor cleaner Fill the fresh water tank of the Kärcher hard floor cleaner with water and then add 1/2 to 1/4 of a cap of floor cleaner. Manual wiping Vacuum floor. Add 2 to 3 capfuls to 5 l water and damp wipe.</p>	500 ml	8	6.295-943.0
NEW				
 <p>Floor Cleaner Universal RM 536 For all hard floors: Floor Cleaner Universal RM 536 for thorough cleaning. Removes running tracks for a streak-free result. With moisture-protection to stop floor swelling and lemon fragrance.</p>	<p>For cleaning in the home with hard floor cleaner Fill the fresh water tank of the Kärcher hard floor cleaner with water and then add 1/2 to 1/4 of a cap of floor cleaner. Manual wiping Vacuum floor. Add 2 to 3 capfuls to 5 l water and damp wipe.</p>	500 ml	8	6.295-944.0
NEW				
Cleaning and care agent used in conjunction with floor polisher and wiping mop				
 <p>Deep Cleaner for hard floors RM 533 For thorough removal of old protective layers and stubborn dirt on stone, lino and PVC. Optimal shine with subsequent use of Kärcher care products. Can also be used on normal dirt on sealed parquet and cork flooring. Note: Not suitable for unsealed wooden surfaces.</p>	<p>For thorough removal of old protective layers / stubborn dirt Vacuum floor. Add 100 ml/l of deep cleaner to mopping water and distribute evenly with wiping mop. Allow to take effect briefly, but do not allow to dry and wipe again once or twice with clear water. For normal dirt Vacuum floor. Add 100 ml of deep cleaner to 5 l of water and damp wipe floor.</p>	1 l	6	6.295-775.0
 <p>Floor care for matt stone / lino / PVC RM 532 Optimal care and protection for matt artificial and natural stone floors, lino and PVC. Running tracks are removed, the protective film is renewed and the floor obtains a silky matt lustre. Note: Allow treated floors 24 h to harden, do not apply any water, do not move any furniture and do not walk on floor with shoes. Store in a frost-free location.</p>	<p>Initial application Vacuum floor and damp wipe. Wash out wiping mop and wring it out. Add 10 ml/m² of care product and distribute evenly in sections with wiping mop. Allow damp protective film to dry completely (approx. 20-30 min) and then polish floor. Use on floors which have already been treated Vacuum floor. Add 30 ml/l to mopping water, damp wipe floor, allow to dry and polish as required.</p>	1 l	6	6.295-776.0
 <p>Floor cleaner for sealed parquet / laminate / cork RM 531 Optimal care and protection for sealed parquet, laminate and cork floors. Running tracks are removed, the protective film is renewed and the floor obtains a silky matt lustre. Note: Allow treated floors 24 h to harden, do not apply any water, do not move any furniture and do not walk on floor with shoes. Store in a frost-free location.</p>	<p>Initial application Vacuum floor and damp wipe. Wash out wiping mop and wring it out. Add 10 ml/m² of care product and distribute evenly in sections with wiping mop. Allow damp protective film to dry completely (approx. 20-30 min) and then polish floor. Use on floors which have already been treated Vacuum floor. Add 30 ml/l to mopping water, damp wipe floor, allow to dry and polish as required.</p>	1 l	6	6.295-777.0

	Product description	Application / Dosing	Packaging size	PU	Order No. / Unit
	<p>Floor care for waxed parquet / with oil-wax finish RM 530</p> <p>Optimal care and protection for waxed wooden floors or wooden floors with oil-wax finish. Running tracks are removed, the protective film is renewed and the floor obtains a silky matt lustre. Note: Allow treated floors 24 h to harden, do not apply any water, do not move any furniture and do not walk on floor with shoes. Store in a frost-free location.</p>	<p>Application / Dosing</p> <p>Initial application Vacuum floor and damp wipe. Wash out wiping mop and wring it out. Add 10 ml/m² of care product and distribute evenly in sections with wiping mop. Allow damp protective film to dry completely (approx. 20-30 min) and then polish floor.</p> <p>Use on floors which have already been treated Vacuum floor. Add 30 ml/l to mopping water, damp wipe floor, allow to dry and polish as required.</p>	1 l	6	6.295-778.0
Decalcifying agent for steam cleaners					
	<p>Descaler sticks RM 511</p> <p>Fast and effective descaling of Kärcher steam cleaners. Also suitable for descaling coffee machines, kettles, etc.</p>	<p>Steam cleaners</p> <p>Depending on machine size and degree of calcification, add 1-3 sticks to unit, fill with luke warm water and allow to take effect for approx. 8 hours. Then rinse out with clear water at least twice.</p>	9 × 13 g	10	6.295-206.0
	<p>Descaler cartridge</p> <p>Fast and effective descaling of Kärcher steam cleaner SC 3. Simply insert - and finished!</p>	<p>Steam cleaners</p> <p>The efficient and comfortable self-descaling technology automatically removes lime from the water, provides reliable protection against calcification and ensures long service life of the machine. No other descaling measures are required.</p>	1 piece		2.863-018.0
Glass and window cleaning products for battery-operated window vacuum cleaner					
	<p>Window cleaner concentrate RM 503</p> <p>Window cleaner in practical proportioned pack for streak-free cleaning of all waterproof, smooth surfaces such as glass, windows, mirrors, shower cabins, etc. Allows rain to run off quickly and delays resoiling.</p>	<p>Battery-operated window vacuum cleaner</p> <p>Open pouch. Add concentrate to the spray bottle and fill up with 230 ml of water.</p>	4 × 20 ml	20	6.295-302.0
	<p>Window cleaner concentrate RM 503</p> <p>Window cleaner concentrate for streak-free cleaning of all waterproof, smooth surfaces such as glass, windows, mirrors, shower cabins, etc. Allows rain to run off quickly and delays resoiling.</p>	<p>Battery-operated window vacuum cleaner</p> <p>Add 1 capful (20 ml) of concentrate to the spray bottle and fill up with 230 ml of water.</p> <p>Manual</p> <p>Product is also very suitable for manual processing.</p>	500 ml	8	6.295-840.0
	<p>Glass cleaner concentrate RM 500</p> <p>For streak-free cleaning of all waterproof, smooth surfaces. Also removes stubborn dirt such as films of grease, insects, skin oils and emissions.</p>	<p>Battery-operated window vacuum cleaner</p> <p>Add 1.5 capfuls (30 ml) of concentrate to the spray bottle and fill up with 220 ml of water.</p> <p>Manual</p> <p>Product is also very suitable for manual processing.</p>	500 ml	8	6.295-772.0

NEW



Cleaning agents

A			
Abrasive (bag)		72	
Active Foam CP 940		18	
B			
Barrel pump, 200 l		13, 27	
Bike Cleaner 3-in-1		75	
Blasting Abrasive, coarse		11	
Blasting Abrasive, fine		11	
C			
CA 10 C Sanitary Deep Cleaner		30	
CA 20 C-D Empty bottle, Sanitary Everyday Cleaner		33	
CA 20 C Sanitary Everyday Cleaner		30	
CA 20 R Sanitary Everyday Cleaner, ready-to-use		30	
CA 30 C-D Empty bottle, Surface Cleaner		33	
CA 30 C Surface Cleaner		31	
CA 30 R Surface Cleaner, ready-to-use		31	
CA 40 R Glass Cleaner, ready-to-use		32	
CA 50 C Floor Cleaner		24	
Carpet Cleaner RM 519		76	
CarpetPro Carpet Cleaner RTS Classic		36	
CarpetPro Cleaner iCapsol RM 768		36	
CarpetPro Cleaner iCapsol RM 768 OA		36	
CarpetPro Cleaner, quick-drying RM 767		37	
CarpetPro Cleaner RM 760 Powder		36	
CarpetPro Cleaner RM 760 Powder Classic		36	
CarpetPro Cleaner RM 760 Tablet		36	
CarpetPro Cleaner RM 764		36	
CarpetPro Cleaner RM 764 Classic		36	
CarpetPro Conditioner RM 763		37	
CarpetPro Dry Cleaner RM 766		36	
CarpetPro Foam Blocker RM 761		26, 37	
CarpetPro Protector RM 762		37	
Car Shampoo		74	
Car Shampoo 3-in-1		74	
Car Shampoo Concentrate		74	
Cleaning Agent Sprayer		13, 27	
Container valve, 5 l		13, 27, 33	
Container valve, 10 l		13, 27	
Container valve, 20 l		13, 27	
D			
Deep Cleaner for hard floors RM 533		77	
Descaler cartridge		78	
Descaler sticks RM 511		78	
Desinfect K 1 RM 790		11	
Desinfect K 2 RM 791		11	
Disinfectant Cleaner, foaming RM 734		10	
Disinfectant Cleaner RM 732		10, 26	
Disinfectant RM 735		10, 26	
Dosing head		33	
Drum tap, 200 l		13, 27	
DS 2 Dosing Unit		13, 27, 33	
DS 3 Cleaning Agent Dosing Station		13, 27, 33	
E			
EK 1 Cleaning Agent Sprayer		13, 27	
F			
Floor care for matt stone/lino/PVC RM 532		77	
Floor care for waxed parquet/with oil-wax finish RM 530		78	
Floor cleaner for sealed parquet/laminate/cork RM 531		77	
Floor Cleaner Universal RM 536		77	
Floor cleaning and care product for oiled/waxed wooden floors RM 535		77	
Floor cleaning and care product for sealed wood RM 534		77	
FloorPro All-purpose Cleaner Tefral		24	
FloorPro Allround Deep Cleaner RM 754		26	
FloorPro Care Dispersion RM 784		25, 26	
FloorPro Crystallising Agent RM 749		26	
FloorPro Deep Cleaner, acidic RM 751		26, 30	
FloorPro Deep Cleaner RM 69		25	
FloorPro Deep Cleaner RM 69 ecoefficiency		25	
FloorPro Deep Cleaner Solisal		24	
FloorPro Escalator Cleaner, neutral RM 758		26	
FloorPro Fine Stoneware Cleaner RM 753		24	
FloorPro Floor Cleaner RAT Classic		24	
FloorPro High Gloss Crystallising Agent, powder RM 775		27	
FloorPro Industrial Cleaner RIR Classic		25	
FloorPro Intensive Deep Cleaner Extra RM 752		26	
FloorPro Multi Cleaner RM 756		24	
FloorPro Protect Dispersion Extra RM 782		26	
FloorPro Shine Cleaner RM 730		24	
FloorPro Shine Cleaner RM 755		25	
FloorPro Spray Cleaner RM 748		25	
FloorPro Spray Cleaner Unispray		25	
FloorPro Tyre and Abrasion Marks Remover RM 776, NTA-free		24	
FloorPro Universal Cleaner RM 743		24	
FloorPro Wipe Care Extra RM 780		25	
FloorPro Wipe Care RM 746		25	
FloorPro Wipe Care Solinet		25	
FoamStop citrus		76	
FoamStop fruity		76	
FoamStop neutral		76	
G			
Glass cleaner concentrate RM 500		78	
Glass Cleaner Gel 3-in-1		75	
Glass Finisher 3-in-1		73	
H			
Hand Cleaning Paste RM 200		12, 21	
High-Pressure Wash CP 935		18	
I			
Insect Remover 3-in-1		75	
Intensive Deep Cleaner RM 750		10, 26	
Intensive Dirt Remover CP 930		18	
P			
PartsPro Microbe Suspension		21	
PartsPro Parts Cleaner Extra, powder RM 63		21	
PartsPro Parts Cleaner PC Bio 10		21	
PartsPro Parts Cleaner PC Bio 20		21	
PartsPro Parts Cleaner RM 39		12, 21	
Patio & Deck Cleaner Concentrate		73	
Perfumed Cleaner Citral		30	
Perfumed Cleaner Fleural		31	
Plastic Cleaner		73	
Plastic Cleaner 3-in-1		73	
PressurePro Active Cleaner, acidic RM 25		10	
PressurePro Active Cleaner, alkaline RM 81, NTA-free		8, 10	
PressurePro Active Cleaner, alkaline RM 81 ecoefficiency		8	
PressurePro Active Cleaner, neutral RM 55		11	
PressurePro Active Cleaner, powder RM 80		9	
PressurePro Car Shampoo, powder RM 22		9	
PressurePro Car Shampoo, powder RM 22, NTA-free		9	
PressurePro Descaling Acid RM 101		12	
PressurePro Façade Cleaner, Gel RM 43		11	
PressurePro Foam Cleaner, acidic RM 59		9	
PressurePro Foam Cleaner, alkaline RM 58		9	
PressurePro Foam Cleaner, alkaline RM 91 Agri		11	
PressurePro Foam Cleaner, neutral RM 57		9	
PressurePro Grease and Protein Remover RM 731		9	
PressurePro Hot Wax RM 41		9	
PressurePro Machine Protector Advance 1 RM 110		12	
PressurePro Machine Protector Advance 2 RM 111		12	
PressurePro Machine Protector RM 110		12	
PressurePro Oil and Grease Cleaner Extra RM 31		8, 10	
PressurePro Oil and Grease Cleaner Extra RM 31 ecoefficiency		8, 10	
PressurePro Phosphating Agent, powder RM 47		12	
PressurePro Phosphating Agent RM 48		12	
PressurePro Smoke Resin Remover RM 33		10	
PressurePro Soaking Agent, alkaline RM 92 Agri		11	
PressurePro Solar Cleaner RM 99		11	
PressurePro Surface Cleaner, acidic RM 93 Agri		11	
PressurePro Wax Remover RM 36		8	
Pump spray bottle		27	

R		V	
Rim Cleaner 3-in-1	75	VehiclePro Active Foam RM 812 Classic	17
Rim Cleaner, alkaline CP 901	18	VehiclePro Active Foam Wash Nano RM 816 Classic	16
S		VehiclePro Brush Shampoo RM 811 Classic	17
SanitPro Deep Cleaner RSA Classic	31	VehiclePro Drying Aid RM 829 Classic	17
SanitPro Deep Cleaner Unisan Plus	30	VehiclePro Foam Cleaner RM 838	17
SanitPro Deodoriser Urisan	30	VehiclePro Foam Polish RM 837	18
SanitPro Maintenance Cleaner Allsan	30	VehiclePro High-Pressure Wash RM 806	16
SanitPro Scented Cleaner RSD Classic	30	VehiclePro High-Pressure Wash RM 806, NTA-free	16
SanitPro WC Cleaner Tolisan	30	VehiclePro Hot Wax RM 820 Classic	17
Spray Bottle	73	VehiclePro Kärcher Polish Plus RM 831	17
Sprayer, blue	33	VehiclePro Liquid Leather RM 833	17
Sprayer, red with foam nozzle	33	VehiclePro Prewash RM 803 Classic	8, 16
Spray nozzle, red	33	VehiclePro Rim Cleaner, acidic RM 800	8, 16
Stone and Façade Cleaner	72	VehiclePro Rim Cleaner, alkaline RM 801 Classic	8, 16
Stone and Façade Cleaner 3-in-1	72	VehiclePro Rim Foam RM 802	16
Stone Floor Cleaner RM 537	77	VehiclePro RM 832 Gloss Dryer Nano Classic	17
SurfacePro Alcohol-based Cleaner Alcal	31	VehiclePro Softening Salt	18
SurfacePro All-purpose Cleaner RAG Classic	31	VehiclePro Spray Wax RM 821 Classic	9, 17
SurfacePro Cleaner, alkaline Induflex	31	VehiclePro Super Pearl Wax RM 824 Classic	17
SurfacePro Glass and Surface Cleaner RGR Classic	32	VehiclePro Truck Cleaner, acidic RM 804	16
SurfacePro Glass and Surface Cleaner Sural	32	VehiclePro Truck Cleaner, alkaline RM 805, NTA-free	16
SurfacePro Glass Cleaner Glasal	32	VehiclePro Washing Bay and Tile Cleaner RM 841	18
SurfacePro Maintenance Cleaner, odourless Allflex	31	W	
SurfacePro Scouring Agent Inoxal	32	WaterPro Active Chlorine RM 852	19
T		WaterPro Disinfectant, odour removing RM 851	19
TankPro Cleaner, acidic RM 870	20	WaterPro Flocculating Agent RM 847	19
TankPro Cleaner, alkaline RM 875	20	WaterPro Flocculating Agent RM 5001	19
TankPro Cleaner, Polymer RM 880	20	WaterPro Hardness Stabiliser RM 5000	19
Telescopic spray lance	13, 27	WaterPro Separating Agent, powder RM 846	19
Textile Impregnating Spray Care Tex RM 762	76	Window cleaner concentrate RM 503	78
Thermo Wax CP 945	18	Wood Cleaner	73
Top Care CP 950	18	Wood Cleaner 3-in-1	73
U			
Ultra Foam Cleaner 3-in-1	74		
Universal Cleaner	72		
Universal Cleaner RUH Classic	24		
Universal Cleaner, surfactant-free RM 770	31, 37		
Universal Stain Remover RM 769	24, 32, 36		
Uripur Toilet Rim Blocks Citrus	31		

OUR PICTOGRAMS



Absorbs odours

Indicates cleaning agents that reduce unpleasant odours.



Low foam

Low-foam cleaning agent.



FIGR-certified

Research and Testing Institute for Facility Management.



Woolsafe-certified

Products can be used on sensitive textile fibres such as wool.



A.I.S.E. sustainability initiative

It was confirmed that Kärcher aligns the entire development and production process of its cleaning agents in line with the sustainability objective.



Easily separable formula (asf)


Quick separation of watery and oil-based parts in oil separator.



German Association of the Automotive Industry (VDA) – VDA-certified Class A

Class A guarantees maximum safety. Applications of automatic and manually controlled machines.

**◀ MORE
INFORMATION**



Please contact us for more information:

Head Office Germany

Alfred Kärcher GmbH & Co. KG
Alfred-Kärcher-Straße 28-40
71364 Winnenden

Phone +49 7195-14-0
Fax +49 7195-14-2212

www.kaercher.com

North America

Kärcher North America
4555 Airport Way
Denver, CO 80239
USA

Phone +1 303-738-5805
Fax +1 303-865-2758

www.karcherna.com

United Kingdom

Kärcher (UK) Ltd
Kärcher House
Brookhill Way
Banbury
Oxon OX16 3ED

Phone +44 1295-752-000
Fax +44 1295-752-103

www.karcher.co.uk

Ireland

Kärcher Ltd
Unit 4
E.P. Mooney Business Park
Walkinstown Avenue
Dublin 12

Phone +353 1-409-7777
Fax +353 1-409-7775

www.karcher.ie

South East Asia

Regional Head Office
South East Asia

Kärcher South East Asia Pte Ltd
3 Depot Close #05-01
Singapore 109840

Phone +65 6897-1811
Fax +65 6897-1611

www.karcher.com.sg

Hong Kong

Kärcher Limited
Unit 05, 13/F, Nanyang Plaza
57 Hung To Road
Kwun Tong, Kowloon

Phone +852 2-357-5863
Fax +852 2-357-5632

www.karcher.com.hk

Australia

Kärcher Pty Ltd
40 Koornang Road
Scoresby VIC 3179
Melbourne, Victoria

Phone +61 3-9765-2300
Fax +61 3-9765-2398

www.karcher.com.au

New Zealand

Kärcher Ltd
66 Allens Road
East Tamaki
Auckland 2013

Phone +64 9-274-4603
Fax +64 9-274-6932

www.karcher.co.nz

South Africa

Kärcher (Pty) Ltd
Cnr Mount Joy & George Allen Rd
Wilbart Ext. 2
PO Box 11818
Vorna Valley, 1686

Phone +27 11-657-7300
Fax +27 11-657-7440

www.karcher.co.za

Dubai

Kärcher FZE
Quality Cleaning Systems
Jebel Ali Free Zone
Plot No. S-10104 South Zone
RA 08, XB 1, Jebel Ali

Phone +971 4-886-1177
Fax +971 4-886-1575

www.kaercher.com