

POWER TOOLS SALE SHEET - IQMS362



iQMS362 - 16.5" Dry Cut Masonry Saw	
W/ Integrated Dust Control	
POWER REQUIREMENTS	120v/20amps
SAW MOTOR AMPERAGE	15amps
VAC MOTOR AMPERAGE	5amps
SAW WEIGHT	150lbs
ARBOR SHAPE/ BLADE SIZE	Q-Drive / 16.5"
FILTER TYPE	iQ Durabond Cartridge
CUTTING DEPTH	5.5"
RIP LENGTH	24" straight / 18" diagonal
EFFECTIVE DUST CAPACITY	40lbs
SAW DIMENSIONS	32"W x 40"H x 43"L
OSHA COMPLIANT	YES
INCLUDED WITH SAW	16.5" Combination Blade, Filter, Integrated Rolling Table and Stand
RETAIL PRICE	\$2899
RECOMMENDED BUT NOT INCLUDED	
EXTENSION CORD	25ft/12ga or 50ft/10ga
GENERATOR	4500 Continuous Watts

16.5" Q-DRIVE BLADES









KEY FEATURES

- No Water; No Dust; No Mess
- Significant time savings—Fast Setup/ Cleanup; No special cutting area required
- No wet/stained materials
- Safer, cleaner jobsite
- Meets OSHA Requirements for Silica PEL



POWER TOOLS SALE SHEET - **iQMS362**

OPERATING TIPS

- NOT A CHOP SAW; Proper dust control requires material to be table fed
- Ensure access to adequate power; 20A Receptacle, heavy gauge extension cords, proper sized generator
- Control material feed rate; If the saw is shaking and/or more force is required, the blade is most likely glazed and needs dressing
- Spin the vacuum filter every 20-30 minutes of cutting time
- Maintenance replace vacuum filter, saw motor brushes, and rolling table louvers annually (**Annual Tune-Up kit is available**)
- Select a blade based on the material being cut; For your pavers we recommend the "Orange" HM2 blade.

BASIC TROUBLESHOOTING

- The blade is hot and/or having trouble cutting:
 - The blade is most likely glazed and or warped. Try using a dressing stone to see if performance improves. If not, replace the blade.
- . The vacuum is not controlling the dust:
 - Is there suction at the vacuum port beneath the saw? Check to make sure that the vacuum power cord is connected.
 - Is the material being table fed or chopped? Chopping blocks the vacuum port and prevents dust capture.
 - Why do I still see some dust when cutting? iQ saws are not 100% dustless, and a minor amount of dust may be visible while cutting. This is normal and within the compliance for the OSHA Silica PEL
- The saw won't start:
 - Perform a check of the saw motor brushes to make sure that they are not worn down
 - Check to make sure that the receptacle has power and that a circuit breaker has not been tripped
 Call iQ Technical Support for further assistance in diagnosing the issue

Each saw is covered by a 1-Year Limited Manufacturer Warranty; For Technical Support , please call 888.274.7744

NEW ACCESSORIES/KITS



ANNUAL TUNE-UP KIT 0362-90073-01

Retail: \$135.40

INCLUDES:

-Replacement filter - Table Louver Set

- Saw Motor Brushes (2)



DUST BLOCKERS iQ3X-DB

Retail: \$89

USE:

 to block the dust escaping from the holes in cored brick



SAW COVER 0362-90094-01

Retail: \$89 USE:

USE: - protect saw from weather or while traveling