



Free Knitting Pattern

Clancy Vest



Pattern #-

M21297 EK

Yarn-

Lion Brand® Let's Get Cozy:
Re-Spekt

Designed by-

Irina Poludnenko

SKILL LEVEL – INTERMEDIATE

SIZES

S/M (L/1X, 2X/3X)

Finished Bust About 42 (50, 58) in. (106.5 (127, 147.5) cm)

Finished Length 23 (24, 25) in. (58.5 (61, 63.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- LION BRAND® LET'S GET COZY: RE-SPEKT (Art. #844)
#134 Sunstone 5 (7, 8) balls
- LION BRAND® stitch markers
- LION BRAND® cable needle
- LION BRAND® stitch holders
- LION BRAND® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 6 (4 mm), 24 in. (60 cm) long or longer

Circular knitting needle size 6 (4 mm), 16 in. (40 cm) long (for neckband)

GAUGE

20 sts + 30 rows = about 4 in. (10 cm) over St st (k on RS, p on WS).

24 sts + 32 rows = about 4 in. (10 cm) over Cable patterns.

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

2/2 LPC (2 over 2 left purl cross): Slip 2 sts to cable needle and hold in front, p2, then k2 from cable needle.

2/2 RPC (2 over 2 right purl cross): Slip 2 sts to cable needle and hold in back, k2, then p2 from cable needle.

3/1 LPC (3 over 1 left purl cross): Slip 3 sts to cable needle and hold in front, p1, then k3 from cable needle.

3/1 RPC (3 over 1 right purl cross): Slip 1 st to cable needle and hold in back, k3, then p1 from cable needle.

3/3 LC (3 over 3 left cross): Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

LT (Left Twist) Knit 2nd st on left needle through the back loop and leave on left needle. Then knit the first st through the front loop and slip both sts off left needle.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

M1 (make 1) An increase worked by lifting the horizontal strand lying between needles and placing it onto the left needle. Knit this new stitch through the back loop – 1 st increased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them tog – 1 st decreased.

PATTERN STITCHES

Cable Pattern I (worked over 6 sts)

Row 1 (RS): P2, LT, p2.

Row 2: K2, p2, k2.

Rep Rows 1 and 2 for Cable pattern I.

Cable Pattern II (worked over 12 sts)

Row 1 (RS): P1, 2/2 RPC, p4, k2, p1.

Row 2: K1, p2, k4, p4, k1.

Row 3: P1, k4, p2, 2/2 RPC, p1.

Row 4: K3, p2, k2, p4, k1.

Row 5: P1, (2/2 RPC) twice, p3.

Row 6: K3, p8, k1.

Row 7: P1, k2, 2/2 RPC, 2/2 LPC, p1.

Row 8: K1, p2, k4, p4, k1.

Rep Rows 1-8 for Cable pattern II.

Cable Pattern III (worked over a multiple of 12 sts)

Row 1 (RS): * 2/2 LPC, k4, 2/2 RPC; rep from * to end.

Rows 2, 4, 6, 8, and 10 (WS): Purl.

Row 3: * K2, 2/2 LPC, 2/2 RPC, k2; rep from * to end.

Row 5: * K4, 2/2 LPC, k4; rep from * to end.

Row 7: * K2, 2/2 RPC, 2/2 LPC, k2; rep from * to end.

Row 9: * 2/2 RPC, k4, 2/2 LPC; rep from * to end.

Rows 11-15: Work in Seed st for 6 rows.

Row 16: Purl.

Rep Rows 1-16 for Cable pattern III.

Cable Pattern IV (worked over 12 sts)

Row 1 (RS): P1, k2, p4, 2/2 LPC, p1.

Row 2: K1, p4, k4, p2, k1.

Row 3: P1, 2/2 LPC, p2, k4, p1.

Row 4: K1, p4, k2, p2, k3.

Row 5: P3, (2/2 LPC) twice, p1.

Row 6: K1, p8, k3.

Row 7: P1, 2/2 RPC, 2/2 LPC, k2, p1.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Row 8: K1, p4, k4, p2, k1.

Rep Rows 1-8 for Cable pattern IV.

Cable Pattern V (worked over 10 sts)

Row 1 (RS): K3, p4, k3.

Row 2: P3, k4, p3.

Row 3: 3/1 LPC, p2, 3/1 RPC.

Row 4: K1, p3, k2, p3, k1.

Row 5: P1, 3/1 LPC, 3/1, RPC, p1.

Row 6: K2, p6, k2.

Row 7: P2, 3/3 LC, p2.

Row 8: Knit.

Rep Rows 1-8 for Cable pattern V.

K1, p1 Rib (worked over an even number of sts)

Row 1 (RS): *K1, p1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

Seed St (worked over an odd number of sts)

Row 1 (RS): K1, *p1, k1; rep from * to end.

Row 2: K the purl sts and p the knit sts.

Rep Row 2 for Seed st.

NOTES

1. Vest is made in two pieces: Back and Front.
2. Each piece is worked back and forth in rows from the lower edge upwards.
3. A circular needle is used to accommodate the sts. Work back and forth in rows on the circular needle as if working with straight needles.
4. When you see 'work in patterns as established' in the instructions, this means to work the next row of each pattern between markers, lining up sts as in previous rows.

Note:

The following corrections have been incorporated into the pattern below. We are highlighting the corrections separately here so that if you have printed out an earlier version of the pattern you'll know what was changed.

CORRECTIONS (applied March 8th, 2023)

BACK

...

Shape Neck and Continue to Shape Shoulders

...

Row 1 (RS): Bind off 3 (4, 5) sts, work in patterns as established to first neck marker for right shoulder, join 2nd ball of yarn and bind off center ~~16 (17, 18)~~ **36 (38, 40)** sts removing neck markers, ...

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

BACK

Cast on 120 (142, 166) sts.

Work in K1, p1 Rib until piece measures about 2 1/2 in. (6.5 cm), end with a WS row as the last row you work.

Increase Row (RS): K7 (8, 11), * M1, k15 (14, 16); rep from * 6 (8, 8) more times, M1, k8 (8, 11) – you will have 128 (152, 176) sts in this row.

Beg Cable Patterns

Set-Up Row (WS): Work in Seed st over first 11 sts, place marker (pm), k2, p2, k2, pm, k1, p4, k4, p2, k1, pm, k5, pm, p60 (84, 108), pm, k5, pm, k1, p2, k4, p4, k1, pm, k2, p2, k2, pm, work in Seed st over last 11 sts.

Row 1 (RS): Work in Seed st to first marker, slip marker (sm), work Row 1 of Cable Pattern I to next marker, sm, work Row 1 of Cable Pattern II to next marker, sm, work in Rev St st (p on RS, k on WS) to next marker, sm, work Row 1 of Cable Pattern III to next marker, sm, work in Rev St st to next marker, sm, work Row 1 of Cable Pattern IV to next marker, sm, work Row 1 of Cable Pattern I to last marker, sm, work in Seed st to end of row.

Row 2 (WS): Work in Seed st to first marker, slip marker (sm), work next row of Cable Pattern I to next marker, sm, work next row of Cable Pattern IV to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern III to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern II to next marker, sm, work next row of Cable Pattern I to last marker, sm, work in Seed st to end of row.

Continue in patterns as established, slipping markers as you come to them, until piece measures about 11 in. (28 cm) from beg, end with a WS row as the last row you work. Place a marker on each edge of last row to indicate beg of armhole.

Change Cable Patterns at Armholes

Next Row (RS): Sl 1 (edge st), work Row 1 of Cable Pattern V to first marker, sm, work next row of Cable Pattern I to next marker, sm, work next row of Cable Pattern II to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern III to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern IV to next marker, sm, work next row of Cable Pattern I to last marker, sm, work Row 1 of Cable Pattern V over next 10 sts, p1 (edge st).

Next Row: Sl 1, work next row of Cable Pattern V to first marker, sm, work next row of Cable Pattern I to next marker, sm, work next row of Cable Pattern IV to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern III to next marker, sm, work in Rev St st to next marker, sm, work next row of Cable Pattern II to next marker, sm, work next row of Cable Pattern I to last marker, sm, work next row of Cable Pattern V to last st, p1.

Continue in patterns as established, slipping first st and purling last st for edge sts and slipping markers as you come to them, until piece measures about 20 (21, 22) in. (51 (53.5, 56) cm from beg, end with a WS row as the last row you work.

Shape Shoulders

Continue to slip markers as you come to them, removing markers as sts are decreased, until piece is complete.

Next 20 Rows: Bind off 3 (4, 5) sts, work in patterns as established to end of row – 68 (72, 76) sts when all bind offs have been completed.

Shape Neck and Continue to Shape Shoulders

Place a marker on each side of center 36 (38, 40) sts for neck. Use markers of a different color from the cable pattern markers.

Row 1 (RS): Bind off 3 (4, 5) sts, work in patterns as established to first neck marker for right shoulder, join 2nd ball of yarn and bind off center 36 (38, 40) sts removing neck markers, work in patterns as established to end of row for left shoulder – you will have 13 sts for right shoulder and 16 (17, 18) sts for left shoulder.

You will now work both shoulders AT THE SAME time, using separate balls of yarn.

Row 2: On left shoulder, bind off 3 (4, 5) sts, work in patterns as established to end of side; on right shoulder, bind off 2 sts, work in patterns as established to end – 11 sts for right shoulder and 13 sts for left shoulder.

Row 3: Bind off rem 11 sts of right shoulder; on left shoulder, bind off 2 sts, work in patterns as established to end – 11 sts for left shoulder.

Row 4: Bind off rem 11 sts of left shoulder.

FRONT

Work same as Back until piece measures about 13 1/2 (14, 14 1/2) in. (34.5 (35.5, 37) cm) from beg, end with a WS row as the last row you work.

Shape V-Neck

Continue to slip markers as you come to them, removing markers as sts are decreased, until piece is complete.

Row 1 (RS): Work in patterns as established over first 61 (73, 85) sts, k2tog, k1 for left side of neck; join 2nd ball of yarn, k1, ssk, work in patterns as established to end of row for right side of neck – 63 (75, 87) sts for each side of neck.

You will now work both sides AT THE SAME time, using separate balls of yarn.

Row 2: Work in patterns as established over all sts of both sides of neck, using separate balls of yarn.

Row 3 (RS): On left side of neck, work in patterns as established to last 3 sts, k2tog, k1; on right side of neck, k1, ssk, work in patterns as established to end of side – 62 (74, 86) sts for each side of neck.

Rows 4 and 5: Rep Rows 2 and 3 – 61 (73, 85) sts for each side of neck in Row 5.

Next 3 Rows: Work in patterns as established over all sts of both sides of neck, using separate balls of yarn.

Decrease Row (RS): On left side of neck, work in patterns as established to last 3 sts, k2tog, k1; on right side of neck, k1, ssk, work in patterns as established to end of side – 60 (72, 84) sts for each side of neck.

Rep last 4 rows for 11 (12, 13) more times – 49 (60, 71) sts for each side when all decreases have been completed.

Next Row (WS): Work in patterns as established over all sts of both sides of neck.

Shape Shoulders

Row 1 (RS): On left side, bind off 3 (4, 5) sts, work in patterns as established to end of side; on right side, work in patterns as established to end of side – 46 (56, 66) sts on left side and 49 (60, 71) sts on right side.

Row 2: On right side, bind off 3 (4, 5) sts, work in patterns as established to end of side; on left side, work in patterns as established to end of side – 46 (56, 66) sts for each side.

Row 3: On left side, bind off 3 (4, 5) sts, work in patterns as established to last 3 sts, k2tog, k1; on right side, k1, ssk, work in pattern as established to end of side – 42 (51, 60) sts on left side and 45 (55, 65) sts on right side.

Row 4: On right side, bind off 3 (4, 5) sts, work in patterns as established to end of side; on left side, work in patterns as established to end of side – 42 (51, 60) sts for each side.

Rows 5-20: Rep Rows 1-4 for 4 times – 14 (15, 16) sts for each side in Row 20.

Rows 21 and 22: Rep Rows 1 and 2 – 11 sts for each side in Row 22.

Row 23: Bind off rem 11 sts of left shoulder; on right shoulder, work in patterns as established to end – 11 sts for right shoulder.

Row 24: Bind off rem 11 sts of right shoulder.

FINISHING

Sew shoulder seams.

Sew side seams from lower edge up to armhole markers.

Neckband

From RS, beg at right shoulder seam, pick up and k45 (47, 49) sts evenly spaced along back neck edge to left shoulder seam, 57 (61, 65) sts along left front edge of V-Neck, pm, 1 st at center front, pm, and 57 (61, 65) sts along right front edge of V-Neck – 160 (170, 180) sts.

Place marker for beg of rnd. Join by working the first st on left hand needle with the working yarn from the right hand needle and being careful not to twist sts.

Next Rnd: * K1, p1; rep from * to 2 sts before center st, k2tog, sm, k1 (center st), sm, ssk, p1, ** k1, p1; rep from * to end of rnd – 158 (168, 178) sts.

Next 8 (10, 12) Rnds: Work in K1, p1 Rib as established to 2 sts before center st, k2tog, k1 (center st), ssk, continue in K1, p1 Rib as established to end of rnd – 142 (148, 154) sts when all decreases have been completed.

Bind off in rib.

Weave in ends.

Block to measurements

ABBREVIATIONS

beg = begin(ning)

k = knit

k2tog = knit 2 stitches together

p = purl

rem = remain(ing)

rep = repeat

Rev St st = Reverse Stockinette stitch

rnd(s) = round(s)

RS = right side

sl = slip

st(s) = stitch(es)

St st = Stockinette stitch

WS = wrong side





Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.

©2023 Lion Brand Yarn Company, all rights reserved.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.




For thousands of free patterns, visit our website www.LionBrand.com


To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.


Cable Pattern I




Cable Pattern II




Cable Pattern III



Cable Pattern IV



Cable Pattern V



KEY

- k on RS, p on WS
- p on RS, k on WS
- LT (left twist)
- RT (right twist)
- 2/2 LPC (2 over 2 left purl cross)
- 2/2 RPC (2 over 2 right purl cross)
- 3/1 LPC (3 over 1 left purl cross)
- 3/1 RPC (3 over 1 right purl cross)
- 3/3 LC (3 over 3 left cross)

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.