



User Guide

THE MUSE - REPLACEMENT BULB

Thoughtful lighting, responsibly designed in London.

Thank you for making the switch to Tala.
Discover the full Tala family at tala.co.uk

PREPARATION

Please read instructions thoroughly before installation and keep them for future reference.

Improper assembly can undermine the safety and longevity of the product.

IMPORTANT

All packaging must be removed and bulb carefully screwed in before turning on.

The product is designed to work with the Tala 12V LED bulb provided. Do not use alternative bulb as product will not work effectively. For replacements, visit the Tala website or contact us for assistance.

Avoid turning on product in hot temperatures above 35°C. Doing so will reduce lumen output and bulb lifespan.


To reduce risk of scratches or marking, ensure bulb is fully housed in the glass case unless changing the bulb.


WARNING

The Muse is not suitable for recessed or enclosed fixtures or environments, and should be displayed as instructed.

Do not leave the product under direct sunlight while switched on.



Ensure all fixings are tightly sealed and do not allow internal components and surfaces to be exposed to water.





STEP 1

Release the two screws (1a) on the lid with the provided Hex key (B) and remove the handle (1).





STEP 2

Turn the fixture off by turning the dial anti-clockwise until there is an audible click.

Lift off the lid (2) and carefully unscrew the bulb inside by turning anti-clockwise.

The bulb and lampholder are both safe to touch.





STEP 3


Remove the bulb from inside the lamp and replace with the new bulb.


Gently screw the new bulb clockwise to secure.

STEP 4

Ensure the bulb is screwed in fully and contact is made between the base of the bulb and the housing.

Be careful to align the bulb properly and do not over-tighten.





STEP 5

Return the lid and handle back into the original position.

Tighten the screws with the provided Hex Key (B) to secure the handle in place

CARE AND CLEANING

We recommend cleaning with a soft dry cloth. Do not use abrasive materials as these will damage the finish of the product. Do not use alcohol or other solvents.

Extended use in wet or humid locations can cause condensation to form inside the glass tube. Please follow Step 1-2 to open the lid and allow condensation to evaporate. To avoid condensation, it is recommended that the lamp is not exposed to wet weather for long periods, for example left out in the rain overnight.

Join the Community

Instagram: @tala | Facebook: talaHQ | Pinterest: TalaLED | Tag: lighttoliveby
Tala Studios, 25B Vyner Street, London E2 9DG | hello@tala.co.uk

Tala Europe B.V, Bertus Aafjeshove 40, Nieuwegein 3437JN, Netherlands

Tala North America, Inc., 2 Research Place, Suite 300, Rockville, MD 20850, United States of America