
NO.1 - TILOW WALL LIGHT LARGE

Tom Raffield

Product Specification





Representing the first strong branch that is born from a mighty oak tree, the Tilow Lighting Range allows nature's forms to enhance your interior's personality. A big sister to our Hanter design, the Tilow Wall Light Large can suspend a simple exposed bulb, or showcase a selection of our iconic lampshades.

An arc of sustainably sourced oak grows up and out from a solid base, suspending the No. 1 Pendant at perfect height to display a dramatic display of light and shadow across your space. The Tilow's steam bent design will divide and balance your interior with ease as it illuminates with a warm, welcoming glow. Whether invited into your home as dynamic landing lighting or calming texture to your living space, this Large Tilow and No. 1 Pendant duo extends unique, striking design to your walls.

Take your interior into a new chapter.

Product Type : Wall Light	SKU	Wasaltusas	Dimensions	Dimensions L x W x H (mm)		Weight (kg)	
		Wood types	Unboxed	Boxed	Unboxed	Boxed	
No.1 - Tilow Wall Light Large :	TR-TILO-WL-LRG-NO1-O	Oak	430 x 880 x 1057	1350 x 200 x 655 + 450 x 450 x 450	1.770		
Materials						Other materials	
	Oak				Birch ply hanging disk		
Finish	Finished with a blend of natural wax oils to give a protective, hardwearing and beautiful finish.						
Wiring	Brass bulb holder with black inline switch and plug	Wiring kit	Flex	Flex		Recomended light bulb	
		Plastic inline switch	Flex colour: gre	Flex colour: grey fabric		Max 25W LED	
		E27 (240v)	Cable length: 328cm fron	e length: 328cm from plug to bulb holder			
Care information	Dusting your light regularly and with a light feather duster should keep your light looking clean, otherwise wipe with a damp cloth and remove any moisture with a dry cloth. Gentle furniture polishes can also be used.						
Additional information	 Suitable for use on 240v circuits. Installation instructions and fixings included. This product can be plugged straight into a 240v outlet. If hardwiring into the main supply, this product must be installed by a qualified electrician. 						