

FRAMA

EIFFEL WALL | SINGLE

EIFFEL

In balance between construction and form Eiffel is made with simplicity in mind. The light is being diffused thanks to the blown opal glass. The construction rod is made from gun blued steel and it reflects the light softly.







EIFFEL WALL | SINGLE

Design	Krøyer-Sætter-Lassen
Year	2015
Typology	Wall Lamp
Collection	Permanent Lighting
Origin	The Netherlands
Material	Gun Metal Coating Steel
Cord	2500 mm black silicon cord
Certifications	CE-certified
Installation	Two point mounting. Separate LED Bulbs
Socket	S14
Connection	Four S14 sockets for two bulbs 2500 mm black silicon cord with EU plug. Phase through wiring pos- sible
Dimming	Custom integrated dimmer located at base of lamp (CE-certified)
Note	*Hardwire items are avail- able upon request. Not on stock. For more informa- tion, please contact: amsterdam@framacph. com
Item No.	Product
FR-2096	Eiffel Wall Single 500
FR-2094	Eiffel Wall Single 500 Hardwired*
FR-2097	Eiffel Wall Single 1000
FR-2093	Eiffel Wall Single 1000 Hardwired*





FRAMA

Contact

Visit and learn more at framacph.com
For any requests please contact
frama@framacph.com

Frama Amsterdam Lighting Studio

Amsterdam Studio
Herengracht 180
1016 BR Amsterdam
Netherlands

Frama Head Office & Studio

Frama, Org. St. Pauls Apotek
Fredericiagade 57
1310 Copenhagen
Denmark