



Free Crochet Pattern

Shell Pillow



Pattern #-

M22248 RUBB

Yarn-

Lion Brand® Re-Up Bonus Bundle®

SKILL LEVEL – INTERMEDIATE

SIZE

About 13 in. (33 cm) at tallest x 18 in. (45.5 cm) at widest

MATERIALS

- LION BRAND® RE-UP BONUS BUNDLE® (Art. #128)
 - #101 Rosewater 1 cone (A)
 - #138 Pomegranate 1 cone (B)
- LION BRAND® crochet hook size G-6 (4.25 mm)
- LION BRAND® large-eyed blunt needle

ADDITIONAL MATERIALS

Fiberfill stuffing



GAUGE

16 sc = about 4 in. (10 cm).

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATION

sc2tog (sc 2 sts together) (Insert hook in next st and draw up a loop) twice, yarn over and draw through all 3 loops on hook – 1 st decreased.

NOTES

1. Pillow is made from 2 Panels. Panels are worked the same, just reversing yarn colors.
2. Panels are worked in 2 halves. Each half is worked from the center out to one side edge. First half is worked then sts are worked into unworked loops of foundation ch to beg second half.
3. Both Halves of Panels are worked back and forth in short rows. Short rows are rows that are worked over a portion of the sts in a row, leaving the remaining sts unworked. This gradually adds height to one section of the piece, while the height of the other section does not change.
4. Panels are sewn together and stuffed to make Pillow.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2022 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

PANEL 1

FIRST HALF

With A, ch 41.

Section 1

Row 1 (RS – Foundation Row): Working in back bumps only, sc in 2nd ch from hook and in each ch across – you will have 40 sc in this row.

Note: It is very important that you work the sts of Row 1 into the back bumps of the foundation ch only, leaving the front and back loops free. The front loops will be worked into when making the center B-colored stripe and the back loops will be worked into when beginning the Second Half of Panel.

Row 2: Ch 1, turn, sc in each st across.

Row 3: Ch 1, turn, sc in first 35 sts; leave rem 5 sts unworked – 35 sc.

Row 4: Ch 1, turn, sk first st, sc in each st across – 34 sc.

Row 5: Ch 1, turn, sc in first 28 sts; leave rem 6 sts unworked – 28 sc.

Row 6: Ch 1, turn, sk first st, sc in each st across – 27 sc.

Row 7: Ch 1, turn, sc in first 21 sts; leave rem 6 sts unworked – 21 sc.

Row 8: Ch 1, turn, sk first st, sc in each st across – 20 sc.

Row 9: Ch 1, turn, sc in first 14 sts; leave rem 6 sts unworked – 14 sc.

Row 10: Ch 1, turn, sk first st, sc in each st across – 13 sc.

Row 11: Ch 1, turn, sc in first 7 sts; leave rem 6 sts unworked – 7 sc.

Row 12: Ch 1, turn, sk first st, sc in each st across – 6 sc.

Note: In Row 13, you will begin working complete rows again. You will work over all the sts of Row 12 and then, continuing in the same direction, you will work into the beg ch-1 and unworked sts of previous rows all the way across.

Row 13 (End of Short Rows – RS): Ch 1, turn, sc in first 6 sts, sc in beg ch-1 of Row 12, (sc in next 6 unworked sts, sc in next beg ch-1) 4 times, sc in last 5 unworked sts – 40 sc.

Row 14: Ch 1, turn, sc in each st across, elongate loop on hook and remove hook, place loop on a stitch marker or safety pin so that it does not unravel.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14 (at wide end of Panel), ch 2 (counts as hdc), hdc in each st across – 40 hdc.

Fasten off B.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2022 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Section 2

Return loop of A to hook and gently tighten loop around hook.

Row 1 (RS): With A and working in free back loops of Row 14 sts of Section 1, sc in each st across – 40 sc.

Rows 2-15: Work same as Rows 2-15 of Section 1.

Section 3

Return loop of A to hook and gently tighten loop around hook.

Row 1 (RS): With A and working in free back loops of Row 14 sts of Section 2, sc in each st across – 40 sc.

Row 2: Ch 1, turn, sc in each st across.

Row 3: Ch 1, turn, sc2tog, sc in next 33 sts; leave rem 5 sts unworked – 34 sc.

Row 4: Ch 1, turn, sk first st, sc in each st across – 33 sc.

Row 5: Ch1, turn, sc2tog, sc in next 26 sts; leave rem 5 sts unworked – 27 sc.

Row 6: Ch 1, turn, sk first st, sc in each st across – 26 sc.

Row 7: Ch1, turn, sc2tog, sc in next 19 sts; leave rem 5 sts unworked – 20 sc.

Row 8: Ch 1, turn, sk first st, sc in each st across – 19 sc.

Row 9: Ch1, turn, sc2tog, sc in next 12 sts; leave rem 5 sts unworked – 13 sc.

Row 10: Ch 1, turn, sk first st, sc in each st across – 12 sc.

Row 11: Ch1, turn, sc2tog, sc in next 5 sts; leave rem 5 sts unworked – 6 sc.

Row 12: Ch 1, turn, sk first st, sc in each st across – 5 sc.

Row 13 (End of Short Rows – RS): Ch 1, turn, sc in first 5 sts, sc in beg ch-1 of Row 12, (sc in next 5 unworked sts, sc in next beg ch-1) 4 times, sc in last 5 unworked sts – 35 sc.

Row 14: Ch 1, turn, sc in each st across, elongate loop on hook and remove hook, place loop on a stitch marker or safety pin so that it does not unravel.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14, ch 2 (counts as hdc), hdc in each st across – 40 hdc.

Fasten off B.

Section 4

Return loop of A to hook and gently tighten loop around hook.

Row 1 (RS): With A and working in free back loops of Row 14 sts of Section 3, sc in each st across – 35 sts.

Row 2: Ch 1, turn, sc in each st across.

Row 3: Ch1, turn, sc2tog, sc in next 28 sts; leave rem 5 sts unworked – 29 sc.

Row 4: Ch 1, turn, sk first st, sc in each st across – 28 sc.

Row 5: Ch1, turn, sc2tog, sc in next 22 sts; leave rem 4 sts unworked – 23 sc.

Row 6: Ch 1, turn, sk first st, sc in each st across – 22 sc.

Row 7: Ch1, turn, sc2tog, sc in next 16 sts; leave rem 4 sts unworked – 17 sc.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2022 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Row 8: Ch 1, turn, sk first st, sc in each st across – 16 sc.

Row 9: Ch1, turn, sc2tog, sc in next 10 sts; leave rem 4 sts unworked – 11 sc.

Row 10: Ch 1, turn, sk first st, sc in each st across – 10 sc.

Row 11: Ch1, turn, sc2tog, sc in next 4 sts; leave rem 4 sts unworked – 5 sc.

Row 12: Ch 1, turn, sk first st, sc in each st across – 4 sc.

Row 13 (End of Short Rows – RS): Ch 1, turn, sc in first 4 sts, sc in beg ch-1 of Row 12, (sc in next 4 unworked sts, sc in next beg ch-1) 4 times, sc in last 5 unworked sts – 30 sc.

Row 14: Ch 1, turn, sc in each st across, elongate loop on hook and remove hook, place loop on a stitch marker or safety pin so that it does not unravel.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14, ch 2 (counts as hdc), hdc in each st across – 30 hdc.

Fasten off B.

Return loop of A to hook and gently tighten loop around hook.

Last Row (RS): With A and working in free back loops of Row 14 sts, sc in each st across – 30 sc.

Fasten off A, leaving a long tail of yarn for sewing Panels together.

SECOND HALF

Next Row (Center Stripe – RS): From RS, working in free front loops of foundation ch of First Half, join B with sl st in front loop of foundation ch (at narrow end of Panel), ch 2 (counts as first hdc), hdc in each ch across – 40 hdc.

Fasten off B.

Section 5

Row 1 (WS): From WS, working in free back loops of foundation ch of First Half, join A with sl st in back loop of first foundation ch (at wide end of Panel), ch 1, sc in each ch across – 40 sc.

Rows 2-14: Work same as Rows 2-14 of Section 1 of First Half.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14 (at narrow end of Panel), ch 2 (counts as hdc), hdc in each st across – 30 hdc.

Fasten off B.

Section 6

Return loop of A to hook and gently tighten loop around hook.

Row 1 (WS): With A and working in free back loops of Row 14 sts of Section 5, sc in each st across – 40 sc.

Rows 2-15: Work as Rows 2-15 of Section 5.

Section 7

Return loop of A to hook and gently tighten loop around hook.

Row 1 (WS): With A and working in free back loops of Row 14 sts of Section 6, sc in each st across – 40 sc.

Row 2: Ch 1, turn, sc in each st across.

Rows 3-14: Work same as Rows 3-14 of Section 3 of First Half.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14 (at narrow end of Panel), ch 2 (counts as hdc), hdc in each st across – 35 hdc.

Fasten off B.

Section 8

Return loop of A to hook and gently tighten loop around hook.

Row 1 (WS): With A and working in free back loops of Row 14 sts of Section 7, sc in each st across – 35 sts.

Rows 2-14: Work same as Rows 2-14 of Section 4 of First Half.

Row 15 (Stripe Between Sections – RS): From RS and working in front loops only, join B with sl st in front loop of first st of Row 14, ch 2 (counts as hdc), hdc in each st across – 30 hdc.

Fasten off B.

Return loop of A to hook and gently tighten loop around hook.

Last Row (WS): With A and working in free back loops of Row 14 sts of Section 8, sc in each st across – 30 sc.

Fasten off A.

Lower Edge

From RS, join A with sl st in lower corner, so that you are ready to work along narrow lower edge of Panel.

Row 1 (RS): Ch 1, work 34 sc evenly spaced along narrow edge of Panel – 34 sc.

Rows 2-10: Ch 1, turn, sc in each st across – 34 sc.

Fasten off A, leaving long tail of yarn for sewing Panels together.

Shell Pattern Top Edge

From RS, join A with sl st in top corner, so that you are ready to work along wide top edge of Panel.

Row 1 (RS): * Sk ends of next 3 rows, 8 dc in end of next row (shell made), sk ends of next 3 rows, sl st in next space between rows, sk ends of next 3 rows, 8 dc in end of next row, sk ends of next 3 rows, sl st in end of stripe between sections; rep from * all the way across top edge to work 2 shells along top edge of each section – 16 shells.

Fasten off A.

Row 2 (RS): From RS and working in back loops only, join B with sl st in top corner, sl st in each st across.

Fasten off B.

PANEL 2

Work same as Panel 1, reversing yarn colors.

FINISHING

Hold Panels with WS together and sts and rows matching. Using yarn tails, sew Panels together. Along shell edge, sew along base of shells leaving scalloped edge unsewn.

Stuff Pillow before completing the seam.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)

ch = chain

hdc = half double crochet

rem = remain(ing)

rep = repeat

RS = right side


sc = single crochet

sk = skip

sl st = slip stitch

st(s) = stitch(es)

WS = wrong side



Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.

©2022 Lion Brand Yarn Company, all rights reserved.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2022 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.