




Profile Drawings for 7/16" (0.430") Flooring




Type "A" Flush Reducer




Type "B" Bi-Level Reducer



Type "C" Flat Strip




Flush Bullnose Stair Nosing




Flush Square Stair Nosing


Profile Drawings for 9/16" (0.540") Flooring




Type "A" Flush Reducer



Type "C" Flat Strip




Flush Bullnose Stair Nosing




Flush Square Stair Nosing

Profile Drawings for both 7/16" (0.430") and 9/16" (0.540") Flooring




T-Molding


Stair Treads (3/4" Thick x 12" Wide) with either one side bullnose or square edge and Risers (3/4" Thick x 8" Wide x square edge) are also available.



Stair Tread – Bullnose Profile



Stair Tread – Square Profile



Design Options:

- Colors: All species and colors are available with the exception of the TXTURE colors, but similar colored accessories may be used to match.
- Species: Plainsawn Ash, Maple, Plainsawn White Oak, R&Q White Oak, Livesawn White Oak and Walnut. (Livesawn colors use Plainsawn White Oak with the exception of Stair Treads/Risers)
- Options: Options include stained to match, solid hardwood: Reducers, T-molding, Stair Nosing, Stair Treads, Stair Risers, 4" Square Wall Base and 3/4" Quarter Round.
- Finish: Flat edges use Pedestrian 3.0. Contoured edges use cross-linked urethane finish.
- Lengths: Moldings: 78" (6.5 lineal feet) per piece.
Stair Treads and Risers: Specify desired length of either 3 foot or 6 foot pieces.
- Warranty: Limited Lifetime Structural Warranty and Pedestrian 3.0 Urethane Finish Limited Wear Through Warranty.
- Installation: See Accessory Installation Instructions.

Note:

All Stained to Match, Pre-finished Floor Molding Accessories should be ordered at the same time as the Acrylic Infused Engineered Flooring. Availability is reduced and lead time lengthened if accessories are ordered separately from the flooring.