

ARCHITESSA

an Architectural Ceramics brand



www.architessa.com







N.

e









Wall & Counters | Bernini Classico | 120" × 60" Floor & Drawers | Carrara Zebrino | 30" × 60"




Honed and P



lished finishes are available; size 126" x 60" is available in Polished finish only





-



Wall & Furniture | Bernini Classico | 120" × 60" Floor | Bernini Classico | 30" × 30"




Floor & Planters | Bernini Classico | 30" × 30"



and the second se	A B P I
	ACAK. 10
	AA
10 million	Chart and
1 mil	APAR A
	and the second
1 million	
J. P	V
And -	A Charles and the second se
	A A A
1	A A A A A A A A A A A A A A A A A A A
State of States	A BASE - 1
and a large	A BOOM AND A
L'AN	Kerner J
1 File	
A long	and the second
U	
and l	and the second of
The Health	
1 port of	
S B	A second
A CONTRACTOR	and the second
Ser 1 1	1
	1 1 1
	1
	NI NI
5	4
K. C.	
-	
1	
	i 126"x 60"
	120"×60"
	60"×60"
	30 × 30
chod finishes are multiple	2 196" y 60" is sucilable is Palished for the
snea finisnes are available; siz	e 126" x 60" is available in Polished finish only $$


















Floor | White Statuario | 30" x 30









-dela

0

















- 66



Only 126" x 60" panels are available with 12 mm thickness. They are also available in two blocks. The block A and block B comes with an individual code. When preparing the order, the surfaces are selected randomly; therefore, the continuity of veins is not guaranteed. Please note - the tile faces are placed randomly

126" x 60" is available in Polished finish only; thickness 12mm 120" × 60" • 60" × 60" • 30" × 60" • 30" × 30" are available in Honed and Polished finishes; thickness 6 mm



126" x 60" is available in Polished finish only; thickness 12mm 120" x 60" • 30" x 60" • 30" x 30" are available in Polished finish only; thickness 6 mm



COLOR FACES

Carrara Zebrino

Taj Mahal

*Color samples are for general reference only. Tile is made with all-natural materials; therefore, is subject to variation in color and/or veining.



an Architectural Ceramics brand

Bernini Classico

120" x 60" • 60" x 60" • 30" x 60" • 30" x 30" are available in Honed and Polished finishes; thickness 6 mm



BOOK-MATCH





COLOR FACES

Bernini Oro

BOOK-MATCH

*Color samples are for general reference only. Tile is made with all-natural materials; therefore, is subject to variation in color and/or veining.



an Architectural Ceramics brand


White Statuario

126" x 60" is available in Polished finish only; thickness 12mm

120" × 60" • 60" × 60" • 30" × 60" • 30" × 30" are available in Honed and Polished finishes; thickness 6 mm



BOOK-MATCH





COLOR FACES

Platinum Grey



BOOK-MATCH



*Color samples are for general reference only. Tile is made with all-natural materials; therefore, is subject to variation in color and/or veining.



TECHNICAL INFORMATION

an Architectural Ceramics brand

PHYSICAL – VISUAL PROPERTIES	ASTM TEST	INDUSTRY STANDARD	RESULTS	
Water Absorption	C373	Impervious < 0.5%	< 0.1%	
Thickness Dimension	C499	Range \pm 0.02 Inc. Max.	≤± 0.02 Inc.	
Facial Dimension (Length/Width Variation)	C499	± 0.25%	≤± 0.25%	
Wedging	C502	± 0.25%	≤± 0.25%	
Dry Bond Strength	C482	≥ 150 psi	≥ 200 psi	
Breaking Strength	C648	≥ 175 lb.	≥ 300 lb.	
Hardness (MOHS)	Scratch Test (No Regulation)	Range 0 — 10	≥ 7	
Deep Abrasion Resistance	C1243	Impervious (Porcelain) Class P1: ≤ 175 mm	≤ 175 mm	
Frost Resistance	C1026	No sample must show alterations to the surfaces	No evidence of damage	
Robinson Test	AC627	As reported	Extra Heavy	
Chemical Resistance	C650	No Requirement Range E – A	Class A	
Stain Resistance	C1378	No Requirement Range E – A	Class A*	
DCOF (Coefficient of Friction)	BOT 3000	≥ 0.42*	≥0.42 – ≤0.60*	
Aesthetic Classification	Visual Evaluation Shade & Texture	No Requirement Range V0 – V4	V1 – V3	
LRV (Light Reflectance Value)	C609	No Requirement Range 0 - 100	10 to 80 depending on style/color selection	

* All values are given for Matte or Honed material. No values are given for Polished material. not recommend polished surfaces in the areas subject to exposure from grease, oil or water. The above information is a subject to change. Individual product testing can be conducted by request.

For level interior spaces to be walked upon when wet see ANSI A137.1 section 6.2.2.1.10 - Section 9.6 for test procedures

PACKAGING	126"x60"	120"x60"	60"x60"	60"x30"	30"x30"
Box/Pieces	1	1	1	3	4
Box/Sq. Ft	51.667	48.438	24.219	36.329	24.219
Pallet/Box	22	50	48	22	36
Pallet/Sq. Ft		2421.90	1162.512		871.884
Thickness (mm)	12	6	6	6	6
Weight Lb/Box	297.79	139.5	69.75	104.63	69.75

