

# ENTRADA

Porcelain

 ARCHITESSA  
an Architectural Ceramics brand







ENTRADA White 12x24





ENTRADA Sand 12x24





ENTRADA Olive Grey 12x24



# ENTRADA

 ARCHITESSA  
an Architectural Ceramics brand



ENTRADA Grey Light 12x24



# ENTRADA

 ARCHITESSA  
an Architectural Ceramics brand



ENTRADA Taupe 12x24

[www.architessa.com](http://www.architessa.com)



# ENTRADA

 ARCHITESSA  
an Architectural Ceramics brand



ENTRADA Black 18x36 / 12x24 / 1x2

[www.architessa.com](http://www.architessa.com)

## COLORS

---



White



Grey Light



Sand



Taupe



Olive Grey



Black



## AVAILABLE SIZES

	FIELD		MOSAIC		TRIM	
	18x36	12x24	2x2	1x2	4x24 Bullnose	6x12 Cove Base
Black	H, L	H, L	H	H	H	H
Light Grey	H, L	H*, L	H	H	H	H
Olive Grey	H, L	H, L	H	H	H	H
Sand	H	H*, L	H	H	H	H
Taupe	H, L	H*, L	H	H	H	H
White	H, L	H*, L	H	H	H	H

H=Honed, L=Lappato | \* Stocked Sizes

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

## DESCRIPTION

The grainy linear effect draws inspiration from sandy soils and it's enhanced with shiny mineral speckles, totally brought out in the lappato finish. The softness of details and natural colors of the matter are the pure expression of a timeless elegance. Entrada stands out because of its high performances in terms of strength and durability without losing its sophisticated beauty.

## INSTALLATION & MAINTENANCE

ENTRADA may be installed using standard porcelain installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

## TECHNICAL INFORMATION

ORIGIN: USA  
AVAILABLE FINISHES: HONED & LAPPATO  
TYPE: COLOR BODY PORCELAIN  
EDGE: RECTIFIED  
LOOK: SANDSTONE  
APPLICATION: FLOOR AND WALL  
USE: COMMERCIAL & RESIDENTIAL  
PACKAGING: PLEASE CONSULT YOUR SALES REP  
COLOR VARIATION: V2 - SLIGHT VARIATION

THICKNESS: 8 MM  
PEI SCALE: N/A  
DCOF:  $\geq 0.42$   
BREAKING STRENGTH: COMPLIANT TO ASTM  
C-648 > 250 LBS  
WATER ABSORPTION:  $\leq 0.1\%$   
STAIN RESISTANCE: YES  
FROST RESISTANCE: YES  
ENVIRONMENT: GREEN CHOICE

## CONTACT INFORMATION:

[www.architessa.com](http://www.architessa.com)

1.800.287.1742

For general sales inquiries: [sales@architessa.com](mailto:sales@architessa.com)

For commercial & hospitality sample requests: [samples@architessa.com](mailto:samples@architessa.com)

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

