








BEECH



ELM


LARCH

### ARCHITECTURAL CERAMICS



Beech

### ARCHITECTURAL CERAMICS



Elm

### ARCHITECTURAL CERAMICS



Larch

AVAILABLE SIZES	FIELD		TRIM
	8x48	6x24	6x24 BN
Beech	M*	М	М
Elm	М	М	М
Larch	M*	М	М

M=Matte Finish, \*Stocked Sizes

Lead times for specialty & non-stocked items will vary depending on product ordered, quantity, and destination. Please contact ACI to determine the lead time to order samples and material.

#### DESCRIPTION

Lux Wood porcelain tile has brought back natural wood, enhancing its consistency with knots, veins, and the appearance of weather effects over time. Lux Wood is perfect for any kitchen, bath, or living space bringing the luxury of real wood but the durability of tile.

#### **INSTALLATION & MAINTENANCE**

Lux Wood may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architectural Ceramics sales representative will advise you on general installation questions.

#### TECHNICAL INFORMATION

ORIGIN: USA AVAILABLE FINISHES: MATTE TYPE: COLOR BODY PORCELAIN EDGE: RECTIFIED LOOK: WOOD APPLICATION: FLOOR & WALL USE: COMMERCIAL & RESIDENTIAL PACKAGING: PLEASE CONSULT YOUR ACI SALES REP FOR PACKAGING INFORMATION COLOR VARIATION: V2 - MODERATE VARIATION THICKNESS: 8MM PORCELAIN ENAMEL INSTITUTE SCALE: N/A DYNAMIC COEFFICIENT OF FRICTION:  $\geq$  .42 BREAKING STRENGTH: COMPLIANT TO ASTM C-648 > 250 LBS WATER ABSORPTION:  $\leq$  0.1% STAIN RESISTANCE: YES FROST RESISTANCE: YES ENVIRONMENT: GREEN CHOICE

#### WEBSITE LINKS

WWW.architecturalceramics.com/catalogs PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION: www.architecturalceramics.com 1.800.287.1742 For general sales inquiries: sales@architecturalceramics.com For commercial & hospitality sample requests: samples@architecturalceramics.com Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850