ARCHITESSA

an Architectural Ceramics brand

ELEVATED

STEP UP YOUR LOOK

WORKTOP U.S.

ELEVATED

STEP UP YOUR LOOK

THE BEAUTY OF LARGE SURFACES AND THE HIGH PERFORMANCE OF STONEWARE.

ELEVATED is a line of ceramic slabs in the 160x320 size, of various thickness, for creating furnishings and continuous surfaces, combining the utmost aesthetic refinement with advantages in terms of hygiene, strength and practicality that only porcelain stoneware can guarantee. A project that delivers the greatest modularity and versatility to express the full potential of those who aspire, day after day, to transform material into attractive design.

MAKE LIFE A WORK OF ART.

Ceramic slabs in two sizes – a rectified 160x320 size with 6.5mm thickness and an unrectified 162x324 size with 12mm and 20mm thickness – enable the creation of tops and backsplashes for kitchens and bathrooms, worktops, tables, doors, seamless covering solutions for floors and walls, and other elements, including for outdoors, with a degree of detail, versatility of application and personalisation that was previously unimaginable. Level is the ideal raw material for creations that elevate quality of life to the status of a masterpiece.

ELEVATED

STEP UP YOUR LOOK

20 mm / ADDED DEPTH FOR YOUR DESIGN.

A new option for shaping matter with even greater substance and versatility. With the introduction of the 20 mm thickness for 162x324 slabs, available:

Tinta Unita White
Tinta Unita Black
Stone Cantera Grey full body with structured surface
Stone Basalto

ELEVATED offers an additional variant that combines even greater ability to support loads with patterning that is the same right through the depth of the tile, ideal for producing edgings and other visible features. Strength, ductility and an exquisite continuity of appearance, with great expressive and architectural potential.



ELEVATED
STEP UP YOUR LOOK

20mm

TINTA UNITA - WHITE

20MM Non Rettificato
EKCJ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCQ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted**

TINTA UNITA - BLACK

20MM Non Rettificato
EKCK 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCR 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted**

STONE - BASALTO

20MM Non Rettificato
EKFL 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKFN 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted**



STONE - CANTERA GREY

FULL BODY WITH STRUCTURED SURFACE

A TUTTO CORPO CON STRUTTURA
PLEINE MASSE AVEC SURFACE STRUCTURÉE
DURCHGEFÄRBT MIT STRUKTURIERTER OBERFLÄCHE
CON MASA LLENA Y SUPERFICIE ESTRUCTURADA

20MM Non Rettificato
EKCN 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted**

ELEVATED
STEP UP YOUR LOOK

STYLE WITHOUT BORDERS.

5 inspirations – marble, cement, design, stone and solid color – for a wide range of available stylistic variants: ELEVATED guarantees the highest degree of freedom of expression and is the ideal medium for architectural design in step with the latest, most innovative trends. It enables the conception and creation of furnishing and design solutions with a high aesthetic and technical value to satisfy the most varied and demanding taste.

ELEVATED

STEP UP YOUR LOOK

STYLE

AGATA BLU



Bookmatch - Agata Blu Full Lappato 162x324 12mm

< Agata Blu Full Lappato 162x324 12mm

ALTISSIMO WHITE

Altissimo White Naturale 160x320 6,5mm

< Altissimo White Full Lappato 162x324 12mm

MARMI

ARABESCATO CORCHIA

Bookmatch - Arabescato Corchia Full Lappato 162x324 12mm

< Arabescato Corchia Full Lappato 162x324 12mm

MARMI

BIANCO LASA

Bianco Lasa Naturale 160x320 6,5mm

Bianco Lasa Full Lappato 160x320 6,5mm >

BLANC DU BLANC

Bookmatch - Blanc Du Blanc Full Lappato 162x324 12mm

< Blanc Du Blanc Full Lappato 162x324 12mm

MARMI

CALACATTA



Bookmatch - Calacatta Naturale 162x324 12mm

< Calacatta Full Lappato 160x320 6,5mm

MARMI

CALACATTA BLACK

Bookmatch - Calacatta Black Full Lappato 162x324 12mm

< Calacatta Black Full Lappato 162x324 12mm

CALACATTA GOLD



Bookmatch - Calacatta Gold Full Lappato 162x324 12mm

< Calacatta Gold Full Lappato 162x324 12mm

MARMI

CALACATTA PAONAZZO



Bookmatch - Calacatta Paonazzo Full Lappato 162x324 12mm

< Calacatta Paonazzo Full Lappato 162x324 12mm

CALACATTA RENOIR



Bookmatch - Calacatta Renoir Full Lappato 162x324 12mm

< Calacatta Renoir Full Lappato 162x324 12mm

MARMI

CRYSTAL DIAMOND



Crystal Diamond Full Lappato 162x324 12mm

< Crystal Diamond Full Lappato 162x324 12mm

GRANITO BLU ANDE



Bookmatch - Granito Blu Ande Full Lappato 162x324 12mm

< Granito Blu Ande Full Lappato 162x324 12mm

INVISIBLE

Bookmatch - Invisible Naturale 162x324 12mm

< Invisible Naturale 162x324 12mm

MACCHIA VECCHIA



Bookmatch - Macchia Vecchia Full Lappato 162x324 12mm

< Macchia Vecchia Full Lappato 162x324 12mm

MARQUINIA / ELEGANT

Marquinia Naturale 160x320 6,5mm

Marquinia Full Lappato 162x324 12mm >



NERO ANTICO

Bookmatch - Nero Antico Full Lappato 160x320 6,5mm

< Nero Antico Full Lappato 162x324 12mm

NERO IMPERIALE



Nero Imperiale Naturale 162x324 12mm

< Nero Imperiale Full Lappato 162x324 12mm

ONYX



Bookmatch - Onyx Full Lappato 162x324 12mm

< Onyx Full Lappato 162x324 12mm

ONYX BLACK



Bookmatch - Onyx Black Full Lappato 162x324 12mm

< Onyx Black Full Lappato 162x324 12mm

MARMI

ONYX GREEN



Bookmatch - Onyx Green Full Lappato 162x324 12mm

< Onyx Green Full Lappato 162x324 12mm

MARMI

ONYX IVORY



Bookmatch - Onyx Ivory Full Lappato 162x324 12mm

< Onyx Ivory Full Lappato 162x324 12mm

QUARZO



Bookmatch - Quarzo Naturale 162x324 12mm

< Quarzo Full Lappato 162x324 12mm

STATUARIO EXTRA



Bookmatch - Statuario Extra Full Lappato 162x324 12mm

< Statuario Extra Full Lappato 162x324 12mm

MARMI

STATUARIO MICHELANGELO

Bookmatch - Statuario Michelangelo Full Lappato 162x324 12mm

< Statuario Michelangelo Full Lappato 162x324 12mm

STATUARIO WHITE



Bookmatch - Statuario White Full Lappato 160x320 6,5mm

< Statuario White Full Lappato 162x324 12mm

TORTORA TAFU

Tortora Tafu Naturale 162x324 12mm

< Tortora Tafu Full Lappato 162x324 12mm

MARMI

WHITE PARADISE

Bookmatch - White Paradise Full Lappato 162x324 12mm

< White Paradise Full Lappato 162x324 12mm

WHITE SIENA



Bookmatch - White Siena Full Lappato 162x324 12mm

< White Siena Full Lappato 162x324 12mm

ZEBRINO

Zebrino Full Lappato 162x324 12mm

< Zebrino Full Lappato 162x324 12mm

CONCRETE

ASH

Ash 162x324 12mm

CONCRETE

DARK GREY

Dark Grey 162x324 12mm

CONCRETE

TAUPE

Taupe 162x324 12mm

CONCRETE

WHITE

White 162x324 12mm

DESIGN

CORTEN



Corten 162x324 12mm

RAKU NERO



Raku Nero 162x324 12mm

DESIGN

VETRO



Vetro Full Lappato 162x324 12mm



STONE

BASALTO





Basalto 162x324 12mm

STONE

CANTERA GREY



Cantera Grey 162x324 20mm

STONE

GRIGIO DI GRÉ

Grigio di Gré 162x324 12mm

STONE

SLATE BLACK



Slate Black 162x324 12mm

STONE

SLATE GREY



Slate Grey 162x324 12mm

TINTA UNITA

BLACK

Black 162x324 12mm



TINTA UNITA

WHITE

White Naturale 162x324 12mm

< White Full Lappato 162x324 12mm

ABSOLUTE QUALITY FOR INCOMPARABLE FINISHES.

Meticulous measures and controls throughout the entire production chain ensure that high-quality slabs are produced. From an aesthetic point of view, the selection of the best materials and the coloring of the wet mixtures guarantee that the surfaces have a highly uniform color; additionally, the very high-resolution images and highly precise polishing processes give the polished versions striking shades and a vibrant shine, making them extremely reflective. From a performance point of view, pressing at maximum levels makes the finished materials extremely compact, while a firing cycle that is much slower than is generally the case reduces the tension of the slabs to a minimum. Consequently, Level unfinished materials boast incomparable levels of ductility, flatness and resistance. They are more suitable than other materials for cuts, incisions and other finishing work to create surfaces, furnishing accessories and other design objects.

ELEVATED

STEP UP YOUR LOOK

COLORS

ELEVATED

STEP UP YOUR LOOK

MARMI
12 mm | 6.5 mm

AGATA BLU

BOOKMATCH



AGATA BLU A

12MM Non Rettificato
EK6X 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK7X 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

AGATA BLU B

12MM Non Rettificato
EK6Y 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK7Y 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ALTISSIMO WHITE

ALTISSIMO WHITE

12MM Non Rettificato
EFZG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0ZQ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZU 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0ZW 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ALTISSIMO WHITE

6,5MM Rettificato
EFZN 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGFM 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZ7 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG7 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

ARABESCATO CORCHIA

BOOKMATCH



ARABESCATO CORCHIA A

12MM Non Rettificato
EJ1Y 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ2F 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ARABESCATO CORCHIA B

12MM Non Rettificato
EJ6S 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ6X 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

BIANCO LASA

BIANCO LASA

6,5MM Rettificato
EFZL 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGFK 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZY 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG3 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

BLANC DU BLANC

BOOKMATCH

BLANC DU BLANC A

12MM Non Rettificato
EK8S 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK8V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

BLANC DU BLANC B

12MM Non Rettificato
EK8T 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK8W 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

CALACATTA

BOOKMATCH



CALACATTA A

12MM Non Rettificato
EFKS 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFJ2 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0YX 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

6,5MM Rettificato
E049 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGFR 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA B

12MM Non Rettificato
EFKT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YH 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFKE 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0YY 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

6,5MM Rettificato
E04A 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGFS 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***



CALACATTA

6,5MM Rettificato
E048 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGFQ 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

CALACATTA BLACK

CALACATTA BLACK

BOOKMATCH

CALACATTA BLACK A

12MM Non Rettificato
EJ1V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ2D 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA BLACK B

12MM Non Rettificato
EJ1W 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ2E 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***



CALACATTA BLACK

6,5MM Rettificato
EJ1S 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EJ29 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

CALACATTA GOLD

BOOKMATCH

CALACATTA GOLD A

12MM Non Rettificato
E079 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0YZ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA GOLD B

12MM Non Rettificato
E07A 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0Z0 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA GOLD

6,5MM Rettificato
EJ1Q 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EJ27 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

CALACATTA PAONAZZO

BOOKMATCH



CALACATTA PAONAZZO A

12MM Non Rettificato
EGJ7 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGJK 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA PAONAZZO B

12MM Non Rettificato
EGJV 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGK7 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***



CALACATTA PAONAZZO

6,5MM Rettificato
EKEL 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EKEQ 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

CALACATTA RENOIR

BOOKMATCH



CALACATTA RENOIR A

12MM Non Rettificato
EFJZ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0ZZ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

CALACATTA RENOIR B

12MM Non Rettificato
EFJ0 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EDED 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

CRYSTAL DIAMOND

CRYSTAL DIAMOND

12MM Non Rettificato
EGJ5 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGJH 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EGJC 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EGJQ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GRANITO BLU ANDE

BOOKMATCH

GRANITO BLU ANDE A

12MM Non Rettificato
EGJ8 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGJL 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

GRANITO BLU ANDE B

12MM Non Rettificato
EGJW 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGK8 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***



GRANITO BLU ANDE

6,5MM Rettificato
EJ1R 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EJ28 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

INVISIBLE

BOOKMATCH

INVISIBLE A

12MM Non Rettificato
EFKU 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YE 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

INVISIBLE B

12MM Non Rettificato
EFKV 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YF 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

INVISIBLE

6,5MM Rettificato
E044 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGFG 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

MACCHIA VECCHIA

BOOKMATCH



MACCHIA VECCHIA A

12MM Non Rettificato
EHZV 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ18 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EJ6U 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EJ6Z 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

MACCHIA VECCHIA B

12MM Non Rettificato
EHZW 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ19 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EJ6V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EJ70 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

MACCHIA VECCHIA

6,5MM Rettificato
EKEM 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EKER 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

MARQUINIA

BOOKMATCH



MARQUINIA (ELEGANT) A

12MM Non Rettificato
EFZW 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0ZY 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

MARQUINIA (ELEGANT) B

12MM Non Rettificato
EH14 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EH1J 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

MARQUINIA (ELEGANT)

12MM Non Rettificato
EFZJ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0ZS 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

MARQUINIA (ELEGANT)

6,5MM Rettificato
EFZQ 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGFN 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZ9 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG9 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

NERO ANTICO



NERO ANTICO

6,5MM Rettificato

E04F 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato

EGFW 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

NERO IMPERIALE

NERO IMPERIALE

BOOKMATCH





NERO IMPERIALE A

12MM Non Rettificato
EGGU 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGH3 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

NERO IMPERIALE B

12MM Non Rettificato
EH15 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EH1K 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

NERO IMPERIALE

12MM Non Rettificato
EGGS 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EGH1 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***



NERO IMPERIALE

6,5MM Rettificato
EGGP 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGGY 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

ONYX

BOOKMATCH

ONYX A

12MM Non Rettificato
E07D 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0Z2 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ONYX B

12MM Non Rettificato
EDET 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EDEX 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818



ONYX BLACK

BOOKMATCH



ONYX BLACK A

12MM Non Rettificato
EK6V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK7V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ONYX BLACK B

12MM Non Rettificato
EK6W 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EK7W 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ONYX GREEN

BOOKMATCH

ONYX GREEN A

12MM Non Rettificato
EL5E 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5Q 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ONYX GREEN B

12MM Non Rettificato
EL5F 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5R 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ONYX IVORY

BOOKMATCH

ONYX IVORY B

12MM Non Rettificato
EL5H 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5T 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

ONYX IVORY A

12MM Non Rettificato
EL5G 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5S 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

QUARZO

BOOKMATCH



QUARZO A

12MM Non Rettificato
EFKR 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YC 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
Stuoiato | Mesh-Mounted*

EFJ1 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0YS 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
Stuoiato | Mesh-Mounted*

6,5MM Rettificato
EDG3 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EGG0 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
Stuoiato | Mesh-Mounted*

QUARZO B

12MM Non Rettificato
E0ZK 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0YD 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
Stuoiato | Mesh-Mounted*

E0ZM 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0YT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
Stuoiato | Mesh-Mounted*

6,5MM Rettificato
EDEP 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EGG1 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
Stuoiato | Mesh-Mounted*











QUARZO

6,5MM Rettificato
E046 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Naturale
EGFH 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
E04G 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EGFZ 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

STATUARIO EXTRA

BOOKMATCH



STATUARIO EXTRA A

12MM Non Rettificato
EGJ9 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGJM 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EGJD 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EGJR 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

6,5MM Rettificato
EJ1N 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EJ25 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

STATUARIO EXTRA B

12MM Non Rettificato
EGJX 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGK9 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EGK1 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EGLE 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

6,5MM Rettificato
EJ1P 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EJ26 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

STATUARIO EXTRA

6,5MM Rettificato
EJ1L 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EJ24 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

STATUARIO MICHELANGELO

BOOKMATCH



STATUARIO MICHELANGELO A

12MM Non Rettificato
EFKG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EDEF 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EHNN 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EGLF 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

STATUARIO MICHELANGELO B

12MM Non Rettificato
EFKH 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EDEG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***
EHNP 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt
EGLG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Lappato Matt - **Stuoiato | Mesh-Mounted***

STATUARIO MICHELANGELO

6,5MM Rettificato
EKEK 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato
EKEP 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

STATUARIO WHITE

BOOKMATCH

STATUARIO WHITE A

6,5MM Rettificato
EFZZ 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG5 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

STATUARIO WHITE B

6,5MM Rettificato
EF5Y 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG6 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

STATUARIO WHITE

12MM Non Rettificato
EFK1 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0ZP 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0ZV 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

STATUARIO WHITE

6,5MM Rettificato
EFZM 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGFL 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
E0KS 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGG4 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

TORTORA TAFU

TORTORA TAFU

12MM Non Rettificato
EFZK 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
E0ZT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFZX 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
E0Z3 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***




TORTORA TAFU

6,5MM Rettificato
EJ1T 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EJ2A 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

WHITE PARADISE

BOOKMATCH

WHITE PARADISE A

12MM Non Rettificato
EJ72 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ75 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

WHITE PARADISE B

12MM Non Rettificato
EJ73 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EJ76 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

WHITE SIENA

BOOKMATCH

WHITE SIENA B

12MM Non Rettificato
EL5K162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5V 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

WHITE SIENA B

12MM Non Rettificato
EL5J 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5U 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ZEBRINO

ZEBRINO

12MM Non Rettificato
EGJ6 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EGJJ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

ELEVATED

STEP UP YOUR LOOK

CONCRETE
12 mm | 6.5 mm

ASH



ASH

ASH

12MM Non Rettificato
EFJL 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDL3 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***



ASH

6,5MM Rettificato
EFJQ 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGGE 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

DARK GREY



DARK GREY

DARK GREY

12MM Non Rettificato
E0ZH 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDM4 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***



DARK GREY

6,5MM Rettificato
EDH6 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGGF 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only



TAUPE

TAUPE

12MM Non Rettificato
EFJV 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDL1 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***



TAUPE

6,5MM Rettificato
EDG7 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGGD 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

WHITE

WHITE

12MM Non Rettificato
EFKY 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDKF 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

WHITE

6,5MM Rettificato
EDG5 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGGC 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

ELEVATED

STEP UP YOUR LOOK

DESIGN

12 mm

CORTEN

CORTEN

12MM Non Rettificato
EHEG 162x324 - 63 25/32"x127 9/16" Naturale
EHUJ 162x324 - 63 25/32"x127 9/16" Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

RAKU NERO

RAKU NERO





RAKU NERO

12MM Non Rettificato
EFJ7 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDKD 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818



VETRO

VETRO

12MM Non Rettificato
EL5D 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EL5P 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ELEVATED

STEP UP YOUR LOOK

STONE
20 mm | 12 mm | 6.5 mm

BASALTO

BASALTO

20mm

BASALTO

20MM Non Rettificato
EKFL 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKFN 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

BASALTO

12MM Non Rettificato
EKCE 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCG 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

CANTERA GREY



20mm

CANTERA GREY

20MM Non Rettificato
EKCN 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCT 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

GRIGIO DI GRÉ

GRIGIO DI GRE'

12MM Non Rettificato
EGH9 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EGHC 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

GRIGIO DI GRE'

6,5MM Rettificato
EGGM 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Naturale
EGGW 160x320 - 62$^{53/64"}$x125$^{53/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

SLATE BLACK

SLATE BLACK

SLATE BLACK

12MM Non Rettificato
EHEC 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EHUM 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

SLATE BLACK

6,5MM Rettificato
EHUY 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EHV1 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

SLATE GREY

SLATE GREY

SLATE GREY

12MM Non Rettificato
EHEA 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EHUL 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

SLATE GREY

6,5MM Rettificato
EHUX 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EHV0 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

ELEVATED

STEP UP YOUR LOOK

TINTA UNITA
20 mm | 12 mm | 6.5 mm

BLACK

20mm

BLACK

20MM Non Rettificato
EKCK 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCR 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

BLACK

12MM Non Rettificato
EGH5 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EGH7 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

* Solo su richiesta | On demand only

WHITE

20mm

WHITE

20MM Non Rettificato
EKCJ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EKCQ 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***

WHITE

12MM Non Rettificato
EFR7 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale
EDM6 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Naturale - **Stuoiato | Mesh-Mounted***
E04L 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato
EFGM 162x324 - 63$^{25/32"}$x127$^{9/16"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

6,5MM Rettificato
E04J 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale
EGGH 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Naturale - **Stuoiato | Mesh-Mounted***
EFR8 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato
EGGK 160x320 - 62$^{63/64"}$x125$^{63/64"}$ Full Lappato - **Stuoiato | Mesh-Mounted***

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

* Solo su richiesta | On demand only

ELEVATED

STEP UP YOUR LOOK

TECHNICAL SHEET

	1600x3200 - 6,5 mm		
	Naturale	Full Lappato	BookMatch Full Lappato
Altissimo White	EFZN	EFZ7	
Bianco Lasa	EFZL	EFZY	
Calacatta		E048	A B E049 E04A
Calacatta Black		EJ1S	
Calacatta Gold		EJ1Q	
Calacatta Paonazzo		EKEL	
Granito Blu Ande		EJ1R	
Invisible	E044		
Macchia Vecchia		EKEM	
Marquinia (Elegant)	EFZQ	EFZ9	
Nero Antico		E04F	
Nero Imperiale		EGGP	
Quarzo	E046	E04G	A B EDG3 EDEP

GREENGUARD GOLD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

	1600x3200 - 6,5 mm		
	Naturale	Full Lappato	BookMatch Full Lappato
Statuario Extra		EJ1L	A B EJ1N EJ1P
Statuario Michelangelo		EKEK	
Statuario White	EFZM	E0KS	A B EFZZ EF5Y
Tortora Tafu		EJ1T	
Concrete Ash	EFJQ		
Concrete Dark Grey	EDH6		
Concrete Taupe	EDG7		
Concrete White	EDG5		
Stone Grigio di Gré	EGGM		
Stone Slate Black	EHUY		
Stone Slate Grey	EHUX		
Tinta Unita White	E04J	EFR8	

GREENGUARD GOLD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

LEVEL Range

	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Agata Blu					A B EK6X EK6Y	
Altissimo White	EFZG	EFZU				
Arabescato Corchia					A B EJ1Y EJ6S	
Bianco Lasa	ELA2	ELA4				
Blanc Du Blanc					A B EK8S EK8T	
Calacatta				A B EFKS EFKT	A B EFJ2 EFKE	
Calcatta Black					A B EJ1V EJ1W	
Calacatta Gold					A B E079 E07A	
Calacatta Paonazzo					A B EGJ7 EGJV	
Calacatta Renoir					A B EFJZ EFJ0	
Crystal Diamond		EGJ5	EGJC			
Granito Blu Ande					A B EGJ8 EGJW	
Invisible				A B EFKU EFKV		

LEVEL Range

	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Macchia Vecchia					A B EHZV EHZW	A B EJ6U EJ6V
Marquinia (Elegant)	EFZJ				A B EFZW EH14	
Nero Imperiale	EGGS				A B EGGU EH15	
Onyx					A B E07D EDET	
Onyx Black					A B EK6V EK6W	
Onyx Green					A B EL5E EL5F	
Onyx Ivory					B A EL5H EL5G	
Quarzo				A B EFKR E0ZK	A B EFJ1 E0ZM	
Statuario Extra					A B EGJ9 EGJX	A B EGJD EGK1
Statuario Michelangelo					A B EFKG EFKH	A B EHNN EHNP
Statuario White	EFK1	EFZT				
Tortora Tafu	EFZK	EFZX				
White Paradise					A B EJ72 EJ73	

	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
White Siena					B A EL5K EL5J	
Zebrino		EGJ6				
Concrete Ash	EFJL					
Concrete Dark Grey	E0ZH					
Concrete Taupe	EFJV					
Concrete White	EFKY					
Design Corten	EHEG					
Design Raku Nero	EFJ7					
Design Vetro	EL5D					
Stone Basalto	EKCE					
Stone Grigio di Gré	EGH9					
Stone Slate Black	EHEC					
Stone Slate Grey	EHEA					

	1620x3240 - 12 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Tinta Unita Black	EGH5					
Tinta Unita White	EFR7	E04L				

	1620x3240 - 20 mm					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Stone Basalto	EKFL					
Stone Cantera Grey	EKCN					
Tinta Unita Black	EKCK					
Tinta Unita White	EKCJ					

	1600x3200 - 6,5 mm STUOIATO - MESH-MOUNTED		
	Naturale	Full Lappato	BookMatch Full Lappato
Altissimo White	EGFM	EGG7	
Bianco Lasa	EGFK	EGG3	
Calacatta		EGFQ	A B EGFR EGFS
Calacatta Black		EJ29	
Calacatta Gold		EJ27	
Calacatta Paonazzo		EKEQ	
Granito Blu Ande		EJ28	
Invisible	EGFG		
Macchia Vecchia		EKER	
Marquinia (Elegant)	EGFN	EGG9	
Nero Antico		EGFW	
Nero Imperiale		EGGY	
Quarzo	EGFH	EGFZ	A B EGG0 EGG1

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

	1600x3200 - 6,5 mm STUOIATO - MESH-MOUNTED		
	Naturale	Full Lappato	BookMatch Full Lappato
Statuario Extra		EJ24	A B EJ25 EJ26
Statuario Michelangelo		EKEP	
Statuario White	EGFL	EGG4	A B EGG5 EGG6
Tortora Tafu		EJ2A	
Concrete Ash	EGGE		
Concrete Dark Grey	EGGF		
Concrete Taupe	EGGD		
Concrete White	EGGC		
Stone Grigio di Gré	EGGW		
Stone Slate Black	EHV1		
Stone Slate Grey	EHV0		
Tinta Unita White	EGGH	EGGK	

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

1620x3240 - 12 mm
STUOIATO - MESH-MOUNTED

	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Agata Blu					A B EK7X EK7Y	
Altissimo White	E0ZQ	E0ZW				
Arabescato Corchia					A B EJ2F EJ6X	
Bianco Lasa	ELA6	ELA8				
Blanc Du Blanc					A B EK8V EK8W	
Calacatta				A B E0YG E0YH	A B E0YX E0YY	
Calcatta Black					A B EJ2D EJ2E	
Calacatta Gold					A B E0YZ E0Z0	
Calacatta Paonazzo					A B EGJK EGK7	
Calacatta Renoir					A B E0ZZ EDED	
Crystal Diamond		EGJH	EGJQ			
Granito Blu Ande					A B EGJL EGK8	
Invisible				A B E0YE E0YF		

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

1620x3240 - 12 mm
STUOIATO - MESH-MOUNTED

	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Macchia Vecchia					A B EJ18 EJ19	A B EJ6Z EJ70
Marquinia (Elegant)	E0ZS				A B E0ZY EH1J	
Nero Imperiale	EGH1				A B EGH3 EH1K	
Onyx					A B E0Z2 EDEX	
Onyx Black					A B EK7V EK7W	
Onyx Green					A B EL5Q EL5R	
Onyx Ivory					B A EL5T EL5S	
Quarzo				A B E0YC E0YD	A B E0YS E0YT	
Statuario Extra					A B EGJM EGK9	A B EGJR EGLE
Statuario Michelangelo					A B EDEF EDEG	A B EGLF EGLG
Statuario White	E0ZP	E0ZV				
Tortora Tafu	E0ZT	E0Z3				
White Paradise					A B EJ75 EJ76	

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

	1620x3240 - 12 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
White Siena					B A EL5V EL5U	
Zebrino		EGJJ				
Concrete Ash	EDL3					
Concrete Dark Grey	EDM4					
Concrete Taupe	EDL1					
Concrete White	EDKF					
Design Corten	EHUJ					
Design Raku Nero	EDKD					
Design Vetro	EL5P					
Stone Basalto	EKCG					
Stone Grigio di Gré	EGHC					
Stone Slate Black	EHUM					
Stone Slate Grey	EHUL					

GREENGUARD GOLD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

	1620x3240 - 12 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lappato	Lappato Matt	BookMatch Naturale	BookMatch Full Lappato	BookMatch Lappato Matt
Tinta Unita Black	EGH7					
Tinta Unita White	EDM6	EFGM				

	1620x3240 - 20 mm STUOIATO - MESH-MOUNTED					
	Naturale	Full Lapp.	Lapp. Matt	BookMatch Naturale	BookMatch Full Lapp.	BookMatch Lapp. Matt
Stone Basalto	EKFN					
Stone Cantera Grey	EKCT					
Tinta Unita Black	EKCR					
Tinta Unita White	EKCQ					

GREENGUARD GOLD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411

Ceramics of Italy

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Tecnicas	**TESTING METHOD** Metodo di prova Méthode d'essai Prüfmethode Método de prueba	**VALUES** - Valori - Valeurs - Werte - Valores			
		6,5 mm		12 mm l 20 mm	
		Naturale	Full Lappato Lappato Matt	Naturale	Full Lappato Lappato Matt
LENGTH AND WIDTH (A) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 2% (Max 5mm)	± 2% (Max 5mm)	-	-
LENGTH AND WIDTH (B) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 0,6% / ± 2,0 mm	± 0,6% / ± 2,0 mm	-	-
THICKNESS Spessore - Epaisseur - Stärke - Espesor	UNI EN ISO 10545/2	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm
EDGE STRAIGHTNESS Rettilineità degli spigoli - Rectitude des arêtes Geradlinigkeit der Kanten - Rectitud de los cantos	UNI EN ISO 10545/2	± 0,5% / ± 1,5 mm	± 0,5% / ± 1,5 mm	-	-
ORTHOGONALITY - Ortogonalità Orthogonalité - Rechtwinkligkeit - Ortogonalidad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	-	-
FLATNESS Planarità - Planéité - Ebenflächigkeit - Planaridad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm
APPEARANCE Aspetto - Aspekt - Aspect - Aspecto	UNI EN ISO 10545/2	> 95%	> 95%	> 95%	> 95%
WATER ABSORPTION (Average value expressed in %) Assorbimento d'acqua (Valore medio in %) Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) Absorción de agua (Valor medio en %)	UNI EN ISO 10545/3 ASTM C373	≤ 0,1	≤ 0,1	≤ 0,1	≤ 0,1
MODULUS OF RUPTURE Modulo di rottura - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²
BREAKING STRENGTH Forza di rottura - Résistance à la rupture Bruchlast - Resistencia a la rotura	UNI EN ISO 10545/4 ASTM C648	≥ 700 N 250 Lbs	≥ 700 N 250 Lbs	≥ 1300 N 250 Lbs	≥ 1300 N 250 Lbs
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 10545/5	-	-	0,85	0,85
RESISTANCE TO SURFACE ABRASION Resistenza all'abrasione superficiale Résistance à l'abrasion superficielle Abriebfestigkeit Resistencia a la abrasión superficial	UNI EN ISO 10545/7	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5
LINEAR THERMAL EXPANSION Coefficiente di dilatazione termica lineare Linear thermal expansion coeficient Coeficient linéaire de dilatation thermique Linearer Wärmeausdehnungskoeýzient Coeficiente de dilatación térmica lineal	UNI EN ISO 10545/8	≤ 9 x10^{-6} °C^{-1}	≤ 9 x10^{-6} °C^{-1}	≤ 9 x10^{-6} °C^{-1}	≤ 9 x10^{-6} °C^{-1}
THERMAL SHOCK RESISTANCE Resistenza agli sbalzi termici - Résistance aux écarts de température - Temperaturwechselbeständigkeit Resistencia al choque térmico	UNI EN ISO 10545/9	Conforme	Conforme	Conforme	Conforme
HAIR-CRACKING RESISTANCE Resistenza al cavillo - Rèsistance aux craquelures Haarrissbeständigkeit - Resistencia al cuarteo	UNI EN ISO 10545/11	Conforme	Conforme	Conforme	Conforme
FROST RESISTANCE Resistenza al gelo - Résistance au gel Frostbeständigkeit - Resistencia a las heladas	UNI EN ISO 10545/12 ASTM C1026	Conforme Unaffected	Conforme Unaffected	Conforme Unaffected	Conforme Unaffected
CHEMICAL RESISTANCE **to high and low acid and basic concentrations** Resistenza Chimica ad alte e basse concentrazioni di acidi e basi Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases	UNI EN ISO 10545/13 ASTM C-650	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected
STAIN RESISTANCE Resistenza alle macchie - Résistance aux taches Fleckenbeständigkeit - Resistencia a las manchas	UNI EN ISO 10545/14 CTI 81-7D	5 No Evident Variation	5 No Evident Variation	5 No Evident Variation	5 No Evident Variation
COLOUR RESISTANCE TO LIGHT EXPOSURE Resistenza dei colori alla luce - Résistance des couleurs à la lumière - Lichtechtheit der Farben - Resistencia de los colores a la exposición de la luz	DIN 51094	Conforme	Conforme	Conforme	Conforme
RELEASE OF DANGEROUS SUBSTANCES (PIOMBO - CADMIO) Rilascio di sostanze pericolose (Piombo/Cadmio) Dégagement de substances dangereuses (Piombo/Cadmio) Freisetzung gefährlicher Stoffe (Piombo/Cadmio) Emisión de substancias peligrosas (Piombo/Cadmio)	UNI EN ISO 10545/15 (mg/l)	-	-	0	0

ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411

Ceramics of Italy

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Tecnicas	**TESTING METHOD** Metodo di prova Méthode d'essai Prüfmethode Método de prueba	**VALUES** - Valori - Valeurs - Werte - Valores			
		6,5 mm		12 mm l 20 mm	
		Naturale	Full Lappato Lappato Matt	Naturale	Full Lappato Lappato Matt
SLIP RESISTANCE Coefficiente di attrito Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio	DIN 51130	R9	-	R9	-
	DIN 51097	Na	-	Na	-
	ANSI A 137.1- 2012 DCOF (Section 9.6)	≥ 0,42	-	≥ 0,42	-
	B.C.R.A.	≥ 0,40	-	≥ 0,40	-
	AS 4586: 2013 Slip resistance classification of new pedestrian surface materials	Na	-	Na	-
	BS 7976-2: 2002 Pendulum testers	Na	-	Na	-
	ENV 12633-2006 Method of determination of unpolished and polished slip/skid resistance value	Na	-	Na	-
CALCULATION OF APPARENT DENSITY Determinazione della massa volumetrica apparente Détermination de la masse volumique apparente - Bestimmung der Rohdichte - Determinación de la masa volumétrica aparente	UNI EN ISO 14617/1 (Kg/m3)	-	-	2500	2500
CALCULATION OF WATER ABSORPTION Determinazione dell'assorbimento d'acqua Détermination de l'absorption d'eau - Bestimmung der Wasseraufnahme - Determinación de la absorción de agua	UNI EN ISO 14617/1 (%)	-	-	< 0,1	< 0,1
BENDING STRENGTH Resistenza alla flessione - Résistance à la flexion Biegefestigkeit - Resistencia a la flexión	UNI EN ISO 14617/2 (MPa)	-	-	> 35	> 35
DEEP ABRASION Abrasione profonda - Abrasion profonde Tiefenverschleiß - Abrasión profunda	UNI EN ISO 14617/4 (mm)	-	-	24-27	24-27
CALCULATION OF FREEZE Determinazione della resistenza a gelo-disgelo Détermination de la résistance au gel/dégel Bestimmung der Frost-Tauwechsel-Beständigkeit Determinación de la resistencia a las heladas	UNI EN ISO 14617/5	-	-	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico
CALCULATION OF THERMAL SHOCK RESISTANCE Determinazione della resistenza allo shock termico Détermination de la résistance aux chocs thermiques Bestimmung der Temperaturwechselbeständigkeit Determinación de la resistencia a los cambios bruscos de temperatura	UNI EN ISO 14617/6	-	-	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico	No change in bending strength after thermal cycle - Nessuna variazione di carico di rottura dopo ciclo termico - Aucune variation de la charge de rupture après le cycle thermique - Keine Bruchlastveränderung nach Temperaturzyklus - Ninguna variación de carga de rotura tras ciclo térmico
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 14617/9	-	-	3J	3J
VOLATILE ORGANIC COMPOUND EMISSION TEST Prova di emissioni di composti organici volatili Essai d'émissions de composés organiques volatils Messung der Emission von flüchtigen organischen Verbindungen - Prueba de emisiones de compuestos orgánicos volátiles	ISO 16000/9	-	-	Class A+ / Classe A+ / Classe A+ Klasse A+ / Categoria A+	Class A+ / Classe A+ / Classe A+ Klasse A+ / Categoria A+
RESISTANCE TO COLD LIQUIDS Resistenza ai liquidi freddi Résistance aux liquides froids - Beständigkeit gegen kalte Flüssigkeiten Resistencia a los líquidos fríos	EN 12720:2013	-	-	Class 5 to Class 3 - da Classe 5 a Classe 3 - de Classe 5 à Classe 3 - von Klasse 5 bis Klasse 3 - de Categoria 5 a Categoria 3	Class 5 to Class 3 - da Classe 5 a Classe 3 - de Classe 5 à Classe 3 - von Klasse 5 bis Klasse 3 - de Categoria 5 a Categoria 3
RESISTANCE TO DAMP HEAT Resistenza al calore umido - Résistance à la chaleur humide - Beständigkeit gegen feuchte Hitze Resistencia al calor húmedo	EN 12721:2013	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A
RESISTANCE TO DRY HEAT Resistenza al calore secco Résistance à la chaleur sèche - Beständigkeit gegen trockene Hitze Resistencia al calor seco	EN 12722:2013	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A
DIRT RETENTION Tendenza a ritenere lo sporco Tendance à retenir la saleté Neigung zur Schmutzbindung Tendencia a retener la suciedad	EN 9300:2015	-	-	No visible change - Nessun cambiamento visibile - Pas d'altération visible - Keine sichtbare Veränderung - Ningún cambio visible	No visible change - Nessun cambiamento visibile - Pas d'altération visible - Keine sichtbare Veränderung - Ningún cambio visible
SCRATCH RESISTANCE Resistenza alla graffiatura - Résistance aux rayures Kratzfestigkeit - Resistencia a los arañazos	EN 15186:2012 met. B	-	-	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A	CEN/TS 16209 Class A / Classe A / Classe A Klasse A / Categoria A
RESISTANCE TO FUNGI Resistenza ai funghi - Résistance aux champignons Beständigkeit gegen Schimmel - Resistencia a los hongos	ASTM G 21	-	-	No fungi - Nessuna crescita fungina - Aucune croissance fongique - Kein Schimmelwachstum - Ningún crecimiento de hongos	No fungi - Nessuna crescita fungina - Aucune croissance fongique - Kein Schimmelwachstum - Ningún crecimiento de hongos

SHADE VARIATION

V3 High

Marmi **Stone** **Design** **Concrete**

V1 Low

Tinta Unita

GREENGUARD

The GREENGUARD Certification process provides an in-depth review and analysis of chemical emissions from manufacturers' products. Using dynamic environmental chamber testing, products are tested for volatile organic compounds (VOCs), including formaldehyde, and over 300 other VOCs with health-based limits.
GREENGUARD Certified products aid in the creation of healthier indoor environments, and release fewer pollutants that can contribute to health issues including asthma and other respiratory issues.
To remain certified, products undergo comprehensive certification testing on an annual basis, giving consumers peace of mind that they are selecting products that support better human health.
Recognized and referenced by over 400 codes, rating systems, and procurement policies worldwide, the GREENGUARD Certification requires that products meet some of the world's most rigorous and comprehensive limits for low emissions of volatile organic compounds into indoor environments.
The GREENGUARD Gold standard includes health-based criteria for additional chemicals and requires lower total VOC emissions levels to ensure that products are acceptable for use in environments such as schools and healthcare facilities. In addition to limiting emissions of more than 360 VOCs and total chemical emissions, GREENGUARD Gold Certified products must also comply with requirements of the State of California's Department of Public Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions from known as California Section 01350.

NSF

The NSF Food Equipment certification program has 22 different standards that set minimum food hygiene and protection requirements for the materials, design, manufacturing, construction and performance of equipment for handling and processing food.
The materials for solid surfaces are examined based on the "NSF / ANSI 51: Food Equipment Materials" standard, which specifies the public health requirements for materials used in the construction of commercial food equipment.
More information is available on the website:
info.nsf.org/Certified/Food

Il programma di certificazione NSF Food Equipment ha 22 diversi standard che stabiliscono i requisiti minimi di protezione e igiene alimentare riguardo ai materiali, la progettazione, la fabbricazione, la costruzione e le prestazioni delle attrezzature per la manipolazione e il trattamento degli alimenti. I materiali per superfici solide vengono esaminati in base alla "NSF / ANSI 51: Materiali per attrezzature alimentari", che specifica i requisiti relativi alla salute pubblica per i materiali utilizzati nella costruzione di attrezzature alimentari commerciali.
Maggiori informazioni sono disponibili sul sito:
info.nsf.org/Certified/Food

The full, up-to-date list of certified products can be viewed at www.nsf.org. Please contact the Emilceramica Group for any further information.
La lista completa e aggiornata dei prodotti certificati è visionabile sul sito www.nsf.org. Per qualsiasi ulteriore informazione contattare Emilceramica Group.

PACKING

IMBALLI / EMBALLAGE
VERPACKUNG / EMBALAJE

Formato Size Format Format Tamaño cm	Spessore Thickness Epaisseur Stärke Espesor mm	Pieces x Sqm Pz. x Mq. Pcs / M² Stk. x Qm Pzs x Mc.	Pieces x Box Pz. x Scat. Pcs / Bte Stk. x Krt. Pzs x Caja	Sqm x Box Mq. x Scat. M² / Bte Qm x Krt. Mc. x Caja	Weight x Box Peso x Scat. Poids / Bte Gewicht x Krt. Peso x Caja Kg	Boxes x Pal. Scat. x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal.	Sqm x Pal. Mq. x Pal. M² / Pal. Qm x Pal. Mc. x Pal.	Weight x Pal. Peso x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Kg
160x320 Naturale - Full Lappato	6,5	0,20	1	5,120	76,80	see below - vedi sotto voir ci-dessous - siehe unten - vea abajo		
162x324 Naturale - Full Lappato	12	0,19	1	5,249	152,22			
162x324 Naturale - Full Lappato	20	0,19	1	5,249	263,00			

Item Articolo Reference Artikel Articulo		Thickness (mm) Spessore (mm) Epaisseur (mm) Stärke (mm) Espesor (mm)	Size (cm) Dimensione (cm) Format (cm) Format (cm) Tamaño (cm)	No. of Slabs Nr. Lastre Nbre Dalles Anz. Platten Nº de Placas	Sqm per Pack Mq. x Imballo m2 / Emballage qm pro Verpackung m2 por embalaje	Weight of Packaging (kg) Peso Imballo (Kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg)	Weight of Packaging + Slabs (kg) Peso Imballo+Lastre (Kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg)
	Crate Cassa Caisse Kiste Caja	6,5	175x345x41	14	71,68	172	1247
		12	175x345x41	9	47,24	172	1542
	Wood A-Frame Cavalletto in legno Chevalet de transport en bois Holz Transportgestell Caballete de madera	6,5	75x330x200	40	204,80	220	3292
		12	75x330x200	20	104,98	220	3264
		20	75x330x200	12	62,99	220	3376
	Metal A-Frame Cavalletto in metallo Chevalet de transport en métal Metall Transportgestell Caballete de metal	6,5	75x339x186	40	204,80	124	3196
		12	75x339x186	20	104,98	124	3168
		20	75x339x186	12	62,99	124	3280

A Brand of Emilceramica S.r.l. a socio unico
USGBC MEMBER
GREEN BUILDING COUNCIL SOCIO ITALIA
CONFINDUSTRIA PER LA SOSTENIBILITÀ
CERTIFIED MANAGEMENT SYSTEMS CQY CERTIQUALITY
UNI EN ISO 9001:2015
UNI EN ISO 14001:2015
UNI ISO 45001:2018
UNI CEI EN ISO 50001:2018

MESH-MOUNTED SLABS
LASTRE STUOIATE



All Level slabs in the 6.5 mm and 12 mm thicknesses are also available in mesh-mounted version.

Fibreglass is applied to the underside of mesh-mounted slabs to increase their mechanical and bending strength and simplify shaping operations.

CONTACT INFORMATION:
www.architessa.com
1.800.287.1742
For general sales inquiries: sales@architessa.com
For commercial & hospitality sample requests: samples@architessa.com
Headquarters: 1803 Research Blvd #402, Rockville, MD 20850

06.22