LOVE AFFAIRS

Love you to the moon and back!

ARCHITECTURAL CERAMICS

LOVE AFFAIRS

Love you to the moon and back!

Four shapes, seventeen finishes... FALL IN LOVE!
Dare to fall in love from your inner self to your surroundings; through shapes, colours, finishes and their endless matching possibilities.
Play and walk over woods, concrete, stones and marbles **all combinable between them**, to create your own fashionable romance around you.

Cuatro formatos, diecisiete acabados... ENAMÓRATE!
Atrévete a enamorarte de tu entorno, a través de formas, tonos, acabados y sus posibilidades sin fin.
Camina sobre maderas, cementos, piedras y mármoles, **todos combinables entre si** y crea tu romance en tu propio espacio.

INDEX

INDICE

Materials summary 4
Resumen de materiales

Get Inspired 8
Inspírate

Technical features 58
Características técnicas

Let´s play! 64
¡Juguemos!

Layout examples 91
Ejemplos de colocación

CONCRETE, STONES AND MARBLES, ALL COMBINABLE BETWEEN THEM.

--

CEMENTO, PIEDRAS Y MÁRMOLES, TODO COMBLINABLE ENTRE SI.

AVAILABLE SHAPES
FORMATOS DISPONIBLES



Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Hexagon
20x23 cm / 8"x9"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

Accent
3,7x10 cm / 1.5"x4"

MATERIALS SUMMARY
RESUMEN DE MATERIALES
→

CONTEMPO*

Natural Oak Ash Walnut

TIMBER*

Strong chromatic variation
Fuerte variación cromática

Grey Brown

CALACATTA*



Calacatta

CONCRETE*



Light Grey Ash Grey

AURA*



Aura

PETRA*



Sand Grey Charcoal

SPECIAL PIECES**

MINI CRAYON
3,7x13,5 cm / 1.5"X5.3"

Onix Blue Raku Green Raku Beige Raku

ACCENT
3,7x10 cm / 1.5"X4"

Onix Blue Raku Green Raku Beige Raku

Finish Detail / Detalle del acabado



Onix Blue Raku Green Raku Beige Raku

* 30 different shades randomly mixed within the box.
* 30 tonalidades diferentes encajadas aleatoriamente.

** The finishing of each piece is unique, you will never find two equal.
** Cada pieza es única, nunca encontrarás dos iguales.

A TRUE LOVE STORY!

--

¡UNA VERDADERA HISTORIA DE AMOR!

CALACATTA Strip + **TIMBER** Strip Brown

CALACATTA Strip + **CONCRETE** Strip Ash Grey

CALACATTA Hexagon 71% + **MINI CRAYON** Onix 29%

PETRA Strip Sand

CALACATTA Hexagon 71% + **PETRA** Mini Crayon Sand 29%

CONCRETE Hexagon Ash Grey + **CALACATTA** Hexagon

CONCRETE Strip Ash Grey 50% + **ACCENT** Onix 50%



CONCRETE Strip Light Grey 70% + **TIMBER** Crayon Grey 30%

TIMBER Strip Brown

PETRA Strip Grey 83% + **CONTEMPO** Strip Natural 17%

CONCRETE Strip Ash Grey + **CONTEMPO** Strip Oak

TIMBER Crayon Brown

CONTEMPO Strip Oak + **PETRA** Hexagon Charcoal

CONCRETE Strip Ash Grey + **TIMBER** Strip Brown

TIMBER Strip Grey 70% + **CALACATTA** Crayon 30%

PETRA Hexagon Charcoal 71% + **CONTEMPO** Mini Crayon Natural 29%

AURA Hexagon



PETRA Crayon Charcoal 30% + **CONCRETE** Strip Ash Grey 70%

CONCRETE Strip Ash Grey 70% + **CONTEMPO** Crayon Natural 30%

CONTEMPO Crayon Walnut 50% + **AURA** Crayon 50%

PETRA Hexagon Grey + **CALACATTA** Hexagon

CONCRETE Strip Light Grey

CONCRETE Hexagon Light Grey 71% + **CONCRETE** Mini Crayon Ash Grey 29%



CONTEMPO Strip Natural 50% + **ACCENT** Green Raku 50%

CONTEMPO Strip Ash + **CONCRETE** Strip Light Grey

NILO Ice White Matt by WOW Collection

PETRA Strip Charcoal 50% + **TIMBER** Strip Grey 50%

CONCRETE Strip Ash Grey

CONTEMPO Crayon Natural 50% + **CONTEMPO** Crayon Walnut 50%

PETRA Strip Sand 70% + **CALACATTA** Crayon 30%

CONCRETE Strip Light Grey & Ash Grey + **CONTEMPO** Strip Natural

AURA Strip 83% + **TIMBER** Strip Brown 17%

AURA Hexagon

CALACATTA Mini Crayon + **MINI CRAYON** Onix

ZELLIGE White by Mestizaje Collection

PETRA Mini Crayon Charcoal

AURA Mini Crayon + **MINI CRAYON** Beige Raku
(Random composition)

PETRA Hexagon Grey 71% + **PETRA** Mini Crayon Grey 29% + **ACCENT** Green Raku

CONTEMPO Strip Natural + **ACCENT** Beige Raku
(Random composition)

CONCRETE Crayon Light Grey

CONCRETE Hexagon Ash Grey 71% + **MINI CRAYON** Blue Raku 29%

LOVE AFFAIRS

TECHNICAL FEATURES

--

CARACTERÍSTICAS TÉCNICAS

TECHNICAL FEATURES
CARACTERÍSTICAS TÉCNICAS

PACKING
ENCAJADO

TECHNICAL DRAWINGS
PLANIMETRÍA

RECOMMENDATIONS
RECOMENDACIONES

→

TECHNICAL FEATURES FOR DRY-PRESSED CERAMIC TILES WITH WATER ABSORPTION B Ia (≤ 0,5 %)
CARACTERÍSTICAS TÉCNICAS PARA LAS BALDOSAS CERÁMICAS PRENSADAS EN SECO CON ABSORCIÓN DE AGUA B Ia(≤ 0,5 %)

FEATURES / CARACTERÍSTICAS		SPECIFICATION / ESPECIFICACIÓN	NORMA
Dimensional Features	Crayon	(W 100 mm +/- 0,6% x 600 mm +/- 0,6% x h. 8.5 mm) GL	UNE-EN ISO 10545-2: 1998
	Strip	(W 100 mm +/- 0,6% x 500 mm +/- 0,6% x h. 8.5 mm) GL	
	Hexagon	(W 200 mm +/- 0,6% x 230 mm +/- 0,6% x h. 8.5 mm) GL	
	Mini Crayon	(W 37 mm +/- 0,6% x 135 mm +/- 0,6% x h. 8.5 mm) GL	
	Accent	(W 37 mm +/- 0,6% x 100 mm +/- 0,6% x h. 8.5 mm) GL	
Water absorption		≤ 0,5%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength		Minimum 35 N/mm^2 Individual Minimum 32 N/mm^2	UNE-EN ISO 10545-4: 2012
Crazing resistance		Comply	UNE-EN ISO 10545-11:1997
Household products resistance		GA	UNE-EN ISO 10545-13:1998
Chemical resistance		GHA	UNE-EN ISO 0545-13:1998
Stain resistance		5	UNE-EN ISO 10545-14:1998
Frost resistance		Pass	UNE-EN ISO 10545-12:1997
Non-slip value	Contempo, Timber, Concrete, Petra & Aura	R10 - CLASS 2 / DCOF >0,42	DIN 51130:2014 / ANSI A137.1:2012
	Calacatta	R9 - CLASS 2 / DCOF >0,42	
	Special pieces	No comply	

ARCHITECTURAL CERAMICS

				KG	LB	M2	FT2		M2	FT2
Modelo / Formato Model / Format	Tamaño (cm)	Size (in)	Piezas / Caja Pieces / Box	Kg / Caja	Lb/ box	m2 / Caja	sq ft / Box	Cajas / Palet Boxes / Pallet	m^2 / Palet	sq ft / Pallet
Contempo Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Contempo Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Contempo Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Timber Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Timber Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Concrete Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Concrete Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Concrete Hexagon	20x23	8"x9"	10	6,51	14.35	0,350	3.77	120	42,00	452.40
Concrete Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Calacatta Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Calacatta Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Calacatta Hexagon	20x23	8"x9"	10	6,51	14.35	0,350	3.77	120	42,00	452.40
Calacatta Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Aura Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Aura Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Aura Hexagon	20x23	8"x9"	10	6,51	14.35	0,350	3.77	120	42,00	452.40
Aura Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Petra Strip	10x50	4"x20"	16	14,81	32.65	0,785	8.45	66	51,81	557.70
Petra Crayon	10x60	4"x24"	9	9,33	20.57	0,488	5.25	98	47,82	514.50
Petra Hexagon	20x23	8"x9"	10	6,51	14.35	0,350	3.77	120	42,00	452.40
Petra Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Mini Crayon	3,7x13,5	1.5"x5.3"	44	4,03	8.88	0,206	2.22	210	43,26	466.20
Accent	3,7x10	1.5"x4"	18	1,35	2.98	1,773 m	5.82 ft	735	1303,15 m	4,277.70 ft

CRAYON



STRIP

HEXAGON



MINI CRAYON



ACCENT



WAREHOUSING
In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING
To ensure procelain earthenware floor tiles adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

All types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems.
We recommend a minimum installation joint of 2 mm (0 5/64 in).

MAINTENANCE AND CLEANING
Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially for ceramic floor tiles, diluted with water . The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes. To check that the chosen cleaning product will not damage the paving, we recommend previously testing an area that is hidden or not easily seen, or testing a tile that has not been fitted.

As a general guideline, powder dertergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

WARNING!
No claims will be accepted after materials have been installed.

ALMACENAMIENTO
Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

COLOCACIÓN
Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado para baldosas de gres porcelánico y adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Se recomienda una junta de colocación de mínimo 2 mm.

MANTENIMIENTO Y LIMPIEZA
Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos. Para verificar que el limpiador escogido no dañará al pavimento se requiere hacer una prueba previa en una zona oculta o poco visible o en una baldosa sin instalar.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

¡ATENCIÓN!
No se aceptarán reclamaciones una vez instalado el material.

LET´S PLAY!

--

¡JUGUEMOS!

	CONTEMPO NATURAL	CONTEMPO OAK	CONTEMPO WALNUT	CONTEMPO ASH	TIMBER BROWN	TIMBER GREY	CONCRETE ASH GREY	CONCRETE LIGHT GREY	CALACATTA	PETRA SAND	PETRA GREY	PETRA CHARCOAL	AURA	ONIX	BEIGE/GREEN RAKU	BLUE RAKU
CONTEMPO NATURAL	♥		♥				♥								♥	
CONTEMPO OAK		♥					♥		♥			♥	♥		♥	
CONTEMPO WALNUT	♥		♥					♥							♥	
CONTEMPO ASH				♥					♥					♥		♥
TIMBER BROWN					♥		♥		♥	♥			♥		♥	
TIMBER GREY						♥		♥	♥			♥		♥		♥
CONCRETE ASH GREY	♥	♥			♥		♥	♥	♥			♥		♥		♥
CONCRETE LIGHT GREY			♥			♥	♥	♥				♥		♥		♥
CALACATTA		♥		♥	♥	♥	♥		♥	♥	♥	♥		♥		
PETRA SAND					♥				♥	♥						
PETRA GREY									♥		♥	♥		♥		
PETRA CHARCOAL		♥				♥	♥	♥	♥		♥	♥		♥		
AURA		♥			♥								♥		♥	
ONIX				♥		♥	♥	♥	♥		♥	♥		♥		
BEIGE/GREEN RAKU	♥	♥	♥		♥								♥		♥	
BLUE RAKU				♥		♥	♥	♥								♥

*** This is just an example of the multiple combinations that you can create with Love Affairs, but there are many more!**

* Esto es sólo un ejemplo de las multiples combinaciones que puedes crear con Love Affairs, ¡Pero hay muchas más!

CONTEMPO NATURAL
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONTEMPO NATURAL
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

CONTEMPO OAK

CONTEMPO OAK

Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONTEMPO OAK

Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

CONTEMPO ASH
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONTEMPO ASH
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

CONTEMPO WALNUT
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONTEMPO WALNUT
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

TIMBER GREY

TIMBER GREY

TIMBER GREY

Tone Variation / Variación de tono

Strong chromatic variation
Fuerte variación cromática

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

TIMBER GREY

Available Shapes
Formatos disponibles



Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

TIMBER BROWN
Tone Variation / Variación de tono

Strong chromatic variation
Fuerte variación cromática

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

TIMBER BROWN
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20""

CONCRETE LIGHT GREY

CONCRETE LIGHT GREY
Tone Variation / Variación de tono



30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONCRETE LIGHT GREY
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"



Hexagon
20x23 cm / 8"x9"

CONCRETE ASH GREY

CONCRETE ASH GREY
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CONCRETE ASH GREY
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"



Hexagon
20x23 cm / 8"x9"

CALACATTA

Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

CALACATTA

Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4″x24″

Strip
10x50 cm / 4″x20″

Mini Crayon
3,7x13,5 cm / 1.5″x5.3″

Hexagon
20x23 cm / 8″x9″

PETRA SAND
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

PETRA SAND
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

Hexagon
20x23 cm / 8"x9"

PETRA GREY
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

PETRA GREY
Available Shapes
Formatos disponibles



Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

Hexagon
20x23 cm / 8"x9"



PETRA CHARCOAL
Tone Variation / Variación de tono



30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

PETRA CHARCOAL
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"



Hexagon
20x23 cm / 8"x9"

AURA
Tone Variation / Variación de tono

30 different shades randomly mixed within the box
30 tonalidades diferentes encajadas aleatoriamente

AURA
Available Shapes
Formatos disponibles

Crayon
10x60 cm / 4"x24"

Strip
10x50 cm / 4"x20"

Mini Crayon
3,7x13,5 cm / 1.5"x5.3"

Hexagon
20x23 cm / 8"x9"

FOUR SHAPES, SEVENTEEN FINISHES... UNLIMITED POSSIBILITIES!

--

CUATRO FORMATOS, DIECISIETE MATERIALES... POSIBILIDADES SIN LÍMITE.



Strip



Strip



17% Strip (vertical) + 83% Strip (horizontal)



Strip



Strip



50% Strip + 50% Accent



30% Crayon + 70% Strip



Crayon



71% Hexagon + 29% Mini Crayon

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850

ARCHITECTURAL CERAMICS

www.architecturalceramics.com