

# ARCH WOOD


Porcelain

 ARCHITESSA  
an Architectural Ceramics brand





ARCH WOOD Cordia 8x48, Cage Box 8x16



ARCH WOOD Wenge 8x48



ARCH WOOD Sbiancato 8x48, W-Cage 24x48



ARCH WOOD Mile 8x48



ARCH WOOD Paglia 8x48, W-Cage 24x48

## COLORS

---



Sbiancato



Paglia



Miele



Corda



Fumo





## AVAILABLE SIZES

|           | FIELD |              | W-CAGE | CAGE BOX | 20MM PAVER |
|-----------|-------|--------------|--------|----------|------------|
|           | 8x70  | 8x48         | 24x48  | 8x16     | 16x48      |
| Corda     |       | R9, R10, R11 |        |          |            |
| Fumo      |       | R9, R10, R11 | N      | N        | N          |
| Miele     | R10   | R9, R10, R11 | N      | N        | N          |
| Paglia    |       | R9, R10, R11 |        |          |            |
| Sbiancato | R10   | R9, R10, R11 | N      | N        |            |

N= Natural, R9= Soft R9, R10= Natural R10, R11= Technica R11

Lead times for specialty & non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

Trim options available. Check with your Architessa Sales Representative.

## DESCRIPTION

ARCH WOOD combines natural elegance and technical excellence available with three surface finishes specially designed to ensure optimal performance for every intended application. ARCHWOOD is the perfect solution for a continuous, harmonious design that imbues all the rooms with the unmistakable charm of wood.

## INSTALLATION & MAINTENANCE

ARCH WOOD may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

## TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN  
 ORIGIN: ITALY  
 EDGE: RECTIFIED  
 THICKNESS: 9.5MM, 10.5MM, 20MM  
 LOOK: WOOD  
 SHADE VARIATION: 3 - MODERATE  
 SURFACE ABRASION: N/A TRAFFIC  
 RATING: HEAVY COMMERCIAL

DCOF:  $\geq 0.50$  WET (NATURAL R10),  $\geq 0.65$  WET (20MM, TECHNICA R11),  $\geq 0.42$  WET (SOFT R9)  
 BREAKING STRENGTH: 400LBS (10MM) 2500LBS (20MM)  
 WATER ABSORPTION:  $\leq 0.5\%$   
 STAIN RESISTANCE: YES  
 FROST RESISTANCE: YES  
 ENVIRONMENT: GREENGAURD GOLD

## CONTACT INFORMATION:

[www.architessa.com](http://www.architessa.com)

1.800.287.1742

For general sales inquiries: [sales@architessa.com](mailto:sales@architessa.com)

For commercial & hospitality sample requests: [samples@architessa.com](mailto:samples@architessa.com)

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850