

STONE WALK

Porcelain

ARCHITECTURAL
CERAMICS



STONE WALK


3 TEXTURE
7 SIZES
5 COLORS
MIX AND
MATCH

A rich assortment of finishes, sizes and colors, to ensure the right design solution is always available for every type of setting, both indoor and outdoor.




120x240 47¹/₄"x94¹/₂" ± 6,5mm	60x120 23⁵/₈"x47¹/₄"	80x80 31¹/₂"x31¹/₂" 20MM
	60x60 23⁵/₈"x23⁵/₈"	
120x120 47¹/₄"x47¹/₄" ± 6,5mm	30x60 11¹³/₁₆"x23⁵/₈"	
	90x90 35⁷/₁₆"x35⁷/₁₆"	
	45x90 17¹¹/₁₆"x35⁷/₁₆"	

FINE GRAIN




NATURALE
LAPPATO
TECNICA

ROUGH GRAIN




NATURALE
LAPPATO
TECNICA

CAGE




NATURALE

TAUPE



NATURALE
LAPPATO
TECNICA



NATURALE
LAPPATO
TECNICA



NATURALE

SAND



NATURALE
LAPPATO
TECNICA




NATURALE
LAPPATO
TECNICA




NATURALE


WHITE



NATURALE
LAPPATO
TECNICA




NATURALE
LAPPATO
TECNICA




NATURALE


GREY



NATURALE
LAPPATO
TECNICA



NATURALE
LAPPATO
TECNICA



NATURALE


DARK



Grey Rough Grain Nat. Rett. 120x120 [47^{1/4} x 47^{1/4}"]
Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}"]
Cage Grey Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}"]



Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]
Grey Rough Grain Nat. Rett. 120x120 [47^{1/4} x 47^{1/4}]
Dark Rough Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]
Cage Dark Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]



GREY

Grey Rough Grain Nat. Rett. 120x120 [47^{1/4} x47^{1/4}]



Cage Dark Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
 Dark Rough Grain Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
 Dark Fine Grain Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
 Grey Fine Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]





Cage Grey Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}"]
White Rough Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}"]
Grey Nat. Rett. 80x80 [31^{1/2} x 31^{1/2}] 20mm



White Fine Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]



WHITE



Sand Fine Grain Nat. Rett. 120x240 [47^{1/4}" x 94^{1/2}"]
Sand Rough Grain Nat. Rett. 120x240 [47^{1/4}" x 94^{1/2}"]
Cage Sand Nat. Rett. 120x240 [47^{1/4}" x 94^{1/2}"]





Sand Fine Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
 Sand Rough Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
 Cage Sand Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]

Taupe Fine Grain Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
Taupe Rough Grain Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
Cage Taupe Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
Sand Nat. Rett. 80x80 (31^{1/2}"x31^{1/2}") 20mm

TAUPE






Taupe Rough Grain Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]
Sand Fine Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]
Cage Taupe Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]



Sand Fine Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
Sand Rough Grain Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
Sand Big Mix 30x30 [11^{13/16}"x11^{13/16}"]



Grey Fine Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Grey Fine Grain Lapp. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Cage Grey Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Dark Rough Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Dark Rough Grain Lapp. Rett. 60x120 [23^{5/8} x 47^{1/4}]

20MM



Sand Rough Grain Nat. Rett. 80x80 (31 1/2"x31 1/2") 20mm
Cage Sand Nat. Rett. 120x240 (47 1/4"x94 1/2")



Sand Rough Grain Nat. Rett. 80x80 (31^{1/2}"x31^{1/2}") 20mm
Cage Sand Nat. Rett. 120x240 (47^{1/4}"x94^{1/2}")

STONE WALK

20MM



OUTDOOR SPACES OF GREAT AESTHETIC VALUE

STONE WALK 20mm offers the chance to develop extremely aesthetically pleasing external spaces without compromising on technical expertise. The specific qualities of **STONE WALK** 20mm allow you to perfectly integrate the material in the surrounding environment, making it possible to create walkways and outdoor paths easily and effectively. The thickness of **STONE WALK** 20mm guarantees excellent resistance, making it ideal for use in both indoor and outdoor public spaces. **STONE WALK** 20mm is easy to lay on grass, sand and gravel. By gluing it down to screed it is possible to create industrial and commercial paved driveways. Ideal for access ramps and garages. **STONE WALK** 20mm is ideal for the creation of cavity floors.



80x80 (31^{1/2}"x31^{1/2}")
E0E1 SAND ROUGH GRAIN
NAT. RETT. ● **109**



80x80 (31^{1/2}"x31^{1/2}")
E0E2 GREY ROUGH GRAIN
NAT. RETT. ● **109**



80x80 (31^{1/2}"x31^{1/2}")
E0E3 DARK ROUGH GRAIN
NAT. RETT. ● **109**

TAUPE_FORMATI Sizes / Formats / Formate / Tamaños / форматы

FINE GRAIN



60x120 (23^{5/8"}x47^{1/4"})
E099 TAUPE NAT. RETT. ● 89
E0AD TAUPE LAPP. RETT. ● 96
E0C3 TAUPE TECNICA RETT. ● 91



60x60 (23^{5/8"}x23^{5/8"})
E09N TAUPE NAT. RETT. ● 73



30x60 (11^{13/16"}x23^{5/8"})
E09U TAUPE NAT. RETT. ● 66
E0AK TAUPE LAPP. RETT. ● 78
E0C9 TAUPE TECNICA RETT. ● 68




90x90 (35^{7/16"}x35^{7/16"})
E0A0 TAUPE NAT. RETT. ● 91
E0AR TAUPE LAPP. RETT. ● 98




45x90 (17^{11/16"}x35^{7/16"})
E0A6 TAUPE NAT. RETT. ● 77

ROUGH GRAIN




60x120 (23^{5/8"}x47^{1/4"})
E0AX TAUPE NAT. RETT. ● 89
E0D6 TAUPE LAPP. RETT. ● 96
E0DR TAUPE TECNICA RETT. ● 91



60x60 (23^{5/8"}x23^{5/8"})
E0CG TAUPE NAT. RETT. ● 73



30x60 (11^{13/16"}x23^{5/8"})
E0CN TAUPE NAT. RETT. ● 66
E0DD TAUPE LAPP. RETT. ● 78
E0DX TAUPE TECNICA RETT. ● 68



90x90 (35^{7/16"}x35^{7/16"})
E0CU TAUPE NAT. RETT. ● 91
E0DK TAUPE LAPP. RETT. ● 98



45x90 (17^{11/16"}x35^{7/16"})
E0D0 TAUPE NAT. RETT. ● 77

CAGE




60x120 (23^{5/8"}x47^{1/4"})
E09G TAUPE NAT. RETT. ● 91

SAND_FORMATI Sizes / Formats / Formate / Tamaños / форматы

FINE GRAIN



120x240 (47^{1/4"}x94^{1/2"})
E07H SAND NAT. RETT. ● 112



120x120 (47^{1/4"}x47^{1/4"})
E07M SAND NAT. RETT. ● 95



60x120 (23^{5/8"}x47^{1/4"})
E098 SAND NAT. RETT. ● 89
E0AC SAND LAPP. RETT. ● 96
E0C2 SAND TECNICA RETT. ● 91



90x90 (35^{7/16"}x35^{7/16"})
E09Z SAND NAT. RETT. ● 91
E0AQ SAND LAPP. RETT. ● 98



45x90 (17^{11/16"}x35^{7/16"})
E0A5 SAND NAT. RETT. ● 77



60x60 (23^{5/8"}x23^{5/8"})
E09M SAND NAT. RETT. ● 73




30x60 (11^{13/16"}x23^{5/8"})
E09T SAND NAT. RETT. ● 66
E0AJ SAND LAPP. RETT. ● 78
E0C8 SAND TECNICA RETT. ● 68

ROUGH GRAIN



120x240 (47^{1/4"}x94^{1/2"})
E087 SAND NAT. RETT. ● 112



120x120 (47^{1/4"}x47^{1/4"})
E08C SAND NAT. RETT. ● 95



60x120 (23^{5/8"}x47^{1/4"})
E0AW SAND NAT. RETT. ● 89
E0D5 SAND LAPP. RETT. ● 96
E0DQ SAND TECNICA RETT. ● 91



90x90 (35^{7/16"}x35^{7/16"})
E0CT SAND NAT. RETT. ● 91
E0DJ SAND LAPP. RETT. ● 98



45x90 (17^{11/16"}x35^{7/16"})
E0CZ SAND NAT. RETT. ● 77




60x60 (23^{5/8"}x23^{5/8"})
E0CF SAND NAT. RETT. ● 73




30x60 (11^{13/16"}x23^{5/8"})
E0CM SAND NAT. RETT. ● 66
E0DC SAND LAPP. RETT. ● 78
E0DW SAND TECNICA RETT. ● 68

CAGE






120x240 (47^{1/4"}x94^{1/2"})
E07R SAND NAT. RETT. ● 115



60x120 (23^{5/8"}x47^{1/4"})
E09F SAND NAT. RETT. ● 91




Sizes / Formats / Formate / Tamaños / форматы

CAGE



Sizes / Formats / Formate / Tamaños / форматы

CAGE



DARK_FORMATI Sizes / Formats / Formate / Tamaños / форматы

FINE GRAIN




60x120 (23^{5/8}"x47^{1/4}")
E09C DARK NAT. RETT. ● 89
E0AF DARK LAPP. RETT. ● 96
E0C5 DARK TECNICA NAT. RETT. ● 91



60x60 (23^{5/8}"x23^{5/8}")
E09Q DARK NAT. RETT. ● 73



30x60 (11^{13/16}"x23^{5/8}")
E09W DARK NAT. RETT. ● 66
E0AM DARK LAPP. RETT. ● 78
E0CC DARK TECNICA RETT. ● 68



90x90 (35^{7/16}"x35^{7/16}")
E0A2 DARK NAT. RETT. ● 91
E0AT DARK LAPP. RETT. ● 98



45x90 (17^{11/16}"x35^{7/16}")
E0A8 DARK NAT. RETT. ● 77

ROUGH GRAIN



60x120 (23^{5/8}"x47^{1/4}")
E0AZ DARK NAT. RETT. ● 89
E0D8 DARK LAPP. RETT. ● 96
E0DT DARK TECNICA NAT. RETT. ● 91



60x60 (23^{5/8}"x23^{5/8}")
E0CJ DARK NAT. RETT. ● 73



30x60 (11^{13/16}"x23^{5/8}")
E0CQ DARK NAT. RETT. ● 66
E0DF DARK LAPP. RETT. ● 78
E0DZ DARK TECNICA RETT. ● 68



90x90 (35^{7/16}"x35^{7/16}")
E0CW DARK NAT. RETT. ● 91
E0DM DARK LAPP. RETT. ● 98



45x90 (17^{11/16}"x35^{7/16}")
E0D2 DARK NAT. RETT. ● 77

CAGE



60x120 (23^{5/8}"x47^{1/4}")
E09J DARK NAT. RETT. ● 91

DECORI Decors / Formats / Formate / Tamaños / форматы

Mosaico 3x3*



30x30 (11^{13/16}"x11^{13/16}")
E0TD TAUPE NAT. ● 138
E0TK TAUPE LAPP. ● 140



30x30 (11^{13/16}"x11^{13/16}")
E0TG SAND NAT. ● 138
E0TJ SAND LAPP. ● 140



30x30 (11^{13/16}"x11^{13/16}")
E0TA WHITE NAT. ● 138
E0TH WHITE LAPP. ● 140



30x30 (11^{13/16}"x11^{13/16}")
E0TE GREY NAT. ● 138
E0TL GREY LAPP. ● 140



30x30 (11^{13/16}"x11^{13/16}")
E0TF DARK NAT. ● 138
E0TM DARK LAPP. ● 140

Mosaico Big Mix*



30x30 (11^{13/16}"x11^{13/16}")
EDFS TAUPE NAT. ● 138



30x30 (11^{13/16}"x11^{13/16}")
EDFR SAND NAT. ● 138



30x30 (11^{13/16}"x11^{13/16}")
EDFQ WHITE NAT. ● 138



30x30 (11^{13/16}"x11^{13/16}")
EDFT GREY NAT. ● 138



30x30 (11^{13/16}"x11^{13/16}")
EDFU DARK NAT. ● 138

Listelli sfalsati*



30x60 (11^{13/16}"x23^{5/8}")
EDFY TAUPE NAT. ● 113



30x60 (11^{13/16}"x23^{5/8}")
EDFX SAND NAT. ● 113



30x60 (11^{13/16}"x23^{5/8}")
EDFW WHITE NAT. ● 113



30x60 (11^{13/16}"x23^{5/8}")
EDFZ GREY NAT. ● 113



30x60 (11^{13/16}"x23^{5/8}")
EDGO DARK NAT. ● 113

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

PEZZI SPECIALI Trims - Pieces Speciales - Formteile - Piezas Especiales - Специальные Изделия




BATTISCOPIA - SKIRTING
7x60 (2^{3/4"}x23^{5/8"})
Pcs. Box 15 - Ml. x Box 9

FINE GRAIN		ROUGH GRAIN	
E0TP	WHITE NAT. RETT. ●16	E0VA	WHITE NAT. RETT. ●16
E0TQ	SAND NAT. RETT. ●16	E0VC	SAND NAT. RETT. ●16
E0TR	TAUPE NAT. RETT. ●16	E0VD	TAUPE NAT. RETT. ●16
E0TS	GREY NAT. RETT. ●16	E0VE	GREY NAT. RETT. ●16
E0TT	DARK NAT. RETT. ●16	E0VF	DARK NAT. RETT. ●16



BATTISCOPIA - SKIRTING
4,6x90 (1^{13/16"}x35^{7/16"})
Pcs. Box 8 - Ml. x Box 7,20

FINE GRAIN		ROUGH GRAIN	
E0TV	WHITE NAT. RETT. ●23	E0VH	WHITE NAT. RETT. ●23
E0TW	SAND NAT. RETT. ●23	E0VJ	SAND NAT. RETT. ●23
E0TX	TAUPE NAT. RETT. ●23	E0VK	TAUPE NAT. RETT. ●23
E0TY	GREY NAT. RETT. ●23	E0VL	GREY NAT. RETT. ●23
E0TZ	DARK NAT. RETT. ●23	E0VM	DARK NAT. RETT. ●23



GRADONE - STEP
33x120x3,2x3,2 (12^{15/16"}x47^{1/4"}x1^{1/4"}x1^{1/4"})
Pcs. Box 2 - Ml. x Box 2,40

FINE GRAIN		ROUGH GRAIN	
E0UE	WHITE NAT. RETT. ●139	E0W1	WHITE NAT. RETT. ●139
E0UF	SAND NAT. RETT. ●139	E0W2	SAND NAT. RETT. ●139
E0UG	TAUPE NAT. RETT. ●139	E0W3	TAUPE NAT. RETT. ●139
E0UH	GREY NAT. RETT. ●139	E0W4	GREY NAT. RETT. ●139
E0UJ	DARK NAT. RETT. ●139	E0W5	DARK NAT. RETT. ●139



GRADINO - STAIR TREAD
33x120 (12^{15/16"}x47^{1/4"})
Pcs. Box 2 - Ml. x Box 2,40


FINE GRAIN		ROUGH GRAIN	
E0U1	WHITE NAT. RETT. ●120	E0VP	WHITE NAT. RETT. ●120
E0U2	SAND NAT. RETT. ●120	E0VQ	SAND NAT. RETT. ●120
E0U3	TAUPE NAT. RETT. ●120	E0VR	TAUPE NAT. RETT. ●120
E0U4	GREY NAT. RETT. ●120	E0VS	GREY NAT. RETT. ●120
E0U5	DARK NAT. RETT. ●120	E0VT	DARK NAT. RETT. ●120



FINE GRAIN	
E0U7	WHITE TECN. RETT. ●120
E0U8	SAND TECN. RETT. ●120
E0U9	TAUPE TECN. RETT. ●120
E0UA	GREY TECN. RETT. ●120
E0UC	DARK TECN. RETT. ●120



ROUGH GRAIN	
E0VV	WHITE TECN. RETT. ●120
E0VW	SAND TECN. RETT. ●120
E0VX	TAUPE TECN. RETT. ●120
E0VY	GREY TECN. RETT. ●120
E0VZ	DARK TECN. RETT. ●120



ANGOLARE DX / SX - CORNER TILE DX / SX
33x120x3,2x3,2 (12^{15/16"}x47^{1/4"}x1^{1/4"}x1^{1/4"})
Pcs. Box 1 - Ml. x Box 1,20

FINE GRAIN		ROUGH GRAIN	
E0UL / E0US	WHITE NAT. RETT. ●142	E0W7 / E0WE	WHITE NAT. RETT. ●142
E0UM / E0UT	SAND NAT. RETT. ●142	E0W8 / E0WF	SAND NAT. RETT. ●142
E0UN / E0UU	TAUPE NAT. RETT. ●142	E0W9 / E0WG	TAUPE NAT. RETT. ●142
E0UP / E0UV	GREY NAT. RETT. ●142	E0WA / E0WH	GREY NAT. RETT. ●142
E0UQ / E0UW	DARK NAT. RETT. ●142	E0WC / E0WJ	DARK NAT. RETT. ●142

PEZZI SPECIALI Trims - Pieces Speciales - Formteile - Piezas Especiales - Специальные Изделия

20MM




GRADONE - STEP
33x80x5 (12^{15/16"}x31^{1/2"}x1^{15/16"})
Pcs. Box 2 - Ml. x Box 1,60

E0WY	SAND NAT. RETT. ●114
E0WZ	GREY NAT. RETT. ●114
E0W0	DARK NAT. RETT. ●114




ANGOLARE DX / SX - CORNER TILE DX / SX
33x80x5 (12^{15/16"}x31^{1/2"}x1^{15/16"})
Pcs. Box 2 - Ml. x Box 1,60

E0X2 / EGHG	SAND NAT. RETT. ●136
E0X3 / EGGH	GREY NAT. RETT. ●136
E0X4 / EGHJ	DARK NAT. RETT. ●136




TERMINALE - ENDINGPIECE
33x80x2,5 (12^{15/16"}x31^{1/2"}x^{15/16"})
Pcs. Box 2 - Ml. x Box 1,60

E0X6	SAND NAT. RETT. ●120
E0X7	GREY NAT. RETT. ●120
E0X8	DARK NAT. RETT. ●120



ANGOLARE TERMINALE DX / SX
ENDINGPIECE CORNER DX / SX
33x80x2,5 (12^{15/16"}x31^{1/2"}x^{15/16"})
Pcs. Box 2 - Ml. x Box 1,60

E0XA / EGHL	SAND NAT. RETT. ●136
E0XC / EGHM	GREY NAT. RETT. ●136
E0XD / EGHN	DARK NAT. RETT. ●136



GRADINO - STAIR TREAD
33x80 (12^{15/16"}x31^{1/2"})
Pcs. Box 2 - Ml. x Box 1,60

E0WL	SAND NAT. RETT. ●114
E0WM	GREY NAT. RETT. ●114
E0WN	DARK NAT. RETT. ●114

ALZATA - RISER
16,5x80 (6^{1/2"}x31^{1/2"})
Pcs. Box 4 - Ml. x Box 3,20




E0WQ	SAND NAT. RETT. ●46
E0WR	GREY NAT. RETT. ●46
E0WS	DARK NAT. RETT. ●46

PERFECT MATCH

TWO COLLECTIONS, FIVE COLOURS,
MULTIPLE COMBINATIONS

STONE WALK

STONE RUN

	Fine Grain	Rough Grain	Cage	Minimal	Martellata	Rullata
TAUPE						
SAND						
WHITE						
GREY						
DARK						



Grey Fine Grain Nat. Rett. 60x120 [23^{5/8} x47^{1/4}]
Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x94^{1/2}]
Grey Rough Grain Tecnica Rett. 60x120 [23^{5/8} x47^{1/4}]
STONETALK Grey Martellata 60x120 [23^{5/8} x47^{1/4}]
STONETALK Grey Rullata 60x120 [23^{5/8} x47^{1/4}]

STONE WALK

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL

CARATTERISTICHE TECNICHE		NORMA	VALORI		
Technical Features - Caracteristiques Techniquesa - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики		Standard - Norme Norm - Norma - Норма	Value - Valeur Vorgabe - Valor - Средние		
	PLANARITÀ Flatness Planéité Ebenflächigkeit Planaridad Плоскостность	UNI EN ISO 10545/2	± 0,26% / ± 1,5 mm		
		ASTM C485 CALIBRATED ± 0,75% (MAX ± 0,09 in)	-		
		ASTM C485 RECTIFIED ± 0,40% (MAX ± 0,05 IN-SIZE ≤ 60 cm) (MAX ± 0,07 IN-SIZE > 60 cm)	± 0,25%		
	ASSORBIMENTO D'ACQUA (VALORE MEDIO IN %) Water absorption (Average value expressed in %) - Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) Поглощение воды	UNI EN ISO 10545/3 ≤ 0,5 %	CONFORME		
		ASTM C373	COMPLIANT		
	RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	SPESSORE	6,5 mm	10 mm	20MM
		UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 50 N/mm²	≥ 50 N/mm²
	FORZA DI ROTTURA Breaking strength - Résistance à la rupture - Bruchlast - Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 700 N 250 Lbs	≥ 2000 N 250 Lbs	≥ 4000 N 700 Lbs
	RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026	CONFORME UNAFFECTED		
	RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	UA - ULA - UHA UNAFFECTED		
	RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14 CTI 81-7D	5 NO EVIDENT VARIATION		
	COEFFICIENTE DI ATTRITO Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения		NAT.	LAPP.	TECNICA/ 20MM
		DIN 51130	R10	-	R11
		DIN 51097	B (A+B)	-	C (A+B+C)
		ANSI A 137.1- 2012 DCOF (Section 9.6)	WET ≥ 0,42	-	WET ≥ 0,42
		B.C.R.A.	≥ 0,40	-	≥ 0,40
		AS 4586: 2013 Slip resistance classification of new pedestrian surface materials	P2	-	P4
		BS 7976-2: 2002 Pendulum testers	25-35 Moderate Slip Potential	-	> 36 Low Slip Potential
		ENV 12633-2006 Method of determination of unpolished and polished slip/ skid resistance value	1	-	3

For further information on technical specifications, please consult our up-dated general catalogue.



DIGITAL
PRINTING
TECHNOLOGY




放射性水平A类




Min. 7,5%



SHADE
VARIATION


Formato Size Format Tamaño Формат cm	Spessore Thickness Épaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs - M² Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs - Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M² - Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids - Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte - Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M² - Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids - Pal. Gewicht x Pal. Peso x Pal. Вес x Подд Kg
120x240 Naturale	6,5	0,35	1	2,880	46,08	vedi sotto - see below		
120x120 Naturale	6,5	0,69	1	1,440	22,95			
60x120 Nat. - Lapp. - Tecn.	10	1,39	2	1,440	34,18	36	51,84	1230
80X80 Naturale 20MM	20	1,56	1	0,640	30,49	45	28,80	1372
60x60 Naturale	10	2,78	3	1,080	25,39	40	43,20	1015
30x60 Nat. - Lapp. - Tecn.	10	5,56	6	1,080	25,27	40	43,20	1011
90x90 Nat. - Lapp.	10	1,23	2	1,620	38,00	24	38,88	912
45x90 Naturale	10	2,47	3	1,215	28,54	32	38,88	913
30x30 Mosaico 3x3 Nat. - Lapp.	10	11,11	5	0,450	11,22	60	27,00	673
30x30 Mosaico Big Mix	10	11,11	5	0,450	10,64	60	27,00	638
30x60 Listelli Sfalsati	10	5,56	4	0,720	18,25	30	21,60	548
120x240 Decoro Cage	6,5	0,35	1	2,880	46,98	20	57,60	940
60x120 Decoro Cage	10	1,39	2	1,440	33,56	36	51,84	1208

Articolo Item Reference Artikel Articulo Артикула		Dimensione (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Nr. Lastre No. of Slabs Nbre Dalles Anz. Platten Nº de Placas Кол. Плит	Mq. x Imballo sqm per Pack m2 / Emballage qm pro Verpackung m2 por embalaje Кв.м. x упаковку	Peso Imballo (Kg) Weight of Packaging (kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg) Вес упаковки (кг)	Peso Imballo+Lastre (Kg) Weight of Packaging + Slabs (kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg) Вес упаковки + плит (кг)
	120x120 Cassa - Crate - Caisse Kiste - Caja - Ящик	139x139x41h	24	34,56	62,5	616,3
	120x240 Cassa - Crate - Caisse Kiste - Caja - Ящик	136x266x41h	20	57,60	99	1020,6
	120x240 Cavalletto A-Frame - Chevalet de transport - Transportgestell Caballette - Подставка	75x250x160h	40	115,20	163	2006,2

WEBSITE LINKS

www.architecturalceramics.com/catalogs

PLEASE NOTE THIS LINK IS CASE SENSITIVE

CONTACT INFORMATION:

www.architecturalceramics.com

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850