



an Architectural Ceramics brand



# **PORTLAND**





# **PORTLAND**



### **COLORS**



Ash



Grey

## **PORTLAND**



AVAILABLE SIZES	FIELD	MOSAIC	TRIM
	12x24	2x2	3x24 BN
Ash	М	М	М
Grey	М	М	М

M= Matte

Lead times for specialty  $\vartheta$  non-stocked items varies depending on product ordered, quantity, and destination. Please contact Architessa to determine the lead time to order samples and material.

#### DESCRIPTION

Portland is available in two options - a linear textured look called Rigato and a cement look. Place Portland in a modern home or on an outdoor patio for an elevated industrial finish.

#### **INSTALLATION & MAINTENANCE**

Portland may be installed using standard porcelain installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

#### TECHNICAL INFORMATION

**ORIGIN: USA** 

**AVAILABLE FINISHES: MATTE** 

TYPE: PORCELAIN EDGE: PRESSED LOOK: CONCRETE

APPLICATION: FLOOR AND WALL

USE: INDOOR/OUTDOOR RESIDENTIAL AND

COMMERCIAL

PACKAGING: PLEASE CONSULT YOUR YOUR SALES REP

COLOR VARIATION: V2 THICKNESS: 8 MM

PORCELAIN ENAMEL INSTITUTE SCALE: N/A DYNAMIC COEFFICIENT OF FRICTION: > 0.42

BREAKING STRENGTH: ≥400 LBF WATER ABSORPTION: ≤ 0.5% STAIN RESISTANCE: YES

FROST RESISTANCE: YES

**ENVIRONMENT: 10% RECYCLED CONTENT** 

#### WEBSITE

www.architessa.com/pages/datasheets

PLEASE NOTE THIS LINK IS CASE SENSITIVE



### **CONTACT INFORMATION:**

www.architessa.com 1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850