

ARCHITECTURAL CERAMICS








An italian tile made in the USA


Thicket is a five-color glazed porcelain stoneware collection. Thanks to high definition graphics technology, the surface design of the porcelain tile reminds a very authentic natural wood.







liana 6"x36" 6"x24"








liana

6"x36" 6"x24"





[a] 6"x36"








rain

6"x36"





mystic 6"x24"







mystic 6"x24"





amazon 6"x36"







amazon

6"x36"





black 6"x24"







black 6"x24"

liana rain mystic amazon COURT. black

THICKET



GLAZED PORCELAIN

6"x24" ◆ † Natural Finish



1095114 Liana 1095115 Rain 1095110 Mystic 1095112 Amazon 1095111 Black 6"x24" ◆ † Grip Finish



1095121 Liana 1095116 Rain 1095117 Mystic 1095119 Amazon 1095118 Black

6"x36" Ω † Natural Finish



1095615 Liana* 1095611 Rain* 1095612 Mystic* 1095614 Amazon* 1095613 Black*

6"x12" Cove Base



1094979 Liana 1094974 Rain 1094975 Mystic 1094977 Amazon 1094976 Black



SHADE VARIATION



UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly



SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

★ CONSUMERS SHOULD LOOK AT MULTIPLE PIECES OF TILE TO REALIZE THE FULL COLOR SPECTRUM OF THIS PRODUCT

PACKAGING							
SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ.F T PER BOX	WEIGHT PER BO X	BO XES PER PALLET	WEIGHT PER PALLET
6"x24"	15x60	10 mm	12	12	52.8	48	2534
6"x36"	15x90	10 mm	8	12	58.2	44	2323
6"x12" Cove Base	15x30	8 mm	10	5	17.5	48	840
1"x6" Inside Corner	2,5x15	8 mm	4	-	1	-	-
1"x6" Outside Corner	2,5x15	8 mm	4	-	1	-	-

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.

PLEASE CONTACT ARCHITECTURAL CERAMICS FOR PACKAGING INFORMATION.

- ♦ MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").
- † THIS MATERIAL IS NOT MODULAR.

 Ω for staggered applications, we recommend 30% offset.

TECHNICAL S PECI FICATIONS			
	NATURAL	GRIP	
Surface Abrasion	PETIV	PEIV	ASTM C1027
Water Absorption	≤0.5	ASTM C373	
Chemical Resistance	NOT AFF	ASTM 650	
Dynamic Coefficient of Friction	≥0.50)•	ANSI 137.1
Stain Resistance	NOT AFF	ECTED	ASTM C1378
Breaking Strength	≥40	ASTM C648	
Resistance to Freeze	RESIS TANT		ASTM C1026
Scratch Hardness	≥7		MOHS

THIS PRODUCT MEETS OR EXCEEDS ALL STANDARDS IN ANSI A137.1.

DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

Colors shown may vary from actual product.

Final selection should be made from actual product samples.















SUGGESTED INSTALLATIONS



Moderate to heavy foot traffic

Recommended for all residential applications as well as medium commercial and light institutional applications.

PEI Class

Heavy Traffic

In the presence of scratching dirt, in the most severe conditions to which glazed surfaces can be exposed (entryways, work areas, restaurants, exhibitions, shops, and other environments in public or private buildings, and more)

PROGRESS THAT TOUCHES PEOPLE AND INVESTS IN THE ENTIRE SOCIETY

As an active member of the U.S. Green Building Council, Florim promotes awareness in the American community of a greener tomorrow by encouraging the use of building solutions inspired by environmentally friendly practices. Using Florim products in building projects will contribute to the attainment of scores and points required for LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR RESPONSIBLE AND SUSTAINABLE BUILDING Florim offers products containing recycled material. The adoption of ecologically compatible production systems emerges from Italian designs produced in the U.S.A.

TECHNICAL DEVELOPMENT THAT RESPECTS THE NATURAL ENVIRONMENT Florim is committed to eco-sustainable projects, as reflected in avant-garde production processes that minimize the impact on the environment









WHY PORCELAIN?

There are many reasons to choose impervius porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers on of the most durable and least expensive options over the lifespan of the building

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable best long-term value vs. other floor coverings

How to Maintain Your Porcelain Tile

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).



An italian tile **made in the USA**

CONTACT INFORMATION:

www.architecturalceramics.com/catalogs

1.800.287.1742

For general sales inquiries: sales@architecturalceramics.com

For commercial & hospitality sample requests: samples@architecturalceramics.com

Headquarters: 800 E Gude Dr Suite F Rockville, MD 20850

